


LIBRARY OF CONGRESS.

Chap. Copyright No. Shelf Shelf UNITED STATE:









Illustrated Catalogue



Chandler Pump Co.

Manufacturers and Jobbers of

PUMPS, PLUMBING GOODS

Gas, Steam and Water Supplies,

Brass Goods and Fittings,

Engine Trimmings, Etc.

First Avenue and
Eighth Street West

CEDAR RAPIDS IOWA Library of Congress
I WO COPIES RECEIVED
DEC 1 1900
Copyright entry
Le. 18, 1900
No Q 30504
SECOND COPY
Octivered to
ORDER DIVISION
JAN 7 1901

1 255 S



1-30030101152

TO THE TRADE

E take much pleasure in presenting to you a copy of our new Plumbing and Steam Fitters' Catalogue, and hope it may be your pleasure to find for it a convenient place on your desk.

It is not a large volume, still we believe you will find described within the following pages as complete and thoroughly up-to-date line of Plumbing, Steam and Water supplies, as is to be found in many more pretentious work.

In its compilation it has been our careful study to discard everything of an obsolete nature, retaining only those of well known merit.

In the many years we have been engaged in the manufacture of Iron Pumps, it has always been our aim, not to see how cheap an article we could make, but to place upon the market the very best piece of goods possible to produce. With what degree of success we have attained, most of the dealers in the west are familiar.

It is along these same lines we shall conduct our new undertaking, offering only such goods as we know will give entire satisfaction to the most exacting trade.


With this assurance on our part we respectfully ask a share of your business.

Very Cordially Yours, CHANDLER PUMP CO.

J. A. CHANDLER, President.

C. H. CHANDLER, Vice-President.

W. H. Dunshee, Secretary and Treasurer.



TERMS AND INSTRUCTIONS

To parties having no commercial rating, or of whom we have no satisfactory knowledge as to financial ability, character, etc., no goods will be sold except for cash.

When desired by purchaser, goods will be forwarded C. O. D., but as an evidence of good faith, an amount sufficient to pay transportation charges both ways must accompany order, otherwise order will not be filled.

To parties of known responsibility, our usual terms of credit will be gladly extended.

Box and cartage on all shipments will be charged for at cost.

All accounts are payable at our office with exchange. Remittances should be made by Bank draft, Postoffice or Express money orders. Do not send personal checks unless you include a sufficient amount to cover exchange.

Past due accounts are subject to sight draft without notice.

All possible care will be taken to see that orders are properly packed and filled, but responsibility ceases, on our part, when receipt is furnished from Transportation Company.

All claims for goods damaged or lost in transit must be made of the Transportation Company. We will, however, gladly render any assistance in our power to expediate settlement of such claims.

All claims for corrections or deductions must be made on receipt of goods.

Goods returned without orders from our office will not be received.

When, for any reason, goods are returned to us, be particular to see that they are plainly marked, where and from whom consigned.

In making out orders, please be explicit; order by figure number so far as possible. Do not specify same as last. You will thus aid us in preventing annoying mistakes and delays.

Discount sheets will be issued from time to time, but quotations are subject to change without notice.

Special quotations are made for immediate acceptance only.

By observing the foregoing rules, much unnecessary annoyance can be avoided.

INDEX

	Bath Bibbs, Fuller	
Acetylene Gas Burners 251	" Chains	63
"Acme" Automatic Air Valves 228	" Cocks, Compression	Z4
Adjustable Ceiling Plates 211-212	" "Fuller	41
"Floor Plates 212	" Plugs	58-59
" Pipe Hangers 211	" Sprinklers	
" Holders 61	" Supply Pipes	54
Air Cocks 229	" Waste Washers	
" Valves, Automatic 228	" Wastes	
" " Compression 227	" Tub Head Rests	64
Alcohol Torches 266	" Tubs, Copper	170
Alligator Wrenches 274	" " Enameled	162–168
Altitude Courses 995	" " Steel	169
Altitude Gauges	" " Zinc	170
Angle Check Valves, Brass	Belting	268
non Body 21.	Bemis & Call Pipe Wrenches	272
Jehkins Dios., Diass 210	Bending Pins	267
jenkins Disc, Diass. 210	" Springs	267
Lunkennenner, Diass 210	Bends, Lead	77
" Valves, Brass 213–214	" Return, Cast Iron	190
" " Iron Body 216	" " Malleable	181
" Jenkins Bros., Brass 214	" " with Back Outlet	209
" " Disc, Brass 213	Pibb Washers	79
" " Lunkenheimer, Brass 214	Bibb Washers Bibbs, Boston Self Closing	. (19
Anti Syphon Trap Vents 82	" Compression	te
Armstrong Stocks and Dies 277	Compression : ======	
Asbestos Cement 261	Doncity Sch Closing	00 90
" Millboard 261	runer	Z9-32
" Pipe Covering, Moulded 261	Giodia Ixcy	1-Z,
"Rope Packing 261	" Hose, Compression	10-17
" Sheeting 261	" "Fuller	29-31
" Wick Packing 261	" "Lever Handle	
Automatic Air Valves 228	" Plain, Compression	10-17
Automatic Air Valves 228	" " Fuller	29-31
Automatic Air Valves228	" " Fuller " Lever Handle	29-31 1-2
Automatic Air Valves 228 B	" " Fuller " Lever Handle " Telegraph Self Closing	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Automatic Air Valves 228 B Back Outlet Return Bends 203	" " Fuller " Lever Handle " Telegraph Self Closing	29-31 1-2 45 78
Automatic Air Valves 228 Back Outlet Return Bends 203 Back Pressure Valves 220	" " Fuller " Lever Handle " Telegraph Self Closing Block Tin Blowers, Steam Flue	29-31 1-2 45 75 281
## Automatic Air Valves 228 ## Back Outlet Return Bends 203 ## Back Pressure Valves 220 ## Backs, Sink 102	" " Fuller " Lever Handle " Telegraph Self Closing Block Tin Blowers, Steam Flue Blow Pipes	29-31 1-2 78 281
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78	" " Fuller " Lever Handle " Telegraph Self Closing Block Tin Blowers, Steam Flue Blow Pipes Blow Torches	29-31 45 75 281 265
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78	" " Fuller " Lever Handle " Telegraph Self Closing Block Tin	29-31 1-2 45 281 265 265
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46	" " Fuller	29-31 45 281 265 265 265
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46	" " Fuller	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " Fuller 47	" " Fuller	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " " Fuller 47 Balls, Copper 47	" " Fuller	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " Fuller 47 Balls, Copper 47 " Fuller 42	" " Fuller	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " Fuller 47 Balls, Copper 47 " Fuller 42 Bar Strainers 97	" " Fuller	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " "Fuller 47 Balls, Copper 47 "Fuller 42 Bar Strainers 97 Barnes Pipe Cutters 276	" " Fuller	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " "Fuller 47 Balls, Copper 47 "Fuller 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63	" " Fuller	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " Fuller 47 Balls, Copper 47 " Fuller 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 " Clamps 60	" " Fuller	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " Fuller 47 Balls, Copper 47 " Fuller 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 " Clamps 60 " Cocks, Boston Self Closing 43	" " Fuller	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " "Fuller 47 Balls, Copper 47 "Fuller 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 "Clamps 60 "Cocks, Boston Self Closing 43 "Compression 19-22	" " Fuller	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " "Fuller 47 Balls, Copper 47 "Fuller 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 "Clamps 60 "Cocks, Boston Self Closing 43 " "Compression 19-22 " "Doherty Self Closing 44	" " Lever Handle	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " " Fuller 47 Balls, Copper 47 " Fuller 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 " Clamps 60 " Cocks, Boston Self Closing 43 " " Compression 19-22 " " Doherty Self Closing 44 " " Fuller 34-37 34-3	" " Lever Handle	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " " Fuller 47 Balls, Copper 47 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 " Clamps 60 " Cocks, Boston Self Closing 43 " " Compression 19-22 " " Doherty Self Closing 44 " Fuller 34-37 " Telegraph Self Closing 45	" " Lever Handle " Telegraph Self Closing Block Tin Blowers, Steam Flue Blow Pipes Blow Torches Bobs, Plumb Boiler Couplings, Brass Malleable " Elbows Boilers, Range Bolts, Sink Borers, Tap Bossing Sticks Boston Self Closing Work Bower Traps Bowls, Enameled Iron Boxes, Grease Service or Stop	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " " Fuller 47 Balls, Copper 47 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 " Clamps 60 " Cocks, Boston Self Closing 43 " " Compression 19-22 " " Doherty Self Closing 44 " " Fuller 34-37 " " Telegraph Self Closing 45 " Connections, Rubber 70	" " Lever Handle " Telegraph Self Closing Block Tin Blowers, Steam Flue Blow Pipes Blow Torches Bobs, Plumb Boiler Couplings, Brass Malleable " Malleable " Elbows Boilers, Range Bolts, Sink Borers, Tap Bossing Sticks Boston Self Closing Work Bower Traps Bowls, Enameled Iron Boxes, Grease Service or Stop Bracket Bodies, Gas	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " " Fuller 47 Balls, Copper 47 " Fuller 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 " Clamps 60 " Cocks, Boston Self Closing 43 " " Compression 19-22 " " Doherty Self Closing 44 " " Fuller 34-37 " " Telegraph Self Closing 45 " Connections, Rubber 70 " Gaskets, Rubber 70 70 100	" " Lever Handle " Telegraph Self Closing Block Tin Blowers, Steam Flue Blow Pipes Blow Torches Bobs, Plumb Boiler Couplings, Brass Malleable " Malleable " Malleable Boilers, Range Bolts, Sink Borers, Tap Bossing Sticks Boston Self Closing Work Bower Traps Bowls, Enameled Iron Boxes, Grease Service or Stop Bracket Bodies, Gas Brackets, Gas	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " " Fuller 47 Balls, Copper 47 " Fuller 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 " Clamps 60 " Cocks, Boston Self Closing 43 " " Compression 19-22 " " Doherty Self Closing 44 " " Fuller 34-37 " " Telegraph Self Closing 45 " Connections, Rubber 70 " Gaskets, Rubber 70 " Gaskets, Rubber 70 " Plugs 57 102 102 102 103	" Fuller	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 " " Fuller 47 Balls, Copper 47 " Fuller 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 " Clamps 60 Cocks, Boston Self Closing 43 " " Compression 19-22 " " Doherty Self Closing 44 " " Fuller 34-37 " " Telegraph Self Closing 45 " Connections, Rubber 70 " Gaskets, Rubber 70 " Gaskets, Rubber 70 " Plugs 57 " Supply Pipes 52-53 52-53 102 102 102 102 103	" " Lever Handle " Telegraph Self Closing Block Tin Blowers, Steam Flue Blow Pipes Blow Torches Bobs, Plumb Boiler Couplings, Brass " " Malleable " Elbows " Stands Boilers, Range Bolts, Sink Borers, Tap Bossing Sticks Boston Self Closing Work Bower Traps Bowls, Enameled Iron Boxes, Grease " Service or Stop Bracket Bodies, Gas Brackets, Gas " Lavatory " Sink	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 47 Balls, Copper 47 47 Balls, Copper 47 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 63 63 63 63 63 63 6	" " Lever Handle " Telegraph Self Closing Block Tin Blowers, Steam Flue Blow Pipes Blow Torches Bobs, Plumb Boiler Couplings, Brass " " Malleable " Elbows " Stands Boilers, Range Bolts, Sink Borers, Tap Bossing Sticks Boston Self Closing Work Bower Traps Bowls, Enameled Iron Boxes, Grease " Service or Stop Bracket Bodies, Gas Brackets, Gas " Lavatory " Sink Branch Tees	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 47 Balls, Copper 47 47 Balls, Copper 47 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 43 63 63 63 63 63 63	" " Lever Handle " Telegraph Self Closing Block Tin Blowers, Steam Flue Blow Pipes Blow Torches Bobs, Plumb Boiler Couplings, Brass Malleable " Malleable " Malleable Boilers, Range Bolts, Sink Borers, Tap Bossing Sticks Boston Self Closing Work Bower Traps Bowls, Enameled Iron Boxes, Grease " Service or Stop Bracket Bodies, Gas Brackets, Gas Lavatory " Sink Branch Tees Services Brass Pipe Wrenches	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 47 Balls, Copper 47 47 Balls, Copper 47 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 Clamps 60 Cocks, Boston Self Closing 43 43 43 43 43 43 44 44 54 5	" " Fuller	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 47 Balls, Copper 47 47 Balls, Copper 47 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 63 63 63 63 63 63 6	" " Lever Handle " Telegraph Self Closing Block Tin Blowers, Steam Flue Blow Pipes Blow Torches Bobs, Plumb Boiler Couplings, Brass " " Malleable " Elbows " Stands Boilers, Range Bolts, Sink Borers, Tap Bossing Sticks Boston Self Closing Work Bower Traps Bowls, Enameled Iron Boxes, Grease " Service or Stop Bracket Bodies, Gas Brackets, Gas " Lavatory " Sink Branch Tees Broskton Glass Tube Cutters Brown's Adjustable Pipe Tongs	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 47 Balls, Copper 47 47 Balls, Copper 47 47 Balls, Copper 47 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 63 63 63 63 63 63 6	" " Fuller	29-31
B Back Outlet Return Bends 203 Back Pressure Valves 220 Backs, Sink 102 Bag Traps 78 Bailey Slop Hoppers 99 Ball Cocks, Compression 46 47 Balls, Copper 47 47 Balls, Copper 47 42 Bar Strainers 97 Barnes Pipe Cutters 276 Basin Chains 63 63 63 63 63 63 63 6	" " Lever Handle " Telegraph Self Closing Block Tin Blowers, Steam Flue Blow Pipes Blow Torches Bobs, Plumb Boiler Couplings, Brass " " Malleable " Elbows " Stands Boilers, Range Bolts, Sink Borers, Tap Bossing Sticks Boston Self Closing Work Bower Traps Bowls, Enameled Iron Boxes, Grease " Service or Stop Bracket Bodies, Gas Brackets, Gas " Lavatory " Sink Branch Tees Broskton Glass Tube Cutters Brown's Adjustable Pipe Tongs	29-31

Burner Cocks, Gas	Closet Flush and Supply Pipes 51
" Pliers 271 Bushings, Cast Iron 198	" Hoppers, Earthenware 137, 144
" Eccentric 200	" Enameled Iron 117, 124
" Faced 182	" Pulls 64
" Hose 256	" Screws 61
" Malleable 182	" Seats 146-147
Buzzell's Basin Wrench 269	" Tank Syphons 47
	" Tanks148-152
C	" Washers 61
Calking Chisels 268	Closets, Complete 123, 126–136
Candle Sticks 266	Coat Hooks 67
Canvas Belting 263	Cock Hole Covers 61
Caps, Cast Iron 198	Cocks, Air 229
" Drive 185	" Ball, Compression 46
Maneable 113	" "Fuller 47
Casing, Well 288	Dasiii, Dostoii Scii Closing 4e
Cast Iron Fittings	Compression10-22
Ceiling Plates 211-212	" " Doherty Self Closing 44 " " Fuller 34-37
Cellar Traps 96	" "Telegraph Self Closing 45
Cement, Asbestos 261	"Burner, Gas 250
" Gas Fitters' 261	" Corporation 18
" Steam Fitters'	" Curb, Inverted Key 12
Cesspool Grates 97	" Gas Service G
Cesspools 97	" Gauge 230
Cesspools, Hydrant 97	" Hopper 45
Chain Stays60	" Hose, Gas 250
Chain Tongs 275	" Hydrant
Chains, Basin 63	Glaubel 12
" Bath 63 " Plumbers 63	11011
" Wash Tray 63	" Pantry, Compression 28 " " Fuller 38–39
Champion Chain Tongs 275	" "Boston Self Closing 48
" Water Lifts 284	" Doherty Self Closing 44
Chandelier Hooks 186	" Pendent, Gas
" Loops 186	" Pillar, Gas 250
Chart of Cast Iron Fittings	" Rain and Well Water 10
" Malleable Fittings	" Rough Stop 3-4, 11
Check Valves, Brass	" "Stop and Waste5, 6, 11
" " Iron Dada 215	" Service
from body Z17	" Shower, Compression 28
jenkins blos., blass 213	Glound IXCV
" Jenkins Disc, Brass 213	" Sill
" " Lunkenheimer, Brass	" " Iron 222
" " Iron 217	" Stop, Compression 27
" " with Drip	" "Finished, Ground Key 7
Chesterton's Glass Tube Cutters 238	" " Fuller 42
Chisels, Calking 268	" " Glauber 11
" Yarning 268	" "Minneapolis"9, 12
Cipher, Telegraphic Pipe 287	" " Rough
" Casing 288	" Step & Waste, Compression 28
Circulating Boiler Couplings, Brass. 49	" " Finished Ground Key 8
	" " Glauber 11 11
Clamps, Basin	Kough, 0, 11
Hydrant 107	Offinal, Doston Sen Closing 10
" Hydrant 187 Cleanouts 85	" Compression 26 " Doherty Self Closing 44
Clean Sweep Traps 83-84	" "Fuller 42
Clevauc Automatic Air Valves 228	Coe's Wrenches
Closet Bowls, Earthenware138, 139, 140, 145	Columns, Water 233
" "Enameled124-125	Comb Holders 66
" Connections, Rubber 70, 73	Combination Ferrules 76
" Ricketts 73	" Soldering Nipples 76
" Floor Flanges, Brass 62	" Water Pressure Gauges 235
" " Gaskets 71	Compression Air Valves 227

Compression Ball Cocks 46	Davis Steam Pressure Regulator 2	
" Basin Cocks19-22	Detroit Lubricators 2	43
" Bath Bibbs 18	Dies and Stocks277-2	79
" " Cocks 24	Discs, Jenkins 2	26
" Bibbs 15–17	Doherty Self Closing Work	44
Gauge Cocks 200	Double Branch Elbows 2	104
110se Dibbs:10-11	Dressers 2	
rantry Cocks 20	Drift Plugs	
1 lalli Dibbs 10-11	Drinking Fountains 1	00
Shower Cocks 20	Drive Caps 1	60
SIII COCKS 20	Drop Elbows	77
Stop Cocks 21	Drop Tees 1	86
Official Cocks 20	Drum Traps	00 00
wash flay blobs 10	Duplex Gauge Cocks 2	UG:
Connected Waste and Overflow 55	" Stocks and Dies 2	110
Connections, Basin, Rubber 70	E	
Closet, Micketts 10		
Kubbet10, 10	Earthenware Basins 142-1	
water, Diass 14	" Closet Bowls 138–140, 14	
Copper Balls 47	" Hoppers137, 1-	44
Bath Tubs 170	" Urinals141, 1	44
Coppers, Soldering 267	List of 144-1	
Cork Washers	Eccentric Bushings 2	00
Corner Radiator Valves	" Reducing Couplings 2	
" Slabs 161	" Tees 2	
51405	Eight Hooks	63
Corporation Cocks 13		49
Couplings, Boiler, Brass 49	" " Malleable 18	
Couplings, Boiler, Brass 49 " Malleable 185	Cast Hon 1	
Maneable 100	" Double Branch 2	04
Closet, Diass 140	" Drop	77
Eccentific Reducing 200	" Long Radius 2	04
" Hose 256	" Malleable 1	
" Malleable Pipe 180		73
" Offset Reducing 180	" Slip Joint	62
" Pump Rod	" Street 1	76
" Reducing Cast Iron 196 " Malleable 179	"Union, Malleable 18	84
	" Union Radiator, Brass 2	Z'
" Right and Left 180 " Sink 103	Elgin Wrenches 2	14
" Water Back	Enameled Iron Basins 1	10
" Well Casing 288	" " Bath Tubs162-1	
" Wood Rod 187	DOWIS 1.	16
" Wrought Iron Pipe 288	Closet Bowls 124-1	
	Tropper Closets	24
Covers, Cock Hole 61 Covering, Asbestos 261	Laundry rubs	10
Crandall Steam Packing 260	Lavatories 112-1	10
Crescent Instantaneous Water Heater 175	KOH KIII SHKS100-10	
Cross Valves, Brass 213	5111KS 100-1	
" " Iron Body 217	Slop Sliks	98
" ' Jenkins Bros., Brass 214	Utiliais 1.	
" " Lunkenheimer, Brass 214	Steel Sinks	
Crosses, Cast Iron	End Ferrules	
" Malleable 179		85
Cross-Overs	Engine Trimmings 229-24	47
	Eureka Water Lifts 2	84
Cudell Traps	Expanders, Flue2	10
" "Plumbers 266		10
" Oil239-241	" Joints 2	
" Soap 65	Tipe trangers	11
" Soil	1 dires 1	
Curb Cocks, Inverted Key	Extension Pieces, Gas 1	86
	F ·	-
Cutters, Glass Tube 238	·	
" Pipe 276	Faced Bushings182, 19	98
· р	" Lock Nuts 1	82
_	Fancy Strainers	59
Davis Back Pressure Valve 220	Ferrules, Combination	76

INDEX—Continued

" " with Tran Screw 85	Gauges, Combination Water Flessure 25
with Trap Sciew :==:===== 00	" Steam 23
Fittings, Boiler, Circulating 49, 185	v alci 200-20
" Cast Iron	Gem Hose Nozzles 25
Chart of Cast Hon	Glass Tubes 23
Walleable Holl 100-102	"Tube Cutters 23
Maneable Hon	Glasses for Oil Cups 24
Railing 100	Glauber Hydrant Cocks 1
" Soil Pipe	" Stop Cocks 1
Flange Unions 201	" Stop and Waste Cocks 1
Flanges, Cast Iron 202	Globe Valves, Brass 213, 214
" Closet, Brass 62	" " Iron Body 210
" Floor 202	" " Jenkins Bros., Brass 214
" Spun Brass, Nickel-plated 62	" " Jenkins Disc, Brass 21
Flax Packing 261	" "Lunkenheimer, Brass 214
Floor Flanges 202	"Good" Stoppers 70
" " Closet 62	Goose Necks, Lead 14
" Gaskets, Rubber: 71	Grates, Cesspool 99
" Plates	Grease Boxes 260
Flue Blowers, Steam 281	Grease Cups 239, 240
" Brushes 281	" "Plumbers 260
"Expanders 281	Ground Key Bibbs
" Scrapers	" " Stops 3-9, 11, 15
Flush Pipe Holders 61	Guards for Water Gauges, Brass 23'
Flush Pines Closet 51	a since so the accident and accident and accident acciden
Flush Pipes, Closet 51 Force Cups 270	H
Fountains, Drinking 160	II-16 Cin-1- Cin-1-
Four-Way Tees	Half Circle Sinks 100
Friction Tongs 275	Handles, Hydrant 18
Frost Proof Closets	Hangers, Pipe 211
Fuller Ball Cocks 47	Hard Rubber Hose 258
	Harris Slop Sinks 99
	Hat Hooks 6
Dasin Cocks	"Hawkeye Red" Sheet Packing 259
Datii Dibbs 40	Head Rests for Bath Tub 64
	1 11 - 4 - 5 - 10 - 4 - 5 4 - 5 4 - 5 - 5 - 5 - 5 17 1
COCKS 41	Heaters, Instantaneous Water 178
" Bibbs 29-32	" Tabasco Water 174
" Bibbs 29–32 " Hose Bibbs 29–31	" Tabasco Water 174 " Wilkes " 175
" Bibbs 29-32 " Hose Bibbs 29-31 " Pantry Cocks 38-39	" Tabasco Water
" Bibbs 29–32 " Hose Bibbs 29–31 " Pantry Cocks 38–39 " Plain Bibbs 29–32	" Tabasco Water
" Bibbs 29–32 " Hose Bibbs 29–31 " Pantry Cocks 38–39 " Plain Bibbs 29–32 " Repairs 42	" Tabasco Water 174 " Wilkes " 175 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 280
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 Plain Bibbs 29-32 Repairs 42 Stop Cocks 42	" Tabasco Water 174 " Wilkes " 175 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 Plain Bibbs 29-32 Repairs 42 Stop Cocks 42 "Urinal Cocks 42	" Tabasco Water
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 Plain Bibbs 29-32 Repairs 42 Stop Cocks 42 "Urinal Cocks 42	" Tabasco Water 174 " Wilkes 175 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264	" Tabasco Water 174 " Wilkes 175 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 Plain Bibbs 29-32 Repairs 42 Stop Cocks 42 "Urinal Cocks 42	" Tabasco Water 174 " Wilkes 175 Hemp Packing 261 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238	" Tabasco Water 174 " Wilkes 175 Hemp Packing 261 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264	" Tabasco Water 174 " Wilkes 175 Hemp Packing 261 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238	" Tabasco Water 174 " Wilkes 175 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 Garlock Steam Packing 260	" Tabasco Water 174 " Wilkes 175 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 Garlock Steam Packing 260 Gas Brackets 252-253	" Tabasco Water 174 " Wilkes 175 Hemp Packing 261 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251	" Tabasco Water 174 " Wilkes 175 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 " Expansion 210
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261	" Tabasco Water" 174 " Wilkes " 175 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 Hooks, Chandelier 186
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 G Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253	" Tabasco Water" 174 " Wilkes " 175 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 Hooks, Chandelier 186 " Coat 67
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 G Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253 "Hooks 210	" Tabasco Water" 174 " Wilkes" 175 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 Hooks, Chandelier 186 " Coat 67 " Eight 68
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 G Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253 "Hooks 210 "Pliers 271	" Tabasco Water" 174 " Wilkes" 175 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 " Expansion 210 Hooks, Chandelier 186 " Coat 67 " Eight 68 " Gas 210
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 G Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253 "Hooks 210 "Pliers 271 "Service Cocks 9	" Tabasco Water" 174 " Wilkes" 175 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 280 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 " Expansion 210 Hooks, Chandelier 186 " Coat 67 " Eight 68 " Gas 210 " Hat 67
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 G Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253 "Hooks 210 "Pliers 271 "Service Cocks 9 Gaskets, Basin 70	" Tabasco Water" 176 " Wilkes" 176 Hemp Packing 26 Hexagon Nipples, Malleable 18 Hinged Vises 28 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 Hooks, Chandelier 186 " Coat 67 " Eight 65 " Gas 210 " Hat 67 " Pipe 95
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 G Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253 "Hooks 210 "Pliers 271 "Service Cocks 9 Gaskets, Basin 70 "Floor 71	" Tabasco Water" 176 " Wilkes" 176 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 28 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 " Whoks, Chandelier 186 " Coat 67 " Eight 65 " Gas 210 " Hat 67 " Pipe 95 " Robe 67
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 G Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253 "Hooks 210 "Pliers 271 "Service Cocks 9 Gaskets, Basin 70 "Floor 71 "Gauge Glass 72	" Tabasco Water" 176 " Wilkes" 176 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 28 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 " Expansion 210 Hooks, Chandelier 186 " Coat 67 " Eight 65 " Gas 210 " Hat 67 " Robe 67 " Shave 257
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 G Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253 "Hooks 210 "Pliers 271 "Service Cocks 9 Gaskets, Basin 70 "Floor 71 "Gauge Glass 72 "Hose 72	" Tabasco Water" 176 " Wilkes" 176 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 28 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 " Expansion 210 Hooks, Chandelier 186 " Coat 67 " Eight 65 " Gas 210 " Hat 67 " Robe 67 " Shave 257 Hopper Cocks 45
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 G Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253 "Hooks 271 "Service Cocks 9 Gaskets, Basin 70 "Floor 71 "Gauge Glass 72 "Hose 72 "Sink 71	" Tabasco Water" 176 " Wilkes" 176 Hemp Packing 26 Hexagon Nipples, Malleable 18 Hinged Vises 28 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 " Whisk Broom 210 Hooks, Chandelier 186 " Coat 67 " Coat 67 " Gas 210 " Hat 67 " Robe 67 " Shave 257 Hopper Cocks 45 Hoppers, Closet, Earthenware 137, 144
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 G Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253 "Hooks 210 "Pliers 271 "Service Cocks 9 Gaskets, Basin 70 "Floor 71 "Gauge Glass 72 "Hose 72 "Sink 71 Gate Valves, Brass 218-219	" Tabasco Water" 176 " Wilkes" 176 Hemp Packing 26 Hexagon Nipples, Malleable 18 Hinged Vises 28 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 " Whisk Broom 210 Hooks, Chandelier 186 " Coat 67 " Coat 67 " Gas 210 " Hat 67 " Pipe 95 " Robe 67 " Shave 257 Hopper Cocks 45 Hoppers, Closet, Earthenware 137, 144 " Enameled Iron 117-124
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 G Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253 "Hooks 210 "Pliers 271 "Service Cocks 9 Gaskets, Basin 70 "Floor 71 "Gauge Glass 72 "Hose 72 "Sink 71 Gate Valves, Brass 218-219 "Brass, Quick Opening 219	" Tabasco Water" 176 " Wilkes" 176 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 28 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 " Expansion 210 Hooks, Chandelier 186 " Coat 65 " Eight 65 " Gas 210 " Gas 210 " Hat 67 " Shave 257 Hopper Cocks 45 Hoppers, Closet, Earthenware 137, 144 " Enameled Iron 117-124 " Slop, Bailey 99
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253 "Hooks 210 "Pliers 271 "Service Cocks 9 Gaskets, Basin 70 "Floor 71 "Gauge Glass 72 "Hose 72 "Sink 71 Gate Valves, Brass 218-219 ""Brass, Quick Opening 219 ""Iron Body 218-219	" Tabasco Water" 176 " Wilkes" 176 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 28 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 " Expansion 210 Hooks, Chandelier 186 " Coat 65 " Eight 65 " Gas 210 " Hat 67 " Robe 67 " Shave 257 Hoppers, Closet, Earthenware 137, 144 " Enameled Iron 117-124 " Slop, Bailey 99 Horizontal Range Boilers 172
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253 "Hooks 210 "Pliers 271 "Service Cocks 9 Gaskets, Basin 70 "Floor 71 "Gauge Glass 72 "Hose 72 "Sink 71 Gate Valves, Brass 218-219 ""Ton Body 218-219 ""Ton Body 218-219 ""Ton Coulck Opening 219	" Tabasco Water" 176 " Wilkes" 176 Hemp Packing 26 Hexagon Nipples, Malleable 18 Hinged Vises 28 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 " Expansion 210 Hooks, Chandelier 180 " Coat 67 " Eight 68 " Gas 210 " Hat 67 " Robe 67 " Shave 257 Hopper Cocks 45 Hoppers, Closet, Earthenware 137, 144 " Enameled Iron 117-124 " Slop, Bailey 99 Horizontal Range Boilers 2213, 215 " Check Valves, Brass 2213, 215
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Urinal Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253 "Hooks 210 "Pliers 271 "Service Cocks 9 Gaskets, Basin 70 "Floor 71 "Gauge Glass 72 "Hose 72 "Sink 71 Gate Valves, Brass 218-219 ""Tron Body 218-219 ""Tron Body 218-219 ""Tron Body 218-219 """Tron Body 218-219 """Tron Body 218-219 """Tron Body 210 """Tron Bod	" Tabasco Water" 176 " Wilkes" 176 Hemp Packing 26 Hexagon Nipples, Malleable 186 Hinged Vises 28 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 " Expansion 210 Hooks, Chandelier 186 " Coat 65 " Eight 65 " Gas 210 " Hat 67 " Shave 257 Hoppers, Closet, Earthenware 137, 144 " Slop, Bailey 99 Horizontal Range Boilers 172 " Check Valves, Brass 213, 215 " Tron 215
"Bibbs 29-32 "Hose Bibbs 29-31 "Pantry Cocks 38-39 "Plain Bibbs 29-32 "Repairs 42 "Stop Cocks 42 "Wash Tray Bibbs 33 Furnaces, Plumbers 264 Fusible Plugs 238 Garlock Steam Packing 260 Gas Brackets 252-253 "Burners 251 "Fitters Cement 261 "Fittings and Fixtures 250-253 "Hooks 210 "Pliers 271 "Service Cocks 9 Gaskets, Basin 70 "Floor 71 "Gauge Glass 72 "Hose 72 "Sink 71 Gate Valves, Brass 218-219 ""Ton Body 218-219 ""Ton Body 218-219 ""Ton Coulck Opening 219	" Tabasco Water" 176 " Wilkes" 176 Hemp Packing 26 Hexagon Nipples, Malleable 185 Hinged Vises 28 Holders, Adjustable Pipe 61 " Brush 66 " Comb 66 " Sponge 66 " Toilet Paper 67 " Tooth Brush 66 " Tumbler 66 " Whisk Broom 66 Hook Plates, Cast Iron 210 " Expansion 210 Hooks, Chandelier 186 " Coat 65 " Eight 65 " Gas 210 " Hat 67 " Shave 257 Hopper Cocks 45 Hoppers, Closet, Earthenware 137, 144 " Enameled Iron 117-124 " Slop, Bailey 99 Horizontal Range Boilers 72 " Check Valves, Brass -213, 215 " Tron 215

INDEX—Continued

Hose, all kinds200	Lawn Sprinklers 25
Hose Bibbs, Compression 15-17	Lead Bends
" " Fuller 29-31	" Ferrules, Combination 7
" " Ground Key	" Goose Necks
" Lever Handle1. 2	" Pig 7
" Bushings 256	" Pipe 7
" Clamps 257	" Sheet 7
" Cocks Gas	" Traps 78-8
	Leather Belting 26
Couplings 200	Leather Defung
Elius, Gas 201	" Lace
" Gaskets	Lennox Tapping Machines 24
" Menders 256	Lever Handle Hose Bibbs 1-
" Nipples 256	" " Plain " 1-
" Nozzles 254 255	Links, Split 6
" Pipes 254	Lock Nuts, Cast Iron. 20
" Reducers 256	" Malleable 18
" Peels 957	Long Dadius Double Dranch Elba 20
NCC15 201	Long Radius Double Branch Elbows 20
Sprices 2200	LIDOWS 20
"Strap Fasteners 257	1665 20
" Straps 257	" Screws 19
" Winding with Wire 258	Loops, Chandelier 18
Hot Water Radiator Valves 223	Lock and Shield Radiator Valves 22
Hydrant Cesspools 97	Loose Key Sill Cocks 2
Undrant Coolea	Loose Key Sill Cocks 2
Hydrant Cocks 10, 12	I ub mino to ma Dotumit
" 'Glauber 12	Lubricators, Detroit 24
" Handles 187	" Lunkenheimer 24
Hydrants 282	" Plain Engine 24
	" Swift 24
	Lunkenheimer Brass Valves214-21
Ideal Design Wester	" Gate Valves 218, 21
Ideal Basin Wastes 54	" Grease Cups 239, 24
"Bath Wastes 54	" Oil Cups 240 94
" Grease Cups 240	" Oil Cups 240-24
Injectors, Penberthy 244	"Throttle Valves 22
" U. S. 245	4
" U. S 245	M
" U. S 245 Instantaneous Water Heaters 175	M
" U. S 245	
" U. S 245 Instantaneous Water Heaters 175	Machines, Tapping 24
" U. S	Machines, Tapping 24 Malleable Iron Fittings 176–18
" U. S	Machines, Tapping 24 Malleable Iron Fittings 176–18
" U. S	Machines, Tapping 24 Malleable Iron Fittings 176–18 'Fittings. Chart of 188–19 Manifolds or Branch Tees 20
" U. S	Machines, Tapping 24 Malleable Iron Fittings 176–18 " Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16
" U. S	Machines, Tapping 24 Malleable Iron Fittings 176–18 " Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16
" U. S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 J 145 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 " Discs 226 " Sheet Packing 259	Machines, Tapping 24 Malleable Iron Fittings 176–18 " Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 " Drinking Fountains 16
"U.S	Machines, Tapping 24 Malleable Iron Fittings 176–18 " Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 " Drinking Fountains 16 " Lavatories 153–15
"U.S	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23
"U.S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders, Hose 25
"U.S	Machines, Tapping
"U.S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 28 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 15
"U.S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251	Machines, Tapping
"U.S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251	Machines, Tapping
"U.S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251	Machines, Tapping 24 Malleable Iron Fittings 176–18 'Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 'Drinking Fountains 16 'Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 13 Mississippi Gauge Cocks 23 Monkey Wrenches 26 Moulds, Tack 26
"U.S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251	Machines, Tapping 24 Malleable Iron Fittings 176–18 'Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 'Drinking Fountains 16 'Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 13 Mississippi Gauge Cocks 23 Monkey Wrenches 26 Moulds, Tack 26
"U.S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 28 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 13 Mississippi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28
"U.S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K K Kieley Steam Traps 246	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 13 Mississippi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24
"U.S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K K Kieley Steam Traps 246	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 13 Mississippi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24 McClellen Anti Syphon Trap Vents 85
"U.S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K K Kieley Steam Traps 246 Keys, Lock and Shield Radiator Valve 226 "Street Washer 187	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 13 Mississippi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24
"U.S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K K Kieley Steam Traps 246 Keys, Lock and Shield Radiator Valve 226 "Street Washer 187	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 15 Mississisppi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24 McClellen Anti Syphon Trap Vents 8 McIver Hopper Closet 125
"U.S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K K Kieley Steam Traps 246 Keys, Lock and Shield Radiator Valve 226 "Street Washer 187 Kitchen Sink Backs 102	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 13 Mississippi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24 McClellen Anti Syphon Trap Vents 85
"U. S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K K Kieley Steam Traps 246 Keys, Lock and Shield Radiator Valve 226 "Street Washer 187 Kitchen Sink Backs 102 "Sinks, Cast Iron 100, 101	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 13 Mississisppi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24 McClellen Anti Syphon Trap Vents 8 McIver Hopper Closet 12
"U. S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K K Kieley Steam Traps 246 Keys, Lock and Shield Radiator Valve 226 "Street Washer 187 Kitchen Sink Backs 102 "Sinks, Cast Iron 100, 101 "Enameled 100-102	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders, Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 13 Mississippi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24 McClellen Anti Syphon Trap Vents 8 McIver Hopper Closet 12 N N Nason Steam Traps 24
"U. S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K K Kieley Steam Traps 246 Keys, Lock and Shield Radiator Valve 226 "Street Washer 187 Kitchen Sink Backs 102 "Sinks, Cast Iron 100, 101 "Enameled 100-102 "Roll Rim 105-108	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 13 Mississippi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24 McClellen Anti Syphon Trap Vents 8 McIver Hopper Closet 12 N N Nason Steam Traps 24 Nipples, Hexagon, Malleable 18
"U. S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K K Kieley Steam Traps 246 Keys, Lock and Shield Radiator Valve 226 "Street Washer 187 Kitchen Sink Backs 102 "Sinks, Cast Iron 100, 101 "Enameled 100-102 "Roll Rim 105-108	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 13 Mississippi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24 McClellen Anti Syphon Trap Vents 8 McIver Hopper Closet 12 N N Nason Steam Traps 24 Nipples, Hexagon, Malleable 18 "Hose 256
"U. S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K K Kieley Steam Traps 246 Keys, Lock and Shield Radiator Valve 226 "Street Washer 187 Kitchen Sink Backs 102 "Sinks, Cast Iron 100, 101 "Enameled 100-102 "Roll Rim 105-108 "Steel 102	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 13 Mississippi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24 McClellen Anti Syphon Trap Vents 8 McIver Hopper Closet 12 N N Nason Steam Traps 24 Nipples, Hexagon, Malleable 18 "Hose 256
"U. S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K Kieley Steam Traps 246 Keys, Lock and Shield Radiator Valve 226 "Street Washer 187 Kitchen Sink Backs 102 "Sinks, Cast Iron 100, 101 "Enameled 100-102 "Roll Rim 105-108 "Steel 102	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 13 Mississisippi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24 McClellen Anti Syphon Trap Vents 8 McIver Hopper Closet 12 N Nason Steam Traps 24 Nipples, Hexagon, Malleable 18 "Hose 25 "Right and Left 183, 194
"U. S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K Kieley Steam Traps 246 Keys, Lock and Shield Radiator Valve 226 "Street Washer 187 Kitchen Sink Backs 102 "Sinks, Cast Iron 100, 101 "Enameled 100-102 "Roll Rim 105-108 "Steel 102	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 15 Mississippi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24 McClellen Anti Syphon Trap Vents 8 McIver Hopper Closet 12 N N Nason Steam Traps 24 Nipples, Hexagon, Malleable 18 "Hose 25 "Right and Left 183, 19 "Soldering 48
"U. S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K K Kieley Steam Traps 246 Keys, Lock and Shield Radiator Valve 226 "Street Washer 187 Kitchen Sink Backs 102 "Sinks, Cast Iron 100, 101 "Enameled 100-102 "Roll Rim 105-108 "Steel 102 L L Lace Leather 262	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 15 Mississisppi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24 McClellen Anti Syphon Trap Vents 8 McIver Hopper Closet 12 N N Nason Steam Traps 24 Nipples, Hexagon, Malleable 18 "Hose 25 "Right and Left 183, 19 "Soldering 48 "Tank 194
"U. S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K K Kieley Steam Traps 246 Keys, Lock and Shield Radiator Valve 226 "Street Washer 187 Kitchen Sink Backs 102 "Sinks, Cast Iron 100, 101 "Enameled 100-102 "Roll Rim 105-108 "Steel 102 L L Lace Leather 262 Ladles 265	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 15 Mississisppi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24 McClellen Anti Syphon Trap Vents 8 McIver Hopper Closet 12 N N Nason Steam Traps 24 Nipples, Hexagon, Malleable 18 "Hose 25 "Right and Left 183, 194 "Soldering 48 "Tank 194 "Wrought Iron -193–194
"U. S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 "Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K K Kieley Steam Traps 246 Keys, Lock and Shield Radiator Valve 226 "Street Washer 187 Kitchen Sink Backs 102 "Sinks, Cast Iron 100, 101 "Enameled 100-102 "Roll Rim 105-108 "Steel 102 L L Lace Leather 262 Ladles 265 Laundry Tubs 109-111	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 15 Mississisppi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24 McClellen Anti Syphon Trap Vents 8 McIver Hopper Closet 12 N 12 Nason Steam Traps 24 Nipples, Hexagon, Malleable 18 "Hose 25 "Right and Left 183, 19 "Soldering 48 "Tank 19 "Wrought Iron -193–19 Nozzles, Hose 254–258
"U. S. 245 Instantaneous Water Heaters 175 Inverted Key Curb Cocks 12 Jamb Nuts 145 Jenkins Bros. Brass Valves 214, 215 "Discs 226 Sheet Packing 259 Jet Pumps 246 Jewel Grease Cups 240 Johnson Hopper Cocks 45 Joints, Expansion 248 "Stiff, Gas 251 "Swing, Gas 251 Junior Lubricators 243 K K Kieley Steam Traps 246 Keys, Lock and Shield Radiator Valve 226 "Street Washer 187 Kitchen Sink Backs 102 "Sinks, Cast Iron 100, 101 "Enameled 100-102 "Roll Rim 105-108 "Steel 102 L L Lace Leather 262 Ladles 265	Machines, Tapping 24 Malleable Iron Fittings 176–18 "Fittings. Chart of 188–19 Manifolds or Branch Tees 20 Marble 16 "Drinking Fountains 16 "Lavatories 153–15 Marine Grease Cups 23 Menders. Hose 25 Millboard Asbestos 26 Minneapolis Stop Cocks 9, 15 Mississisppi Gauge Cocks 23 Monkey Wrenches 27 Moulds, Tack 26 Motors, Water 28 Mueller Pressure Regulator 24 McClellen Anti Syphon Trap Vents 8 McIver Hopper Closet 12 N N Nason Steam Traps 24 Nipples, Hexagon, Malleable 18 "Hose 25 "Right and Left 183, 194 "Soldering 48 "Tank 194 "Wrought Iron -193–194

0	Piston Packings 260
Oakum 262	Pitcher Spout Pumps 28
Offset Reducing Couplings	Plain Bibbs, Compression15-1
Offsets Cast Iron 203	Fuller 29 3
Oil Cups 239-241	Ground Rey 1~
On Cups 278 Oster Die Stocks 278	Level Handle I-,
Overflow Plugs 58	Jen Closing 40-40
Overnow Trugs	On Cups 20
P	Plates Ceiling211-21
·	" Expansion 21
Packing, Asbestos, Rope	1001
" Wick 261	1100K 21
" Crandall 260	Roof 9
" Garlock 260) vv all 100
" Flax, Square 261	Pliers 27
" Hemp 261	Plug Sink Strainers 10
" Piston, Square Duck 260	Plug Sink Strainers 10 Plugs. Basin 5 " Bath 58-5
" Round Duck 260	" Dath
" Sheet 259	Cast 11011 100
" " Hawkeye Red 259	1 usible 200
" " Jenkins 259	OVCINOW 00
" "Plumbago 259	011111111111111111111111111111111111111
" " Pure Gum 259	1 (3) (3) (1) (1) (
" " Sheet Rainbow 259	v asii 11ay
" Spiral Ring 260	Plumb Bobs 26
" Steam 259-261	Plumbago Sheet Packing 25
Palmer Sewer Valves 96	Plumbers Chain6
Pantry Cocks, Boston Self Closing 43	" Friend 270
" Compression 23	1 0015 201-20
" " Doherty Self Closing 44	Pop Safety Valves 23
" "Fuller 38-39	Pots, Solder 26
Paper Holders 67	Pressure Gauges 234-23
Paul Automatic Air Valves 228	" Regulators. Steam, Davis 24
Pease Combination Pliers 271	. Water, Mueller 24
Pedestal Closet Bowls 145	Pulls, Closet 6
Penberthy Injectors 244	Pump Rod Couplings 18
Pendant Cocks Gas 250	" ' Stocks and Dies 27
Philadelphia Hoppers, Enameled 117	Pumps285-28
Philadelphia Hoppers, Enameled 117 "Earthenware 144	Pumps, Steam Jet 24
Pig Lead 75	0
Pillar Cocks, Gas 250	Q
Pins, Bending 267	Quick Opening Gate Valves 21
Pioneer Oil Cups 241	" " Radiator Valves 22
Pipe Covering, Asbestos 261	radiator varyos = = = = = = = = = = = = = = = = = = =
" Cutters 276	R
" Hangers, Adjustable 211	·
"Holders, " 61	Racks, Towel68-68
" Hooks 95	Radiator Air Valves227-228
" Lead 74	" Elbows, Union 22"
" Reamers 279	Radiator Valves 223-22
" Rests 95	Railing Fittings 180
" Soil 86	Rainbow Sheet Packing 25
" Straps, Brass Nickel-plated 62	Rain and Well Water Cocks 10
" Taps 279	Range Boiler Stands
" Telegraphic Code 287	" Boilers 171–17
" Threads 287	Rasps 26
" Tin	Ratchet Die Stocks 279
" Tongs274-275	Reamers, Pipe 279
" Vises 279, 280	Reducers, Cast Iron
" Wrenches272-274	" Hose 25
" Wrought Iron 287	" Malleable 179
" Wrought Iron287 Pipes, Blow267	Reducing Couplings, Cast Iron19
" Flush, Closet	" Malleable 179
" Hose	" Eccentric Couplings 200
" Supply Bath	Reed Pipe Wrenches 278
" " Closet 51	Reels, Hose 25'
" " Lavatory 52 53	Register Gauge Cocks23
	INUE 15 C. GAUSE COUNS

Regulators, Pressure, Steam 247	Sin't Plugs	
Rests, Head, Bath Tub	" Strainers	103
" Pipe 95	Sinks, Corner	100
Return Bends, Cast Iron 199	' Kitchen10	0.1 - 108
" Malleable 181	" Roll Rim 10	05-108
" with Back Outlet 203 Rickett's Closet Connections 73	" Slop	98 99
Rickett's Closet Connections 78 Right and Left Couplings 180	" Steel	
" " Nipples 183, 194	" Washers	
Rings, Shower 64	Slabs, Marble	. 161
Robe Hooks 67	Slip Joint Elbows	62
Rod Couplings, Pump	" Washers	72
Roll Rim Sinks	Slop Hoppers	99
Roof Plates 95	Soap Cups and Trays	65
Rope 262	Soap Stone Laundry Trays 11	0-111
Rough Stop Cocks 3, 4, 9, 11	Soil Cups	266
"Stop and Waste Cocks5, 6, 11	" Pipe	86
Rod Oil Cups	" " Fittings Test Plugs	87-95
Rubber Balls, Fuller 42	" Traps	94
" Belting 263	Solder	
" Connections 70,73	" Pots	
" Hose 258	Soldering Coppers	. 267
" Packing 259 " Stoppers 70	" Nipples Nipples, Combination	- 48 - 76
" Tubing 72	" Unions	- 48
" Washers70-72	Spiral Wire Hose	258
S	" Ring Packing	_ 260
-	Splices, Hose	_ 256
Safety Valves231-232 Saunders' Pipe Cutters276	Split LinksSponge Holders	- 68 66
Scotch Glass Tubes 238	Spray Nozzles	255
Scrapers, Flue 281	Springs, Bending	_ 267
Screw Bumpers 71	Sprinklers, Bath	64
Screws, Closet 61	Lawn	
" Long 194 " Slab 61	Spuds, Closet	- 145 62
" Trap 85	Stamped Ceiling Plates, Nickel-plated	212
Seats, Closet 146-147		
Self Closing Work 43-45	Stands, Range Boiler	- 171
Senior Lubricators 243 Sentinel Oil Cups 240	Stanwood Pipe Cutter	
Service Boxes 283	Stays, Chain Steam Cocks, Brass	221
" Cocks 9	" " Iron	222
Sewer Valves, Palmer 96	" Flue Cleaners	_ 281
Shave Hooks 267	" Fitters Cement	. 261
Sherman Hose Clamps	" Gauge Cocks	229
" Packing 259	" Gauges	_ 234
Sheeting, Asbestos	" Hose	258
Shower Cocks, Compression 28	" Jet Pumps24	246
" " Ground Key 8 " Rings 64	" Traps24	029
' Rings 64 Side Edgers 270	" Whistles	169
" Nozzles, Gas 251	" Sinks	
" Outlet Elbows 177	Stiff Joints, Gas	_ 251
" " Tees	Stillson Wrenches	. 272
Sight Feed Lubricators	Stocks and Dies, Pipe27	7-279 277
" Feed Oil Cups240-241 Sill Cocks25	Stop Boxes	283
Sink Backs 102	Stop Cocks, Compression	27
" Bolts 103	" " Finished, Ground Key	7
"Brackets 104	" " Fuller	
" Couplings 103 " Gaskets 71	" " Glauber	
Gasacts	minicapons	- 0

Stop Cocks, Rough	Torches, Alcohol	-265
" " Finished, Ground Key 8	Towel Racks	68-69
" " Glauber 11	Trap Screws	85
" " Rough	"Vents, McClellan Anti-Syphon Traps, Basin, Nickel-plated	- 82 56 57
Straight Cocks, Gas 250	"Bower	82
" Nozzles, Gas 251	" Cellar	
Strainers, Brass 59	" Clean Sweep	
"	" Cudell	
Strap Fasteners, Hose	" Drum	80
Straps, Hose	Leau	.78 84
" Pipe, Nickel-plated 62 " Tinned 210	" Soil Pipe	94 16 947
Street Elbows 176	Trays, Laundry10	19-111
" Washer Keys 187	"Soap	65
" Washers 282	Trimmings, Engine2	29 - 247
Supply Pipes, Bath54	Trimo Chain Tongs	275
" Closet 51 " " Layatory 52_58	"Wrenches	
Lavatory 02-00	Tubes, Glass	238
Swift Lubricators 242 Swing Check Valves, Brass 215	Tubs Bath Copper	170
" " Iron 215	Tubs, Bath, Copper	32-168
" " Iron Body	" Steel	169
	" " Zinc	170
Syphon let Closet Bowls, Earthenware 140, 145	" Laundry, Enameled	109
" " Enameled 125	" Soap Stone1	10-111
Valve Washers	Tumbler Holders	66 0°0
Syphons, Closet Tank 47 Steam Gauge 233	Turn Pins	270
Steam Gauge: 200	U	
T	Union Elbows, Brass	227
Tobasco Water Heaters 174	" " Malleable	184
Tack Bumpers 71	"Tees	
" Moulds 269	Unions, Combination Brass and Iron	183
Tank Nipples 194	" Flange	201
Tanks, Closet148-152	" Malleable	
" Expansion	" Soldering Urinal Cocks, Boston Self Closing	48 43
Tap Borers 266 Tapping Machines 249	" " Compression	_ 26
Taps, Pipe 279	" " Doherty Self Closing	
Tees, Branch 209	" " Fuller	42
" Cast Iron 196	Urinals, Earthenware14	1, 144
" Drop	" Enameled	
Eccentific	" Iron	
" Four-Way 178 " Long Radius 204	U. S. Injectors	. 240
" Malleable 178	V	
" Union 184	Valves, Air, Automatic	228
Telegraph Casing Cipher 288	" Compression	227
" Pipe Cipher 287	" Angle, Brass	213
" Self Closing Work 45	" " Iron Body"	
Test Plugs, Soil Pipe96	jenkins bios., biass	
Thermometers 238 Threads, Pipe 287	" " Jenkins Disc, Brass " " Lunkenheimer, Brass	
Three-Way Cocks, Brass 221	" Angle Check, Brass	
" " Iron 222	" " Iron Body	
" Elbows 177	" " Jenkins Bros., Bras	
Throttle Valves 220	" " Lunkenheimer,Bras	s 215
Tiger Grease Cups	" Back Pressure	220
Tin, Block	" Chec's, Brass" " " Iron	
Tin Pipe	" " Iron Body	
Toilet Paper Holders 67	" " Jenkins Bros., Brass	
Tongs, Pipe274-275	" Jenkins Disc, Brass	
Tools. Plumbers, etc264-281	" " Lunkenheimer, Brass	_ 215
Tooth Brush Holders 66	" Swing, Brass	_ 215

Valves, Check, Swing, Iron. 215	Washout Closet Bowls, Earthenware_138,	145
" " Iron Body 217	" " Enameled	124
" with Drip, Brass 215	Waste and Overflow Connections	55
" Cross, Brass 213	Waste Nuts	182
" " Iron Body 217	Wastes, Basin	55
" Jenkins Bros., Brass 214	"Bath	55
" Lunkenheimer, Brass 214	Water Rack Countings	50
	Water Back Couplings.	50
Gate, Diass 210	Water Closets, Complete 126-	-136
Quick Opening 219	11051 11001	123
1ron body 218	" Columns	233
" " " Quick Opening == 219	" Connections	14
" Globe, Brass 213	" Gauge Glasses	238
" " Iron Body 216	". " Columns	233
" "Jenkins Bros., Brass 214	" Gauges236-	-237
" '' Jenkins Disc, Brass 213	" Heaters, Instantaneous	175
" " Lunkenheimer, Brass 214	" Tabasco	1774
	" Wilkes	170
	VV IIACS	119
Naulatul 240-240	" Lifts	
A11 221 - 220	MO(015	284
" Safety231_232	ressure Regulators	249
" Swing Check, Brass 215	Well Casing	288
" " " Iron 215	Well and Rain Water Cocks	10
" " " Iron Body 217	Wilkes Water Heater	173
" Throttle 220	Winding Hose with Wire	258
" Whistle 232	Wiping Cloths	266
Vents, Trap. McClellan 82	Whisk Broom Holders	66
Vertical Check Valves, Brass 213	Whistle Valves	929
" " Iron Rody 217	Whistles, Steam	020
11011 Body 211	Wood Dod Countings	202
Jenkins Blos., Blass 210	Wood Rod Couplings	187
Jennins Bisc, Brass Bio	Wrenches, Alligator	274
Lunkenneinei, Brass 219	" Basin	269
Victor Air Valves 228	" Brass Pipe.	273
Vises, Combination Bench 279	" Coe's	273
" Pipe 280	" Elgin	274
•	" Malleable for Steam Cocks	221
W	" Monkey	
TIV. 11. D1.	" Pipe Bemis & Call	272
Wall Plates 186	" Reeds	
Wash Tray Bibbs, Compression 18	" Stillson	279
" " Fuller 33	" Trimo	
" Chains 63		
" Plugs 58–59	Wrought Iron Couplings	104
Washdown Closet Bowls, Earthenware 139, 144 "Enameled	Mippics100-	194
" " Enameled 125	" Pipe	287
Washers, Basin 71		
" Bath 71	Y	
" Bibb 72	V D	104
" Closet61	Y Bends	
" Cork 941	Y Branches	
COIR 241	Yarning Chisels	268
Glass Gauge		
D1aD 01	Z	
Sub Jour 12		
" Syphon Valve 71	Zinc Bath Tubs	170

LEVER HANDLE PLAIN BIBBS

FOR LEAD PIPE



FIG. A-1.

SizeInch	ies ¼	3/8	1/2	5/8	3/4	1
FinishedPer doz	en 10.00	12.00	15.00	18.00	24.00	36.00
Nickel-plated Per doz	en 12.00	14.00	17.50	20.50	26.50	39.00

LEVER HANDLE HOSE BIBBS

FOR LEAD PIPE




FIG. A-2.

Size	Inches	1/2	5/8	3/4	1	~	
Finished	Per dozen			26.00	39.00		
Nickel-plated	Per dozen	19.50	22.50	28.50	42.00		

LEVER HANDLE PLAIN BIBBS . .

FOR IRON PIPE




FIG. A-3.

Size	Inches	1/4	3/8	1/2	5/8	3⁄4	1
Finished	Per dozen	12.00	14.00	17.00	20.00	26.00	39.00
Nickel-plated	- Per dozen'	14.00	16.00	19.50	22.50	28.50	42.00

LEVER HANDLE HOSE BIBBS

FOR IRON PIPE




FIG. A-4.

Size Inches	1/2	1 5/8	3/4	1	
Finished Per dozen	19.00	22.00	28.00	42.00	•
Nickel-plated Per dozen	21.50	24.50	30.50	45.00	

ROUGH STOP COCKS FOR LEAD PIPE

T HANDLE




FIG. A-5.

	Inches								
Flat Way	Per dozen	11.00	13.00	15.00	19.00	28.00	46.00	64.00	110.00
Round Way-	Per dozen		17.00	20.00	25.00	44.00	70.00	$\overline{100.00}$	180.00

ROUGH STOP COCKS FOR LEAD PIPE

LEVER HANDLE



F1G. A-6.

Size Inches		5/8					2
Flat WayPer dozen							
Round Way Per dozen	 18.00	21.50	26.50	46.00	72.50	103.50	185.00

ROUGH STOP COCKS FOR IRON PIPE

T HANDLE




FIG. A-7.

SizeInches	/ / 0							
Flat WayPer dozen	13.00	'						
Round WayPer dozen		19.00	23.00	28.00	48.00	75.00	$\overline{107.00}$	$\overline{190.00}$

ROUGH STOP COCKS FOR IRON PIPE

LEVER HANDLE




FIG. A-8.

Size	Inches	3/8	1/2	5/8	3/4	1	11/4	1½	2
Flat Way									
Round Way	Per dozen		20.00	24.50	29.50	50.00	77.50	110.50	195.00

ROUGH STOP AND WASTE COCKS FOR LEAD PIPE




FIG. A-9.

Size			5/8					
Flat Way	Per dozen						1	
Round Way	Per dozen	19.00	22.00	27.00	$\overline{47.00}$	74.00	106.00	$\overline{190.00}$

ROUGH STOP AND WASTE COCKS FOR LEAD PIPE LEVER HANDLE




FIG. A-10.

Size		/ 0	1/2			1			
Flat Way	Per dozen	14.00	16.00	18.50	22.50	33.00	52.50	73.50	125.00
Round Way	Per dozen		20.00	23.50	28.50	49.00	76.50	$\overline{109.50}$	195.00

ROUGH STOP AND WASTE COCKS FOR IRON PIPE THANDLE




FIG. A-11.

Size								
Flat Way	Per dozen							
Round Way	Per dozen	21.00	25.00	30.00	51.00	79.00	$\overline{11}3.\overline{00}$	$\overline{200.00}$

ROUGH STOP AND WASTE COCKS FOR IRON PIPE LEVER HANDLE




FIG. A-12.

Size								
Flat Way	Per dozen							
Round Way	Per dozen	22.00	26.50	31.50	53.00	81.50	$\overline{116.50}$	205.00

FINISHED STOP COCKS

FOR LEAD PIPE




FIG. A-13.

SizeInches	3/8	1/2	5/8	3/4	1
FinishedPer dozen	15.50	17.50	20.00	26.50	39.00
Nickel-plated Per dozen	17.50	20.00	22.50	29.00	42.00

FINISHED STOP COCKS

FOR IRON PIPE




FIG. A-14.

SizeInches	3/8	1/2	5/8	3/4	1
Finished Per dozen	-17.50	19.50	23.00	29.50	43.00
Nickel-plated Per dozen	19.50	22.00	25.50	32.00	46.00

FINISHED STOP AND WASTE COCKS

FOR LEAD PIPE




FIG. A-15.

SizeInches	. 3/8	1/2	5/8	3/4	1
Finished Per dozen	18.00	20.00	22.50	29.00	43.00
Nickel-platedPer dozen	20.00	22.50	25.00	31.50	46.00

FINISHED STOP AND WASTE COCKS

FOR IRON PIPE




FIG. A-16.

SizeInches	3/8	1/2	5/8	3/4	1
Finished Per dozen	19.50	21.50	25.00	31.50	46.00
Nickel-platedPer dozen	21.50	24.00	27.50	34.00	49.00

MINNEAPOLIS STOP COCKS

FOR LEAD PIPE



FIG. A-17.

SizeInches	1/2	5/8	3/4	1
Round WayPer dozen	21.00	26.00	29.50	50.00

MINNEAPOLIS STOP COCKS

FOR IRON PIPE



FIG. A-18.

SizeInches	1/2	I 5/6	3/	1
Size	/2	78	/4	<u> </u>
Round Way Per dozen	23.00	29.00	32.50	54 00
Round Way	20.00	20.00	02.00	01.00

SERVICE COCKS




FIG. A-19.

Size		/T	3/8	/2	/ +	_	11/4	1½	2 -
Price	Each	.75	.85	.95	1.15	1.50	2.25	3.10	5.00-
Price, with check	Each	90	1.00	1.10	1.35	1.70	2.50		

RAIN AND WELL WATER COCKS

FOR LEAD PIPE





FIG. A-20.

Sizelnches	3/4	1	11/4
PricePer dozen	50.00	70.00	84.00

RAIN AND WELL WATER COCKS

FOR IRON PIPE



Size.	Inches	3/4	1	1 1/4
Price	Per dozen	56.00	79.00	96.00

HYDRANT COCKS




FIG. A-22.

Size	Inches	1/2	5/8	3/4	1
Flat Way	Per dozen	16.00	20.00	24.00	37.00
Round Way	Per dozen	20.00	24.00	29.50	50.00

"GLAUBER" STOP COCKS

LOOSE LEVER HANDLE



FIG. A-23.

SizeInches	1/2	5/8	3/4	1	1¼	1½	2
Flat Way Per dozen	$\overline{16.00}$	19.50	23.50	34.00	53.00	74.50	125.00
Round Way. Per dozen	-20.00	24.50	29.50	50.00	77.50	110.50	195.50

"GLAUBER" STOP AND WASTE COCKS

LOOSE LEVER HANDLE



FIG. A-24.

Size Inches	1/2	5/8	3/4	1	11/4	1½	2
Flat Way - Per dozen	18.00	21.50	25.50	37.00	57.50	80.50	135.00
Round Way - Per dozen	22.00	26.50	31.50	53.00	81.50	116.50	205.00

INVERTED KEY CURB COCKS

T HANDLE




FIG. A-25.

INVERTED KEY CURB COCKS

MINNEAPOLIS PATTERN



FIG. A-26.

SizeInches	1/2	5/8	3/4	1	11/4	1½	1 2
T Handle per dozen		1	35.50		1'		L .
T Handle, with S. & WPer dozen							
MinneapolisPer dozen							
Minneapolis, with S. & W Per dozen	32.00	37.50	44.50	71.50	$\overline{114.00}$	$\overline{165.00}$	289.00

"GLAUBER" HYDRANT COCKS





FIG. A-27.

Size	Inches	1/2	5/8	3/4	1	
Flat Way						
Round Way	Per dozen	25.00	30.00	35.50	57.50	

CORPORATION COCKS

WITH BENT COUPLING



SizeInches	1/2	5/8	3/4	1
Long End Threaded for Mueller Machine Each		1.70	2.50	3.85
Long end Threaded for Iron PipeEach	1.55	1.90	2.80	4.40

CORPORATION COCKS

WITH STRAIGHT COUPLING




FIG. A-29.

Sizes Inches	1/2	5/8	3/4	1
Long End Threaded for Mueller Machine Each	1.35	1.70	2.50	3.80
Long End Threaded for Iron Pipe Each	1.55	1.90	2.80	4.40

CORPORATION COCKS




FIG. A-30.

SizeInches	1/2	5/8	3/4	1
Long End Threaded for Mueller Machine Each	1.10	1.40	2.10	3.35
Both Ends Threaded for Iron PipeEach	1.30	1.65	2.40	3.80

Corporation Cocks can be furnished with either Screw or Hexagon Plug.

In ordering, please state which kind is wanted. Unless otherwise ordered, Screw Plug Cocks will always be sent.

BRASS WATER CONNECTIONS







FIG. A-32.

Two branch connections, with 14-inch outlet for iron pipe	Each, 1.50
Three branch connections, with 1½-inch outlet for iron pipe	Each, 2.00

LEAD GOOSE NECKS.




FIG. A-33.

These Lead Goose Necks are furnished comt lete, ready to attach to the water main. Consists of 18 inches of extra strong lead pipe, with corporation stop cock (with either screw or hexagon plug) wiped on one end, and male brass soldering nipple on the other.

Size	- Inches	3/8	1/2	5/8	3/4	1
Complete	Each	-1.40	1.50	1.70	2.00	2.70

BRANCH GOOSE NECKS

These connections are intended for use where a $1\frac{1}{4}$ -inch or larger service pipe is required, and where a larger than 1-inch tap is not allowed to be made in the main.

Two branch Goose Necks, complete, 14-inch outlet Eac	h, 8.00
Three branch Goose Necks, complete, 1½-inch outletEac	h, 11.00

NOTICE—Goose Necks can be furnished with either screw or hexagon plug corporation cocks, male or female soldering nipples.

Unless otherwise ordered, screw plug cocks and male soldering nipples will always be sent.

COMPRESSION PLAIN BIBBS

FOR LEAD PIPE




FIG. A-34.

SizeInches	3/8	1/2	5/8	3/4	1
Finished Per dozen	10.00	11.00	13.00	18.00	34.00
Nickel-plated Per dozen	12.00	13.00	15.00	20.50	37.00
For Stuffing Box add to regular list	2.00	2.00	2.00	3.00	4.00

COMPRESSION HOSE BIBBS

FOR LEAD PIPE




FIG. A-35.

Size	Inches	3/6	I/	5/6	3/4	1
Finished	Per dozen	$\frac{78}{12.00}$	$\frac{13.00}{1}$	-15.00	$\frac{74}{20.00}$	37.00
Nickel-plated	Per dozen	14.00	15.50	$\frac{17.50}{}$	$2\overline{2.50}$	40.00
For Stuffing Box add to regula	ar list	-2.00	2.00	-2.00	3.00	4.00

COMPRESSION PLAIN BIBBS

FOR IRON PIPE



FIG. A-36.

Size Inches	3/8	1/2	5/8	3/4	1
Finished Per dozen	12.00	13.00	15.00	20.00	37.00
Nickel-plated Per dozen	14.00	15.50	17.50	22.50	40.00
For stuffing box add to regular list	2.00	2.00	2.00	3.00	4.00

COMPRESSION HOSE BIBBS

FOR IRON PIPE




FIG. A-37.

SizeInches	3/8	1/2	5/8	3/4	1
Finished Per dozen	14.00	15.00	17.00	22.00	40.00
Nickel-plated Per dozen	16.00	17.50	19.50	24.50	43.00
For stuffing box add to regular list	2.00	2.00	2.00	3.00	4.00

COMPRESSION PLAIN BIBBS

WITH FLANGE




FIG. A-38.

SizeInches	1/2		3/4	1
Finished Per dozen	16.00	$\frac{7}{17.50}$	25.00	46.00
Nickel-platedPer dozen	18.50	20.00	27.50	49.00
For Stuffing Box add to regular list Per dozen	2.00	2.00	3.00	4.00

COMPRESSION HOSE BIBBS

WITH FLANGE




FIG. A-39.

Size	Inches	1/2	5/8	3/4	1
Finished	Per dozen	18.00	$\overline{19.50}$	27.00	49.00
Nickel-plated	Per dozen	20.50	22.00	29.50	52.00
For Stuffing Box add to regular list	Per dozen	- 2.00	2.00	3.00	4.00

COMPRESSION BATH BIBBS

MALE WITH FLANGE




FIG. A-40.

FEMILE WITH FLANGE




FIG. A-41.

SizeInches	1/2	5/8	3/4
Male or Female, finished Per dozen	$\overline{19.50}$	23.50	33.00
Male or Female, nickel-plated Per dozen	23.00	27.00	37.00
For Stuffing Box add to regular listPer dozen	2.00	2.00	3.00

COMPRESSION WASH TRAY BIBBS

MALE WITH SHOULDER




FIG. A-42.






FIG. A-43.

Size Inches	1/2	5/8	3/4
Male with shoulder, finishedPer dozen	14.00	16.00	$\overline{21.00}$
Male with shoulder, nickel-plated Per dozen	16.50	18.50	23.50
Female with flange, finished 35 Per dozen	17.00	19.50	27.00
Female with flange, nickel-platedPer-dozen	19.50	22.00	29.50
For Stuffing Box add to regular list Per dozen	2.00	2.00	3.00

T HANDLE

No. I




FIG. A-41.

Nickel-plated		 Per dozen, 19.00
For Stuffing Box add	l to regular list	 Per dozen, 2.00

T HANDLE

No. 2




FIG. A-45.

CROSS HANDLE

No. 3




FIG. A-46.

CROSS HANDLE




FIG. A-47.

COMPRESSION PANTRY COCKS




FIG. A-48.

T Handle, Nickel-plated	Per dozen, 3	34.00
Cross Handle, Nickel-plated	Per dozen, 3	$\overline{6.00}$
For Stuffing Box, add to regular list	Per dozen,	$\overline{2.00}$

COMPRESSION DOUBLE BATH COCKS





FIG. A-49.

3 1-2 INCHES SPREAD BETWEEN CENTERS

Nickel-platedEach,	6.50
Trouble production of the contract of the cont	0.00
For Stuffing Box, add to regular listEach.	50
To bluming box, and to regular hist	00




COMPRESSION SILL COCKS

STRAIGHT PATTERN

SizeInches	1/2	3/4
FinishedPer dozen	22.00	24.00
Nickel-plated Per dozen	25.00	27.00
Add for CapsPer dozen	2.00	2.00

Unless otherwise ordered, Sill Cocks will always be sent without Caps.



COMPRESSION SILL COCKS

ANGLE PATTERN

Size Inches	1/2	3/4
Finished Per dozen	28.00	28.00
Nickel-platedPer dozen	32.00	32.00
Add for CapsPer dozen	2.00	2.00

Unless otherwise ordered, Sill Cocks will always be sent without Caps.

LOOSE KEY

FIG. A-51.




FIG. A-52.

COMPRESSION SILL COCKS

LOOSE KEY PATTERN

Size Inches	1/2	3/4
FinishedPer dozen	28.00	28.00
Nickel-plated Per dozen	32.00	32.00
Add for CapsPer dozen	2.00	2.00

Unless otherwise ordered, Sill Cocks will always be sent without Caps.

COMPRESSION URINAL COCKS

FOR LEAD PIPE




FIG. A-53.

FOR IRON PIPE




FIG. A-54.

SizeInches	3/8	1/2	5/8
For Lead Pipe, finished Per dozen	17.00	18.00	20.00
For Lead Pipe, nickel-platedPer dozen	20.00	21.00	23.00
For Iron Pipe, finished Per dozen	18.00	19.00	21.00
For Iron Pipe, nickel-platedPer dozen	21.00	22.00	24.00
For Stuffing Box add to regular listPer dozen	2.00	2.00	2.00

COMPRESSION URINAL COCKS

WITH LOOSE KEY




FIG. A-55.

SizeInches	3/8	1/2	5/8
For Lead Pipe, finished Per dozen	23.00	24.00	26.00
For Lead Pipe, nickel-plated Per dozen	26.00	27.00	29.00
For Iron Pipe, finishedPer dozen	24.00	25.00	27.00
For Iron Pipe, nickel-platedPer dozen	27.00	28.00	30.00

COMPRESSION STOP COCKS

FOR LEAD PIPE




FIG. A-56.

Size	Inches	3/8	1/2	5/8	3/4	1
Finished	- Per dozen	11.00	12.00	14.00	22.00	36.00
Nickel-plated	Per dozen	13.00	14.50	16.50	24.50	39.00
For Stuffing Box add to regu	ılar list Per doz	2.00	2.00	2.00	3.00	4.00

COMPRESSION STOP COCKS

FOR IRON PIPE




FIG. A-57.

SizeInches	3/8	1/2	5/8	3/4	1
Finished Per dozen	13.00	14.00	16.00	24.00	40.00
Nickel-plated Per dozen	15.00	16.50	18.50	26.50	43.00
For Stuffing Box add to regular list-Per doz	2.00	2.00	2.00	3.00	4.00

COMPRESSION STOP AND WASTE COCKS

WITH STUFFING BOX

FOR LEAD PIPE




FIG. A-58.

SizeInches	1/2	5/8	3/4	1	
FinishedPer dozen	16.50	19.50	27.00	44.00	
Nickel-platedPer dozen	19.00	-22.00	29.50	47.00	

COMPRESSION STOP AND WASTE COCKS

WITH STUFFING BOX

FOR IRON PIPE




FIG. A-59.

SizeInches	3/8	1/2	5/8	3/4	1
FinishedPer dozen	17.50	18.50	21.50	29.00	48.00
Nickel-platedPer dozen	20.00	21.00	24.00	31.50	51.00

Note—Above lists include Waste Tubes.

FOR LEAD PIPE




FIG. A-60.

Size	Inches	1/2	5/8	3/4	1
Finished	Per dozen	18.00	20.00	26.00	36.00
Nickel-plated	Per dozen	22.00	24.00	32.00	46.00

FULLER HOSE BIBBS

FOR LEAD PIPE





FIG. A-61.

Size Inches	1/2	5/8	3/4	1
Finished Per dozen	21.00	24.00	30.00	40.00
Nickel-plated Per dozen	-25.00	28.00	36.00	50.00

FOR IRON, PIPE



Size	Inches	1/2	5/8	3/4	1 .
Finished	Per dozen	21.00	24.00	30.00	40.00
Nickel-plated	Per dozen	25.00	28.00	36.00	50.00

FULLER HOSE BIBBS

FOR IRON PIPE





FIG. A-63.

Size Inches	1/2	5/8	3/4	1
Finished Per dozen	24.00	28.00	34.00	
Nickel-plated Per dozen	28.00	32.00	40.00	54.00

WITH SOLID FLANGE

FOR IRON PIPE



Size	Inches	1/2	5/8	3/4	1
Finished	Per dozen	23.50	25.50	33.00	44.00
Nickel-plated	Per dozen	29.50	31.50	39.00	54 .00

FULLER HOSE BIBBS

WITH SOLID FLANGE

FOR IRON PIPE




FIG. A-65.

Size			5/8	3/4	1 -
Finished			29.50	37.00	48.00
Nickel-plated	Per dozen	32.50	35.50	43.00	58.00

WITH LOOSE FLANGE

FOR IRON PIPE




FIG. A-66.

Size Inches	1/2	5/8	3/4	1
		32.00	40.00	52.00
Nickel-platedPer dozen	- 35.00	38.00	46.00	62.00

FULLER PLAIN BIBBS

WITH LOOSE FLANGE, NUT, AND BENT COUPLING




FIG. A-67.

SizeInches	1/2	5/8	3/4	1
FinishedPer dozen	35.00	40.00	54.00	72.00
Nickel-plated Per dozen	41.00	46.00	60.00	82.00

FULLER WASH TRAY BIBBS

WITH LOOSE FLANGE

FOR IRON PIPE




FIG. A-68.

					
Size	Inches	1/2	5/8	3/4	1
Finished P	er dozen	29.00	32.00	40.00	54.00
Nickel-plated P	er dozen	35.00	38.00	46.00	64.00

FULLER WASH TRAY BIBBS

WITH LOOSE FLANGE, NUT, AND BENT COUPLING




FIG. A-69.

Size			5/8	3/4	1
Finished	Per dozen				74.00
Nickel-plated	Per dozen	41.00	46.00	60.00	84.00

No. O




FIG. A-70.

No. I




FIG. A-71.

No. 2




FIG. A-72.

No. 4




FIG. A-73.

FULLER PANTRY COCKS

No. I




FIG. A-74.

Nickel-plated------Per dozen, 42.00

FULLER PANTRY COCKS

No. 2




FIG. A-75.

Nickel-platedPer dozen,	50.00
For Hose End, add to listPer dozen,	3.00

FULLER BATH BIBBS WITH FLANGE

FOR IRON PIPE




FIG. A-76.

Size	Inches	1/2	5/8	3/4	1
Finished	Per dozen	28.00	32.00	38.00	52.00
Nickel-plated	Per dozen	34.00	38.00	44.00	60.00

FULLER BATH BIBBS WITH FLANGE FOR LEAD PIPE




FIG. A-77.

Size	Inches	1/2	5/8	3/4	1
Finished	Per dozen	25.00	28.00	34.00 ·	48.00
Nickel-plated	Per dozen	31.00	34.00	40.00	56.00

FULLER DOUBLE BATH COCK




FIG. A-78.

3 1-2 INCHES SPREAD BETWEEN CENTERS

No. 4½, Nickel-plated	Each, 12	3.00
No. 7. Nickel-plated	Each, 9	00. (

FULLER STOP COCKS




FIG. A-79.

Size	Inches	1/2	5/8	3/4	1
For Lead Pipe, Finished	- Per dozen	20.00	24.00	28.00	40.00
For Lead Pipe, Nickel-plated	Per dozen	25.00	30.00	34.00	50.00
For Iron Pipe, Finished	Per dozen	21.00	26.00	30.00	43.00
For Iron Pipe, Nickel-plated	Per dozen	26.00	32.00	36.00	53.00

FULLER URINAL COCKS




FIG. A-80.

Size	Inches	1/2	5/8
For Lead Pipe, Finished	Per dozen	27.00	31.00
For Lead Pipe, Nickel-plated	Per dozen	29.50	33.50
For Iron Pipe, Finished	Per dozen	30.00	34.00
For Iron Pipe, Nickel-plated	Per dozen	32.50	36.50

FULLER REPAIRS

ECCENTRIC

FULLER STEM WITH BALL

RUBBER BALL







FIG. A-81.

FIG. A-82.

FIG. A-83.

Size	Inches	1/2	5/8	3/4	1
Eccentrics	Per dozen	3.00	3.00	4.00	6.00
Stem with Ball	Per dozen	3.00	3.00	4.00	6.00
Rubber Balls	Per dozen	.75	.75	1.00	1.25

"BOSTON" SELF-CLOSING WORK

BASIN COCKS



FIG. A-84.

"BOSTON" SELF-CLOSING BASIN COCKS

Nickel-plated			Per do	zen, 48.00
	"BOSTON" SELF-CLOSING PANTRY	COCKS		
Nickel-plated			Per do	zen, 64.00
	"BOSTON" SELF-CLOSING PLAIN E	BIBBS		
	FOR-LEAD PIPE			
Size	Inches	3/8	1/2	5/8
Finished	Per dozen	21.00	24.00	27.00
Nickel-plated	Per dozen	25.00	28.00	31.00

"BOSTON" SELF-CLOSING PLAIN BIBBS FOR IRON PIPE

Size	Inches	3/8	1/2	5/8
FinishedP	er dozen	25.00	28.00	31.00
Nickel-platedPo	er dozen	29.00	32.00	35.00

"BOSTON" SELF-CLOSING URINAL COCKS FOR LEAD PIPE

Finished	 Per	dozen,	36.00
Nickel-plated	 Per	dozen	41.00

"BOSTON" SELF-CLOSING URINAL COCKS FOR IRON PIPE

Finished	Per dozen,	40.00
Nickel-plated	Per dozen,	45.00 ·

"DOHERTY" SELF-CLOSING WORK

BASIN COCKS




FIG. A-85.

"DOHERTY" SELF-CLOSING BASIN COCKS

Nickel-plated				Per do	zen, 48.0
	"DOHERTY" SELF-C	LOSING PANTRY	COCKS		
Nickel-plated				Per do	zen, 69.0
	"DOHERTY" SELF-	CLOSING PLAIN	BIBBS		
	"DOHERTY" SELF-	CLOSING PLAIN	BIBBS		
	FOR	LEAD PIPE	BIBBS	5/8	
Size	FOR	LEAD PIPE		<u>5⁄8</u>	

"DOHERTY" SELF-CLOSING PLAIN BIBBS FOR IRON PIPE

Size	Inches	1/2	5/8	
Finished	Per dozen	-27.00	30.00	
Nickel-plated	Per dozen	33.00	36.00	

"DOHERTY" SELF-CLOSING URINAL COCKS FOR LEAD PIPE


FinishedPer dozen,	35.00
Nickel-platedPer dozen,	

"DOHERTY" SELF-CLOSING URINAL COCKS

	FOR	IRON	PIPE
--	-----	------	------

Finished	Per	dozen,	39.00
Nickel-plated	Per	dozen,	45.00

"TELEGRAPH" SELF-CLOSING WORK BASIN COCKS



 ${\tt FIG.\ A-86.}$ "TELEGRAPH" SELF-CLOSING BASIN COCKS

Nickel-plated ------Per dozen, 27.00

"TELEGRAPH" SELF-CLOSING PLAIN BIBBS FOR LEAD PIPE

SizeInches	3/8	1/2	5/8	3/4
Finished Per dozen	15.00	17.00	20.00	26.00
Nickel-plated Per dozen	17.00	19.50	22.50	28.50

"TELEGRAPH" SELF-CLOSING PLAIN BIBBS FOR IRON PIPE

Size	Inches	3/8	1/2	5/8	3/4
Finished	Per dozen	16.00	18.00	21.00	28.00
Nickel-plated	Per dozen	18.00	20.50	23.50	30.00

"JOHNSON" SELF'CLOSING HOPPER COCKS




FIG. A-87.

For Lead Pipe	Each, 1.50
	Each, 1.75

BALL COCKS








FIG. A-88.


PriceEach, 1.50

BOTTOM SUPPLY




FIG. A-89.

BOTTOM SUPPLY



HIGH PRESSURE



BOTTOM SUPPLY

FIG. A-91.

FIG. A-90.

Price, Each 2.50 Priec. Each 2.50,




FIG. A-92.

		WITH BALLS WITHOUT BALLS						
Size	Inches	1/2	5/8	3/4	1	11/4	1 ½	2
For Lead Pipe	Per dozen	27.00	34.00	50.00	60.00	75.00	90.00	$\overline{120.00}$
For Iron Pipe	Per dozen	32.00	38.00	56.00	68.00	85.00	$\overline{100.00}$	$\overline{130.00}$

CLOSET TANK SYPHONS






FIG. A-93.

FIG. A-94.

Size Inches	11/4	1 1/2
PriceEach		3.00



COPPER BALLS

F1G. A-95.

SizeInches						10	12
Price, with StemsPer dozen							
Price, Tapped for Iron PipePer dozen	4.00	6.00	9.00	15.00	25.00	40.00	60.00

SOLDERING NIPPLES

MALE




FIG. A-96.

Size	hac I	3/6	1/	3/	1	17/	111	1 0
D12C111C	1165 /4	78	/2	74	1	1/4	1 1 1/2	4
TO 1	1 5 5	0.05				- FA	1 0 0 0	4 4 0 0
Price Per do	zen 1.75	2.25	2.50	-3.00 -	5.00	7.50	110.00	14.00
11100	1		00	0.00	0.00	•.00	10.00	11.00

SOLDERING NIPPLES

FEMALE




FIG. A-97.

Size Inches	1/4	3/ _R	1/2	3/4	1	1 ¼	11/2	2
Price Per dozen	1.75	2.25	2.50	3.00	5.00	7.50	10.00	14.00

SOLDERING UNIONS

STRAIGHT




FIG. A-98.

SizeInches	/T							
StraightPer dozen								
BentPer dozen	3.00	3.75	$ ^{-}4.75^{-}$	6.50	9.00	11.50	17.00	24.00

BOILER COUPLINGS

STRAIGHT, FOR LEAD PIPE

BENT, FOR LEAD PIPE





FIG. A-99.





SizeInches	1/2	3/4	1
Plain Face, StraightPer dozen	7.50	8.00	11.00
Plain Face, BentPer dozen	8.50	9.00	12.00
Plain Face, per set (3 Bent, 1 Straight)		2.50	
Ground Face, Straight Per dozen	8.50	9.00	12.50
Ground Face, Bent Per dozen	9.50	10.00	13.50
Ground Face, per set (3 Bent, 1 Straight)		2.75	

BOILER COUPLINGS

STRAIGHT, FOR IRON PIPE





FIG. A-101.






Size	Inches	1/2	3/4	1
Plain Face, Straight	Per dozen	8.50	10.00	14.00
Plain Face, Bent	Per dozen	9.50	11.00	15.00
Plain Face, per set (3 Bent, 1 Straight)			3.00	
Ground Face, Straight	Per dozen	9.50	11.00	15.50
Ground Face, Bent	Per dozen	10.50	12.00	16.50
Ground Face, per set (3 Bent, 1 Straight)			3.25	


WATER BACK COUPLINGS

STRAIGHT, FOR LEAD PIPE









Sizelnches	1/2	3/4-	1
Plain Face, Straight Per dozen	6.50	7.00	10.00
Plain Face, BentPer dozen	-7.50	8.00	11.00
Ground Face, Straight Per dozen	-7.50	8.00	11.50
Ground Face, BentPer dozen	8.50	9.00	12.50

WATER-BACK COUPLINGS

STRAIGHT, FOR IRON PIPE

BENT, FOR IRON PIPE





FIG. A-105.



Size	Inches	1/2	3/4	1
Plain Face, Straight	Per dozen	7.50	9.00	13.00
Plain Face, Bent	Per dozen	-8.50	10.00	14.00
Ground Face, Straight	Per dozen	8.50	10.00	14.50
Ground Face, Bent	Per dozen	$-{9.50}$	$-1\overline{1.00}$	15.50

FLUSH AND SUPPLY PIPES

FOR CLOSETS

STRAIGHT SUPPLY PIPES



FIG. A-107.

3/8-incl	h, Iron Pipe Size, Nickel-plated	 Each, 3.90
5%-incl	n, Number 17 Gauge, Nickel-plated	 Each, 2.70

OFFSET SUPPLY PIPES



FIG. A 108.

3%-inch, Iron Pipe Size, Nickel-Plated	Each, 4.00
%-inch, Number 17 Gauge, Nickel-Plated	Each, 3.40

STRAIGHT FLUSH PIPES



FIG. A-109.

Inside Diameter	Inches	11/4	13/8	1½
Number 20 Gauge, Nickel-Plated	Each	3.40	3.70	4.00


OFFSET FLUSH PIPES



FIG. A 110.

Inside DiameterInches	11/4	13/8	1 ½
Number 20 Gauge, Nickel-plated Each	3.70	4.20	4.80

LAVATORY SUPPLY PIPES




	Nickel-plated	
	Nickel-plated	
	Nickel-plated	
Fig. A-114.	Nickel-plated	Per pair, 7.50
Fig. A—115.	Nickel-plated	Per pair, 6.00
Fig. A—115.	Nickel-plated, with Compression Stop	Per pair, 8.50

Unless otherwise ordered, 3/8-inch Iron Pipe size will always be furnished.

LAVATORY SUPPLY PIPES

(FROM WALL) .







Fig. A—116.	Nickel-plated	Per pair, 3.00
	Nickel-plated	
Fig. A—118.	Nickel-plated	Per pair, 5.00
Fig. A119.	Nickel-plated	Per pair, 7.50
Fig. A-120.	Nickel-plated	Per pair, 6.00
Fig. A—120.	Nickel-plated, with Compression Stop	Per pair, 8.50

Unless otherwise ordered, 3/8-inch Iron Pipe size will always be furnished.

BATH SUPPLY PIPES



			Supply Pipes	Supply Pipes with No. 4½ Nickel-plated Fuller Bath Cock
Fig. A—121.	Nickel-plated	Per pair	4.25	8.50
Fig. A—122.	Nickel-plated	Per pair	3.75	8.00
Fig. A—123.	Nickel-plated	Per pair	7.25	11.50
Fig. A—124.	Nickel-plated	Per pair	7.75	12.00
Fig. A—125.	Nickel-plated	Per pair	8.75	13.00

Supply Pipes, with Compression Double Bath Cock same price as with Fuller Bath Cock.

We recommend furnishing Supply Pipes with Bath Cocks. You will then be sure of perfect fitting joints.

STRAIGHT BASIN WASTE

WITH RUBBER STOPPER



"IDEAL" BASIN WASTE

AND
POLISHED
ALL OVER




FIG. A-127.

Price --- Each, 6.00


"IDEAL" BATH WASTE

FIG. A-126.

Price____Each, 2.50

CONNECTED WASTE AND OVERFLOW

FOR BATH TUB



NICKEL-PLATED
AND

POLISHED

ALL OVER




FIG. A-129.

Price ---- Each, 10.50

FIG. A-128.

Price Each, 4.00

NICKEL-PLATED BRASS BASIN TRAPS




FIG. A-130.

Size Inches	1 1/4	11%	$\overline{}$
Price Fach	4.80	$-\frac{-72}{600}$	11.00
I IICC Lacil	4.00	1 0.00	11.00




FIG. A-131.

Size I	nches	1 ¼	1½	2
Price	Each	5.50	$\overline{6.70}$	12.70




FIG. A-132.





FIG. A-133.

Size	Inches	11/4	1½	2
Price	Each	4.80	6.00	11.00

Size Inches	11/4	1½	2
PriceEach	-5.50	6.70	12.70

NICKEL-PLATED BRASS BASIN TRAPS






FIG.A-135.

Size Inches	11/4	1½
Price Each	8.30	10.20

FIG. A-134. Size .___ Inches 11/4 8.30 Price Each

BASIN PLUGS

COMMON OVERFLOW



RUBBER OR **METAL** STOPPERS

11/2

10.20

BASIN PLUGS

PATENT OVERFLOW



FIG. A-136.

WITH ME	TAL STOPPE	RS	
Size	Ir	ches	1
Nickel-plated	Per d	lozen	8.50
WITH RUE	BBER STOPP	ERS	
WITH RUE			11/4

FIG. A-137.

ERS	
ches	1
lozen	9.50
ERS	
7 1	11/
1	$1\frac{1}{4}$
	ers nches lozen

BATH OR SINK PLUGS




FIG. A-138.

SizeInches	1	14	1½	2
Finished Per dozen				
Nickel-plated. Per doz	$\overline{17.00}$	19.00	$2\overline{9.00}$	$4\overline{4.00}$

BATH OR SINK PLUGS

FOR IRON PIPE



FIG. A-139.

Size Inches	1	11/4	1½	2
Finished Per dozen	$\overline{15.00}$	18.00	24.00	32.00
$\overline{\text{Nickel-plated-Per doz}}$	$\overline{16.00}$	$2\overline{0.00}$	$\overline{26.00}$	34.00

OVERFLOW PLUGS




FIG. A-140.

Finished	Per	dozen,	24.00
Nickel-plated	Per	dozen,	27.00

WASH TRAY PLUGŞ




FIG. A-141.

Size Inches	1	11/4	11/2	2
Finished Per dozen	8.00	9.00	13.50	20.00
Nickel-plated-Per doz	9.00	$\overline{10.50}$	15.00	22.00

BATH OR SINK PLUGS



FIG. A-142.

BATH OR SINK PLUGS

WITH METAL STOPPERS

Size	Inches	3/4	1	11/4	1½	2	21/2	3	4
Finished				1			1		
Nickel-plated	Per dozen	2.50	-3.00	3.50	4.50	8.00	17.00	21.00	40.00

BATH OR SINK PLUGS

WITH RUBBER STOPPERS

Size	Inches	1	11/4	$1\frac{1}{2}$	2
Finished	Per dozen	-2.00	2.25	3.50	$\overline{5.00}$
Nickel-plated	Per dozen	-2.50	2.75	4.00	-6.00

WASH TRAY PLUGS



FIG. A-143.

WASH TRAY PLUGS WITH METAL STOPPERS

Size	Inches	11/4	1 1/2	2	21/2	3 .	4
Finished	Per dozen	6.00	7.00	10.00	17.00	22.00	44.00
Nickel-plated	Per dozen	-7.50	8.75	13.00	20.00	25.00	50.00


WASH TRAY PLUGS

WITH RUBBER STOPPERS

Size Inches	1	11/4	1½	2	
Finished Per dozen	2.50	3.25	4.00	6.00	
Nickel-platedPer dozen	3.50	4.25	5.00	7.50	

BRASS STRAINERS

CONVEX








FIG.	A-144.
------	--------

FIG A-145.

FIG. A-146.

										0
Size Inches	3/4	1	11/4	1 ½	$\mid 2 \mid$	21/2	3	4	_ 5	6
Fancy Per dozen	.60	.85	1.20	1.45	1.80	2.40	3.00	4.80		12.00
Convex Per dozen	.95	1.40	1.80	2.40	3.00	3.60	4.20	6.00	12.00	
PlainPer dozen	.60	.85	1.20	1.45	1.80	2.40	3.00	4.80	9.00	12.00

NICKEL-PLATED CHAIN STAYS




Fig. A-147	Per dozen, 2.00
Fig. A—148	Per dozen, 2.50
Fig. A—149	Per dozen, 3.00
Fig. A—150	Per dozen, 4.00
Fig. A—150, with Square under Base to fit Cock Hole	Per dozen, 4.50

BASIN CLAMPS



FIG. A-151.

Price -----Per dozen, 1.00




FIG. A-152.

Price____Per dozen, 2.50



CLOSET SCREWS

WITH REMOVABLE NICKEL-PLATED BRASS HEADS



Note—Closet Screws are 21/4 inches long under head.



FIG. A-154.



SLAB SCREWS WITH WASHER



FIG. A-155.

SizeInches			
Nickel-plated_Per doz	.70	.80	.90

COCK HOLE COVERS



FIG. A-158.

SLAB AND CLOSET WASHERS





FIG. A-156.

FIG. A-157.

-Per dozen,	.20
-Per dozen,	.30
Per dozen,	.40
Per dozen,	.50
	-Per dozen,

Bath Tub size, Nickel-plated _____Each, .60

Basin size, Nickel-platedEach, .40

FOR FLUSH PIPE

FOR SUPPLY PIPE

ADJUSTABLE PIPE HOLDERS




FIG. A-159.

Nickel-plated for 3/8 Supply PipeEach,	.50
Nickel-plated for 14 Flush Pipe Each,	.70
Nickel-plated for 13/8 Flush PipeEach,	.70
Nickel-plated for 1½ Flush PipeEach,	.70



FIG. A-160.

NICKEL-PLATED BRASS PIPE STRAPS






FIG. A-161.

FIG. A-162.

Size	Inches	3/8	1/2	3/4	1	11/4	13/8	1½
Plain, Iron Pipe size	Per dozen	1.20	1.30	1.40	1.60	1.80	2.00	$\overline{2.20}$
With Bumper, Tubing size	Per dozen				-2.00	2.30	2.40	2.60

SPUN BRASS FLANGES




FIG. A-163.

For Iron Pipe sizeInches	3/8	1/2	3/4	-					
For Brass Tubing sizeInches				5/8	1	11/8	11/4	1½	$\overline{2}$
Nickel-platedEach	.10	.10	.12	.10	.10	.10	.12	.15	.20

BRASS CLOSET FLANGE



FIG. A-164.

SLIP JOINT ELBOWS




FIG. A-165.

Size Inches	1¼ [13/8	1.1/2
Nickel-platedEach	1.50	1.75	2.00

Complete with Bolts and Washers__Each, 1.20__

BASIN, BATH AND WASH-TRAY CHAINS



FIG. A-166.

BASIN CHAINS WITH SNAPS

No. 00.	Nickel-plated, 16-inches long	Per dozen, 1.10
No. 0.	Nickel-plated, 16-inches long	Per dozen, 1.20
	BATH CHAINS WITH SNAPS	į.
No. 0.	Nickel-plated, 26-inches long	Per dozen, 1.50
No. 1.	Nickel-plated, 26-inches long	Per dozen, 1.75
	WASH-TRAY CHAINS WITH SNAPS	
No. 0.	Nickel-plated, 20-inches long	Per dozen, 1.25
No. 1.	Nickel-plated, 20-inches long	Per dozen, 1.40

PLUMBERS CHAIN



FIG. A-167.

(Put up in pakages of 12 yards each.)

No. 00.	Nickel-plated	Per package, 1.35
No. 0.	Nickel-plated	Per package, 1.60
No. 1.	Nickel-plated	Per package, 1.95
No. 2.	Nickel-plated	Per package, 2.40

EIGHT HOOKS

SPLIT LINKS




FIG. A-168.

Nickel-plated ------Per dozen, .50

Small,	Nickel-1	olated Per	dozen,	.40
Large,	Nickel-I	olated Per	dozen,	.50

CLOSET PULLS



FIG. A-170.

Enameled, Ivory Finish	Each,	.25
Enameled, Jet Finish	Each,	.20
Hardwood, Oil Finish	Each,	.30
Porcelain	Each,	.70

SHOWER RINGS



FIG. A-172.

Nickel-plated Per dozen, 3.50 Nickel-plated Per dozen, 3.50

CLOSET PULLS

WITH NICKEL-PLATED STATIONERY GUIDE



FIG. A-171.

Nickel-plated Guide only	-Each,	2.75
With Enameled Pull	Each,	3.00
With Hardwood Pull	-Each,	3.10
With Porcelain Pull	- Each,	$3.5\overline{0}$

BATH SPRINKLERS



FIG. A-173.

HEAD REST FOR BATH TUB




FIG. A-174.

Nickel-plated ____Each, 3.00

SOAP TRAYS FOR RIM OF BATH TUB






FIG. A-176.

Nickel-plated Each, 1.50 Nickel-plated Each, 2.80

SOAP TRAYS FOR RIM OF BATH TUB




FIG. A-177.

Nickel-platedEach, 2.60

SOAP CUPS FOR WALL




FIG. A-178.

FIG. A-179.

Nickel-plated _____Each, 1.50 Nickel-plated ____Each, 2.25

TUMBLER HOLDERS



FIG. A-185.

Nickel-plated ----- Each, 2.40 Nickel-plated ---- Each, 2.80

TOOTH BRUSH HOLDERS




FIG. A-181.

COMB AND BRUSH HOLDER




FIG. A-182.

Nickel-plated____Each, 3.00

SPONGE HOLDER




FIG. A-183.

Nickel-plated Each, 2.90 Nickel-plated Each, 1.40

WHISK BROOM HOLDER




FIG. A-181.

ROBE HOOKS



FIG. A-185.

Nickel-plated_____Each, .40 Nickel-plated____Each, .75

ROBE HOOKS



FIG. A-186.

ROBE HOOKS



FIG. A-187.

Nickel-plated____Each, 1.10 Nickel-plated____Each, .75

COAT AND HAT HOOKS



TOILET PAPER HOLDERS



FIG, A-189.

Nickel-plated.....Each, .60




FIG. A-190.

Nickel-plated....Each, .80

TOWEL RACKS




FIG. A-191.

Diameter of Bar, 1/2 inch. Width from Wall, 21/2 inches.

Nickel-plated, 15 inches long	Each, 1.10
Nickel-plated, 18 inches long	Each, 1.25
Nickel-plated, 21 inches long	Each, 1.45
Nickel-plated, 24 inches long	Each, 1.60
Nickel-plated, 30 inches long	Each, 1.80




FIG. A-192.

Diameter of Bar, 1/2 inch. Width from Wall, 3 inches.

Nickel-plated, 15 inches long	Each, 1.80
Nickel-plated, 18 inches long	Each, 2.00
Nickel-plated, 21 inches long	Each, 2.15
Nickel-plated, 24 inches long	Each, 2.30
Nickel-plated, 30 inches long	Each, 2.50




FIG. A-193.

Diameter of Bar, 1/2 inch. Width from Wall, 3 inches.

Nickel-plated, 21 inches	s long		Each,	2.50
--------------------------	--------	--	-------	------



FIG. A-194.

Diameter of Bar, ½ inch. Width from Wall, 3 inches.

Nickel-plated, 21 inches	long	Each,	3.25
--------------------------	------	-------	------

FOLDING TOWEL RACKS




FIG. A-195.

Diameter of Bars, ¼ inch. Length of Bars, 12 inches.

Nickel-plated, with two Folding Bars Each, 1.20




FIG. A-196.

Diameter of Bars, 1/2 inches. Length of Bars, 12 inches.

Nickel-plated, with three Folding Bars____Each, 1.50




FIG. A-197.

Diameter of Bars, ⁵/₁₆ inch. Length of Bars, 14 inches.

Nickel-plated, with three Folding Bars......Each, 2.90




FIG. A-198.

Diameter of Bars, 15 inch. Length of Bars, 18 inches.

Nickel-plated, with two Folding Bars Each, 2.50

RUBBER STOPPERS



FIG. A-199.

SizeInches	1 1	11/6	11/	13/6	11/
		l ′			, -
PricePer dozen	1.00	1 10	1 20	1 40	1.1 60
TITCCICI GOZCII	1.00	1.10	1.20	1.10	1.00

"GOOD" STOPPERS




FIG. A-200.

		-
Price, Basin size	Per dozen, 4.20)
Price, Bath Tub size	Per dozen, 6.00)

"ROBB" CLOSET CONNECTIONS




FIG. A-201.

SizeInches	11/4	1½
PricePer dozen	2.00	2.00

"CANFIELD" CLOSET CONNECTIONS



FIG. A-202.

SizeInches	11/4	1½
Price Per dozen	3.00	3.0)

"OHLIGER" BASIN CONNECTIONS




FIG. A-203.

Size Inches	11/4	1½
Price Per dozen	2.00	2.00

BASIN GASKETS



FIG. A-204.

Price	Per	dozen, .	50

SINK GASKETS




FIG. A-205.

Price	 Per	dozen,	1.00

FLOOR GASKETS



FIG. A-206.

SizeInches	4x6x½	4½x7x½
PricePer dozen	.15	.20

SYPHON VALVE WASHERS



FIG. A-207.

SizeInches	1¼	1½
Price Per dozen	.90	1.00

BASIN AND BATH WASTE WASHERS



FIG. A-208.

Size	Inches	1	11/4	11/2
Price	Per dozen	.35	.45	.50

TACK BUMPERS



FIG. A-209.

SizeInches	3/8	1/2	5/8
Price Per dozen	.10	.15	.20

SCREW BUMPERS



FIG. A-210.

Size Inches	3/4-	7/8	, 1
PricePer dozen	.40	.50	60

RUBBER TUBING




FIG. A-211.

Size	Inches	, -	$1\frac{3}{6}$		1 6	3/8	1/2	5/8	3/4
Pure Rubber	Per Foot	.08	.12	.16	.18	.20	.25	.30	.35
Cloth Insertion	Per Foot	.10	.14	.18	.20	.23	.28	.33	.38

SLIP JOINT WASHERS



FIG. A-212.

All sizes Per dozen, .60 All sizes Per dozen, .20

BIBB WASHERS



FIG. A-213.

GAUGE GLASS WASHERS AND HOSE GASKETS



FIG. A-214.

-

GAUGE GLASS WASHERS

HOSE GASKETS

SizeInches	1/2	5/8	3/4
SquarePer dozen	.40	.40	.40
Round Per dozen	.60	.60	.60

Size Inches	3/4	1
PricePer dozen	.20	.30

RICKETT'S WATER CLOSET CONNECTIONS

FOR 14 SUPPLY



F1G. A-215.

Full length, from Face to Back ___4 inches Price _____ Per dozen, 10.00

FOR 11/4 INCH SUPPLY



FIG. A-217.

Price -----Per dozen, 7.00

FOR 2-INCH VENT, TO SLIP OVER 1% INCH LEAD PIPE




FIG. A-219.

Price Per dozen, 15.00

FOR 2-INCH VENT




FIG. A-221.

Price Per dozen, 14.00

FOR 11/4 SUPPLY




FIG A-216.

Full length, from Face to Back---5 inches Price ---- Per dozen, 11.00

TO SLIP OVER 11/2 INCH LEAD OR IRON PIPE



FIG. A-218.

With 1½-inch Nut------Per dozen, 9.00 With 2-inch Nut-----Per dozen, 11.00

FOR 14 INCH SUPPLY




FIG. A-220.

Price ---- Per dozen, 7.00

FOR 11/4 INCH SUPPLY




FIG. A-222.

Price -------Per dozen, 7.00

LEAD PIPE




FIG. A-223.

INSIDE DIAMETER	-	WEI PER	GHT FOOT	INSIDE DIAMETER		WEI PER I	GHT FOOT
INCHES		POUNDS	OUNCES	INCHES		POUNDS	OUNCES
1/8	Tubing		3½		AqueductExtra Light	$\frac{1}{2}$	8
1/4 {	Light		$\begin{bmatrix} 6 \\ 8 \\ 12 \end{bmatrix}$	1 }	MediumStrong	$\begin{bmatrix} 2\\2\\3\\4\\4 \end{bmatrix}$	8 4 12
	Aqueduct Extra Light		8 9 12		Extra Strong Extra Extra Strong Aqueduct	5	8
3/8	Light Medium Strong	1 1	8	1./	Extra Light	2 2 3 3	8
	Extra StrongExtra Extra Strong	$\frac{2}{2}$	8		Medium	4 6	12 12
	 Aqueduct		10		Extra StrongExtra Extra Strong	6	12
	Extra LightLight	1	12		'AqueductExtra Light	3	8
1/2	Medium Strong A A	$egin{array}{c} 1 \ 1 \ 2 \end{array}$	$\begin{vmatrix} 4\\12\end{vmatrix}$	1 1/2	Light Medium Strong	4 5 6	
-	Extra StrongExtra Extra Strong	$\frac{2}{2}$	8		Extra StrongExtra Extra Strong	7 9	8
	AqueductExtra Light	1 1	12 4 12	$\left \begin{array}{c} \\ \\ 2 \end{array} \right $	Waste	3 4 5 7	
5/8	Medium Strong	$\frac{2}{3}$	8		Strong	8 9	0
	Extra StrongExtra Extra Strong	3	8	21/2	Extra Extra Strong	10 4	8
	Aqueduct	$\frac{1}{1}$	8	3 1/2	Waste	3 5	8
34	Light Medium	$\frac{2}{2}$	4	4 41/2	Waste	5 6	
	Extra Strong Extra Extra Strong	$egin{array}{c} 2 \\ 3 \\ 4 \\ \end{array}$	8	5 6	Waste	-8 10	

Market prices.

PURE BLOCK TIN PIPE

CALIBER	WEIGHT PER FOOT OUNCES	CALIBER	WEIGHT PER FOOT OUNCES
//s inch Strong	6 6½ 6 8 6½	// inch Double Extra Strong	15 9 14 11 16 14 20

Market prices.

SHEET LEAD




FIG. A-224.

DIMENSIONS AND WEIGHTS OF SHEET LEAD

Thickness, Inches	Weight, per Square Foot.	Thickness, Inches	Weight, per Square Foot.
1-32	2 pounds	1-10	6 pounds
1-24	· 2½ pounds	1-9	7 pounds
1–20	3 pounds	1-8	8 pounds
1–18	3¼ pounds	1-7	9 pounds
1–16	4 pounds	1-6	10 pounds
1–14	4½ pounds	3–16	11 pounds
1–12	5 pounds	1-5	12 pounds

PIG LEAD



FIG. A-225.

In Pigs (about 80 pounds)	Market	Prices
In Blocks (about 5 pounds)	Market	Prices

BLOCK TIN




FIG. A-226.

In Pigs (about 100	pounds)	Market	Prices
In Bars (about 1½	pounds)	Market	Prices

SOLDER



FIG. A-227.

50-50 (Half and Half)	Market Prices
40-60 (Refined Metal)	Market Prices

COMBINATION SOLDERING NIPPLE

(LEAD AND BRASS)



FIG. A-228.

Length Inches	4	6	8	10	12	14	16	18	20	24
14-inch Each	.30	.35	.38	.42	.45	.50	.55	.60	.65	.75
1½-inch Each	.36	.40	.45	.50	.55	.60	.65		.75	.85
2-inch Each	.50	.55	.60	.65	.70	.75	.83	.88	.93	1.05
3-inch Each		1.00	1.10	-1.20	1.30	1.40	1.50	1.60	1.70	1.90
4-inch Each	1.20	1.30	1.40	1.50	1.65	1.80	1.90	2.05	2.20	2.45
4-inch, extra heavy Each	1.25	1.40	1.50	1.60	1.75	1.90	2.05	2.20	2.40	2.70

COMBINATION FERRULE

(LEAD AND IRON)




FIG. A-229.

Length Each	4	5	6	8	10	12	14	16	18.	20	-24
14-inch, for 2-inch C. I. P. Each		.38	.43	.49	.56	.61	.65	.70	.75	.80	.90
2-inch, for 2-inch C. I. P Each	.22	.32	.37	.43	.50	$\overline{.55}$.60	.65	70	.75	.85
3-inch, for 3-inch C. I. P. Each	.32	.45	.50	.60	.70	.80	.90	1.00	1.05	1.10	1.25
4-inch, for 4-inch C. I. P Each	.38	.50	.60	.72	.83	.95	1.00	1.10	1.20	1.30	1.50

LEAD BENDS








FIG. A-230.

FIG. A-231.

SHORT LEAD BENDS

	STANDARD WEIGHT						
SizeInches	11/4	1½.	2	3	4		
PriceEach	.22	.30	.45	.75	1.10		

LONG LEAD BENDS

7	STANDARD WEIGHT					
Size Inches	11/4	1½	2	3	4	
PriceEach	.28	.35	.60	.95	1.40	

EXTENSION BENDS



FIG. A-232.

SHORT INLET EXTENSION BENDS

	STANDARD WEIGHT					
SizeInches	1¼	1½	2	3	4	
12-inch Outlet EndsEach	.40	.45		1.05	1.40	
15-inch Outlet Ends Each	.45	.55	.80	1.25	1.65	
18-inch Outlet EndsEach	.50	.60	.90	1.45	1.90	
20-inch Outlet Ends Each	$\overline{.55}$.65	1.00	1.55	2.05	
For lengths not listed, add for each excess inch	.03	.04	.06	.081/2		

LONG INLET EXTENSION BENDS

	STANDARD WEIGHT					
SizeInches	11/4	1½	2	3	4	
12-inch Outlet EndsEach	45		.85	1.30	1.75	
15-inch Outlet EndsEach	.50	.65	.95	1.50	2.00	
18-inch Outlet EndsEach	.55	70	1.10	1.70	$2.\overline{25}$	
20-inch Outlet Ends Each	.60	.75	1.20	1.80	2.40	
For lengths not listed, add for each excess inch	.03	04	.06	.081/2	.11	

LEAD TRAPS

RUNNING TRAP



FIG. A-233.

RUNNING "Y" TRAP



FIG. A-234.

FULL "S" TRAP




FIG. A-235.

½ "S" OR "P" TRAP




FIG. A-236.

¾ "S" TRAP





FIG. A-237.

BAG TRAP



F.G. A 238.

Size Inches	11/4	1½	2	'3	4
Running Trap, Standard Weight Each	.40		03.	1.40	1.70
Running "Y" Trap, Standard Weight-Each	.45	.55	.95	1.70	2.15
Full "S" Trap, Standard Weight Each	50	.60	1.05	1.85	2.40
½ "S" or "P" Trap, Standard Weight Each	.45	.55	.95	1.60	1.85
3/4 "S" Trap, Standard Weight Each	.50	.60	1.05	1.85	2.40
Bag Trap, Standard Weight Each	.60	.80	1.35	2.15	3.45

VENTED LEAD TRAPS

VENTED LEAD THAT O

RUNNING TRAP




FIG. A-239.

FULL "S" TRAP




FIG. A-240.

½ "S" OR "P" TRAP




FIG. A-241.

¾ "S" TRAP





FIG. A-242.

VENTED LEAD TRAPS, STANDARD WEIGHT

Size Trap	Inches	11/4	1½	2	2
Size Vent	Inches	11/4	1½	1½	2
Running Trap	Each	.95	1.20	-1.50	1.80
Full "S" Trap		1.05	1.30	1.75	2.05
½ "S" or "P" Trap	Each	1.00	1.25	1.65	1.95
3/4 "S" Trap	Each	1.05	1.30	1.75	2.05

LONG OUTLET "S" TRAP

LONG OUTLET 1/2 "S" OR "P" TRAP






FIG. A-244.

EXTRA LONG LEAD TRAPS, STANDARD WEIGHT

SizeInches	1¼	1½	2
Long Outlet "S" Traps Each	90	1.05	1.65
Long Inlet "S" TrapsEach	.90	1.05	1.65
Long Outlet 1/2 "S" or "P" Traps Each		.80	1.25
Long Inlet 1/2 "S" or "P" Traps Each		.85	1.35
For Traps longer than regular Extra Long Traps, add for each inch in excess	.03	.04	.06

FIG. A-243.

DRUM TRAPS





	FIG A 245	FIG A 246	FIG A 247		FIG A 249	FIG A 250
4x8 with Brass ScrewEach	1.22	1.42	1.82	2.02	1.92	2.12
6x10 with Brass Screw Each	2.80	3.00	3.40	3.60	3.50	3.70
4x8 with Nickel-plated ScrewEach	1.52	1.77	2.27	2.57	2.37	2.67
6x10 with Nickel-plated Screw Each	3.10	3.35	3.85	4.15	3.95	4.25

FULL "S" TRAP WITH LONG OUTLET AND LONG VENT



HALF "S" OR "P" TRAP

WITH LONG OUTLET AND LONG VENT




FIG. A-251.

FIG A-252.

LEAD TRAPS

WITH LONG OUTLETS AND LONG VENTS

STANDARD WEIGHT

Size Trap	Inches	11/4	1½	2	2
Size Vent	Inches	1¼	1½	1½	$\overline{2}$
Full "S" Trap	Each	1.70	2.05	2.65	3.10
½ "S" or "P" Trap	Each	1.50	1.80	-2.25	2.70

CUDELL LEAD TRAPS

FULL "S"




FIG. A-253.

RUNNING BATH





FIG. A-254.


"S". 1/2"S" 3/4"S" RUNNING AND BATH TRAPS

INLET	OUTLET		NO VENT	VENTED
1 inch	1½ inch	Price Each	1.00	1.20
1¼ inch	1¼ inch	Price Each	1.00	1.20
1¼ inch	1½ inch	Price Each	1.25	1.50
1½ inch	1½ inch	Price Each	1.25	1.50
1½ inch	2 inch	Price Each	1.35	1.60

BOWER TRAPS











FIG. A-255.

FIG. A-256.

Size Inlet		Inches	1	11/4	11/4	1½	1½
Size Outlet			$\frac{11}{4}$	$\frac{-74}{1\frac{1}{4}}$	$\frac{1}{1}$	$-\frac{1}{1\frac{1}{2}}$	$\frac{-1/2}{2}$
	ith Lead Cup		$\frac{7}{1.65}$	$\frac{7}{1.70}$	$\frac{72}{1.75}$	2.15	-2.25
Full "S" wi	th Glass Cup	Each	-1.45	1.50	1.55	1.90	-2.00
Full "S" wi	th Brass Cup	Each	1.85	-1.90	1.95	2.40	-2.50
	P" with Lead Cup		1.60	1.65	-1.70^{-}	2.05	2.15
½ "S" or "]	P" with Glass Cup	Each	1.40	1.45	-1.50	1.80	1.90
1/2 "S" or "]	P" with Brass Cup	Each	1.80	-1.85	1.90	2.30	2.40
Running w	ith Lead Cup	Each		1.70		-2.15	
Running w	ith Glass Cup	Each		1.55		1.90	
Running w	ith Brass Cup	Each	,	1.90		2.40	
	Lead Cups only	Each		.40		.50	
	Glass Cups only	Each		.15		.25	
REPAIRS \	Brass Cups only	Each		.50		.65	
	Rubber Washers only	Each		.03		.06	
ļ	Rubber Balls only	Each		.15		.20	




McCLELLAN ANTI-SYPHON TRAP VENTS

Size	Inches	11/4	2
Plain Iron	Each	2.70	4.10
Polished Brass	Each	4.50	6.75
Nickel-plated	Each	5.50	8.25

Prices include Mercury for Seal.

FIG. A-257.


"CLEAN SWEEP" TRAPS



"CLEAN SWEEP" FULL "S" TRAPS

Price, 14-inch	Each,	.80
Price, 1½-inch		
Price, 2-inch	Each,	1.50


FIG. A-258.



"CLEAN SWEEP" 1/2"S" OR 'P" TRAPS

Price, 1¼-inch.	Each,	.75
Price, 1½-inch	Each,	.90
Price, 2-inch	Each,	1.30

FIG. A-259.



CLEAN SWEEP" FULL "S" TRAPS VENTED

Price, 1¼-inch	Each,	1.20
Price, 1½-inch		
Price, 2-inch	Each,	2.00

FIG. A-260.

"CLEAN SWEEP" TRAPS




FIG. A-261.

"CLEAN SWEEP" RUNNING TRAPS LEAD BODY, NICKEL-PLATED TRAP SCREW

Price, 14-inch	Each,	1.00
Price, 1½-inch	Each,	1.30




FIG. A-262.

"CLEAN SWEEP" RUNNING TRAPS LEAD BODY, ROUGH BRASS TRAP SCREW

Price, 14-inch	Each, .8	35
Price, 1½-inch	- Each, 1.0	$0\bar{5}$



FIG. A-263.

"CLEAN SWEEP" RUNNING TRAPS LEAD BODY, NICKEL-PLATED TOP AND VENT

Price, 1¼-inch		
Price, 1½-inch	Each,	1.80

TRAP SCREWS




FIG. A-264.

Size	Inches	1	11/4	11/2	2	21/2	3	3½	4
Brass	Per dozen	2.50	3.00	4.00	7.00	10.00	15.00	18.00	20.00
Nickel-plated	Per dozen			7.50	11.00	15.00	20.00	23.50	26.00

BRASS END FERRULES

STRAIGHT








FIG. A-267.

Size Inches	2x1½	2	3	4	5	6
Straight or Reducing Per dozen	5.00	5.00	10.00	15.00	24.00	36.00
Eighth BendPer dozen		12.00		24.00		
Quarter BendPer dozen		15.00		27.00		

END FERRULES

WITH TRAP SCREW



FIG. A-268.

SizeInches	2	3	4	5	6
Iron Body with Brass ScrewPer dozen	3.60	4.80	6.00	9.60	14.40
Brass Body with Brass ScrewPer dozen	10.00	18.00	24.00	48.00	69.00

CAST IRON SOIL PIPE

SINGLE HUB



FIG. A-269.

INSIDE DIAMETER	LENGTH	PRICE PER FOOT STANDARD	PRICE PER FOOT EXTRA HEAVY
2–Inch	5–Foot	.24	.35
3-Inch	5-Foot	.30	.55
4-Inch	5-Eoot	.40	.75
5-Inch	5-Foot	.50	1.00
6-Inch	5-Foot	.60	1.20
8-Inch	5–Foot	1.25	2.25
10-Inch	5-Foot	2.00	3.00
12-Inch	5-Foot	3.00	4.00

CAST IRON SOIL PIPE

DOUBLE HUB



FIG. A-270.

INSIDE DIAMETER	LENGTH	PRICE PER FOOT STANDARD	PRICE PER FOOT EXTRA HEAVY
2–Inch	5-Foot	.30	.41
3-Inch	5-Foot	.36	.61
4-Inch	5–Foot	.46	.81
5–Inch	5-Foot	.56	1.06
6-Inch	5-Foot	.66	1.26
8-Inch	5-Foot	1.45	2.55
10-Inch	5-Foot	2.40	3.60

14 BEND



FIG. A-271.





FIG. A-272.





FIG. A-273.



FIG. A-274.

SIZE	PRICE EACH	PRICE EACH
SIZE	STANDARD	EXTRA HEAVY
2–Inch	.40	.50
3–Inch	.55	.70
4–Inch	.75	1.10
5-Inch	1.00	1.35
6–Inch	1.20	1.75
8–Inch	3.00	4.00
10-Inch	4.00	5.00

LONG ¼ BEND



FIG. A-275.

SIZE	LENGTH IN CLEAR	PRICE EACH STANDARD	PRICE EACH EXTRA HEAVY
2–Inch	18-Inch	1.10	1.40
3–Inch	18-Inch	1.25	2.00
4–Inch	18-Inch	1.50	2.25
4-Inch	24-Inch	2.00	3.00

% BEND, DOUBLE HUB



FIG. A-276.

1/8 BEND, DOUBLE HUB



FIG. A-277.

SIZE	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2–Inch	.70	.80
3–Inch	.85	1.00
4-Inch	.95	1.40
5-Inch	1.30	1.65
6-Inch	1.50	2.05

QUARTER BEND

WITH SIDE INLET



FIG. A-278.

QUARTER BEND

WITH HEEL INLET



FIG. A-279.

SIZE	PRICE EACH STANDARD	PRICE EACH
2-Inch, with 2-Inch Side or Heel Inlet	.90	1.00
3-Inch, with 2-Inch Side or Heel Inlet.	1.05	1.20
4-Inch, with 2-Inch Side or Heel Inlet	1.25	1.60
4-inch, with 3-Inch Side or Heel Inlet.	1.35	1.70

Note—Quarter Bends can be furnished with either Right or Left Side Inlet, but unless otherwise ordered, will always be sent with Inlet on Right Side, as shown in cut.





FIG. A-280.

SANITARY "T" BRANCH




FIG. A-281.

"Y" BRANCH



FIG. A-282.



1/2 "Y" BRANCH

FIG. A-283.

SIZE, INCHES	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2 x 2	.60	.80
3 x 3	.80	1.25
3 x 2	.80	1.25
4 x 4 .	1.20	1.60
4 x 3	1.20	1.60
4 x 2	1.20	1.60
$\frac{5}{x}$ $\frac{x}{5}$	1.60	2.25
5 x 4	1.60	2.25
5 x 3	1.60	2.25
5 x 2	1.60	2.25
6 x 6	2.00	3.25
6 x 4	2.00	3.25
6 x 3	2.00	3.25
6 x 2	2.00	3.25

LONG SANITARY "T"




FIG. A-284.

LONG "Y" BRANCH




FIG. A-285.

SIZE, INCHES	LENGTH IN CLEAR	PRICE EACH STANDARD	PRICE EACH EXTRA HEAVY
4 x 4	18 Inches	2.25	3.25
4 x 4	24 Inches	2,50	3.50
4 x 4	30 Inches	3.00	4.75
4 x 4	36 Inches	3.50	5.25
5 x 4	24 Inches	3.25	4.50
5 x 4	30 Inches	4.00	5.50
5 x 4	36 Inches	4.75	6.75
6 x 4	24 Inches	4.25	5.50
6 x 4	30 Inches	5,25	7.25
6 x 4	36 Inches	6.25	9.00

"Y" BRANCH

WITH SIDE INLET



FIG. A-286.

SANITARY "T"

WITH SIDE INLET



FIG. A-287.

SIZE, INCHES	PRICE EACH Standard	PRICE EACH EXTRA HEAVY
4 x 4, with 2-Inch Inlet	1.70	2.10
4 x 3, with 2-Inch Inlet	1.70	2.10
4 x 2, with 2-Inch Inlet	1.70	2.10
5 x 5, with 2-Inch Inlet	2.10	2.75
5 x 4, with 2-Inch Inlet	2.10	2.75
5 x 3, with 2-Inch Inlet	2.10	2.75
6 x 6, with 2-Inch Inlet	2.50	3.75
6 x 5, with 2-Inch Inlet	2.50	3.75
6 x 4, with 2-Inch Inlet	2.50	3.75
6 x 2, with 2-Inch Inlet	2.50	3.75

Note—"Y" Branches and "Sanitary "T's" can be furnished with either Right or Left Side Inlet, but unless otherwise ordered, will always be sent with Inlet on Right Side.

CROSS



FIG. A-288.

SANITARY CROSS



FIG. A-289.

DOUBLE "Y" BRANCH




FIG. A-290.

SIZE, INCHES	PRICE EACH	PRICE EACH
SIZE, INCHES	STANDARD	EXTRA HEAVY
2 x 2	1.00	1.25
3 x 3	$1.\overline{25}$	1.60
3 x 2	1.25	1.60
4 x 4	1.65	2.00
4 x 3	1.65	2.00
4 x 2	1.65	2.00
5 x 5	2.25	3.00
5 x 4	2.25	3.00
5 x 3	2.25	3.00
5 x 2	2.25	3.00
6 x 4	3.00	4.00
6 x 2	3.00	4.00

SINGLE HUB



FIG. A-291.

DOUBLE HUB



FIG. A-292.

STRAIGHT SLEEVE



FIG. A-293.

0.55	PRICE EACH	PRICE EACH
SIZE	STANDARD	EXTRA HEAVY
2-Inch	.30	.40
3-Inch	.45	.55
4-Inch	.65	.75
5-Inch	.75	.90
6-Inch	.80	1.15
8-Inch	2.50	3.50
10-Inch	3.50	4.50

REDUCER



FIG. A-294.

SIZE, INCHES	PRICE EACH	PRICE EACH
oize, moneo	STANDARD	EXTRA HEAVY
3 x 2	.45	.55
4 x 3	.65	.75
4 x 2	.65	.75
5 x 4	.75	.90
5 x 3	.75	.90
5 x 2	.75	.90
6 x 5	.80	1.15
6 x 4	.80	1.15
6 x 3	.80	1.15
6 x 2	.80	1.15
8 x 6	2.50	3.50
8 x 4	2.50	3.50

SHORT INCREASER

TAPPED



FIG. A-295.

SIZE, INCHES	PRICE EACH
oize, moneo	EXTRA HEAVY
1½ to 2	.85
1½ to 3	1.00
2 to 3	1.00
1½ to 4	1.20
2 to 4	1.20

INCREASER

FOR CALKING



FIG. A-296.

SIZE, INCHES	PRICE EACH STANDARD	PRICE EACH EXTRA HEAVY
2 to 3	.70	1.00
2 to 4	.90	1.25
2 to 5	1.15	1.75
3 to 4	.90	1.25
3 to 5	1.15	1.75
4 to 5	1.15	1.75
4 to 6	1.25	2.25
5 to 6	1.25	2.25
6 to 8	2.00	5.00

INCREASER AND VENTILATING BRANCH

WITH STRAIGHT SIDE OUTLET TAPPED




FIG. A-297.

SIZE, INCHES	PRICE EACH STANDARD	PRICE EACH EXTRA HEAVY
2 x 4, tapped for 1½-Inch Pipe	2.15	2.65
2 x 4, tapped for 2 -Inch Pipe	2.25	2.75
4 x 6, tapped for 1½-Inch Pipe	2.75	3.50
4 x 6, tapped for 2 -Inch Pipe	2.90	3.65
4 x 6, tapped for 3 -Inch Pipe	3.50	4.25

SANITARY "T"

TAPPED




FIG. A-298.

SIZE	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
2-Inch, tapped for 1½-Inch Pipe	1.00	1.20
2-Inch, tapped for 2 -Inch Pipe	1.05	1.25
3-Inch, tapped for 1½-Inch Pipe	1.90	2.35
3-Inch, tapped for 2 -Inch Pipe	2.00	2.45
4-Inch, tapped for 1½-Inch Pipe	2.10	2.50
4-Inch, tapped for 2 -Inch Pipe	2.25	2.65
4-Inch, tapped for 2½-Inch Pipe	2.50	2.90
4-Inch, tapped for 3 -Inch Pipe	2.75	3.15

"T" BRANCH

TAPPED



FIG. A-299.

	PRICE EACH	PRICE EACH
SIZE	STANDARD	EXTRA HEAVY
2-Inch, tapped for 1½-Inch Pipe	.80	1.00
2-Inch, tapped for 2 -Inch Pipe	.90	1.10
3-Inch, tapped for 1½-Inch Pipe	1.70	2.15
3-Inch, tapped for 2 -Inch Pipe	1.80	2.25
4-Inch, tapped for 1½-Inch Pipe	1.85	2.25
4-Inch, tapped for 2 -Inch Pipe	1.95	2.35
4-Inch, tapped for 2½-Inch Pipe	2.20	2.75
4-Inch, tapped for 3 -Inch Pipe	2.50	3.00

VENTILATING BRANCH



FIG. A-300.

	PRICE EACH	PRICE EACH
SIZE, INCHES	STANDARD	EXTRA HEAVY
2 x 2	80.	1.25
3 x 2	1.25	1.75
4 x 2	1.50	2.00
4 x 3	1.50	2.00
5 x 2	2.00	2.75
5 x 4	2.00	2.75
6 x 4	3.00	4.00

"T" BRANCH

WITH HAND HOLE FOR CLEANING OUT



FIG. A-301.

	PRICE EACH	PRICE EACH
SIZE, INCHES	STANDARD	EXTRA HEAVY
2 x 2	.75	1.00
3 x 3	1.00	1.50
4 x 4	1.25	1.75
5 x 5	1.75	2.25
6 x 6	2.25	3.00

LONG INCREASERS

TAPPED



SIZE, INCHES	PRICE EACH
0.22, 2 0	EXTRA HEAVY
1½ to 4-24 Inches long	2.50
2 to 4—24 Inches long	2.60

FIG. A-302.

LONG INCREASERS

TAPPED ON SIDE



S ZE, INCHES	LENGTH, INCHES	TAPPED PIPE SIZE	PRICE EACH	PRICE EACH
2 to 4	24	1½	2.50	3.25
2 to 4	48	1 ½	3.40	
3 to 4	24	1½	2.60	3.35
4 to 5	30	2	4.00	5.00
4 to 6	48	2	6.00	
5 to 6	30	2	5.00	6.50
5 to 6	36	$\frac{1}{2}$	5.50	7.00

OFFSET



FIG. A-304.

SIZE,	PRICE EACH	PRICE EACH	SIZE,	PRICE EACH	PRICE EACH
INCHES	STANDARD	EXTRA HEAVY	INCHES	STANDARD	EXTRA HEAVY
2 x 2	.40	.60	4 x 10	1.25	1.60
2 x 4	.50	.90	4 x 12	1.40	1.80
2 x 6	.60	1.00	4 x I4	1.65	2.00
2 x 8	.70	1.10	4 x 16	1.80	2.25
2×10	.80	·1.20	4 x 18	2.15	${2.80}$
2 x 12	.85	1.25	4 x 20	2.25	3.00
2 x 14	1.00	1.45	5 x 4	1.40	1.80
2 x 16	1.15	1.60	5 x 6	1.60	2.00
$\frac{1}{2} \times 18$	1.25	1.75	5 x 8	1.80	2.25
$\frac{1}{2} \times \frac{1}{20}$	1.75	2.50	5 x 10	1.90	2.40
3×2	.70	1.00	5 x 12	2.00	2.50
3×4	.75	1.10	5 x 14	2.20	2.75
-3×6	.80	1.20	5 x 16	2.40	3.00
3 x 8	.90	1.35	5 x 18	2.75	3.50
3 x 10	.95	1.40	5 x 20	3.00	3.75
-3×12	1.00	1.45	$\frac{6 \times 4}{}$	2.00	3.00
3 x 14	1.25	1.70	6 x 6	2.25	3.25
3 x 16	1.40	1.90	6 x 8	2.40	3.50
$-3 \times 18^{-}$	1.50	2.00	6 x 10	2.60	3.75
3×20	2.00	2.75	6 x 12	2.75	4.00
$\frac{1}{4}$ x $\frac{1}{2}$.80	1.20	6 x 14	3.00	4.50
4 x 4	.85	1.25	6 x 16	3.50	5.25
4 x 6	1.00	1.40	6 x 18	4.10	6.00
4 x 8	1.15	1.50	6 x 20	4.85	7.00

"S" TRAP



FIG. A-305.

THREE-QUARTER "S" TRAP



FIG. A-307.

HALF "S" OR "P" TRAP




FIG. A-306.

RUNNING TRAP




FIG. A-308.

SIZE	PRICE EACH STANDARD	PRICE EACH
2–Inch	.80	1.25
3–Inch	1.25	2.00
4-Inch	1.75	2.75
5–Inch	3.00	4.00
6–Inch	4.00	5.50

RUNNING TRAP

WITH SINGLE HUB VENT




FIG. A-309.

RUNNING TRAP




FIG. A-310.

SIZE	PRICE EACH	PRICE EACH
2-Inch, with 2-Inch Vent	1.30	1.75
4-Inch, with 4-Inch Vent	2.50	3.50
5-Inch, with 4-Inch Vent	3.75	4.75
6-Inch, with 4-Inch Vent	4.75	6.25
8-Inch, with 6-Inch Vent	9.75	12.00

SIZE	PR CE EACH	PRICE EACH
4-Inch, with 4-Inch Vent	3.25	4.25
5-Inch, with 4-Inch Vent	${4.50}$	5.50
6-Inch, with 4-Inch Vent	5.50	7.00
8-Inch, with 6-Inch Vent	11.00	14.00

"T" SADDLE HUB



FIG. A-311.			
SIZE	PRICE EACH	PRICE EACH EXTRA HEAVY	
2-Inch	.30	.40	
3-Inch	.50	.65	
4-Inch	.60	.80	
5-Inch	.75	1.00	
6 Inch	1 10	1.40	

"Y" SADDLE HUB



FIG. A-312.

· SIZE	PRICE EACH	PRICE EACH
2-Inch	.35	.45
3-Inch	.55	.70
4-Inch	.70	.90
5-Inch	.90	1.15
6-Inch	1.25	1.55

NOTE—Reducing "T" Saddle and "Y" Saddle Hubs, same list as above.

VENTILATING CAPS



FIG. A-313.

~ · · · · · · · · · · · · · · · · · · ·		
SIZE	PRICE EACH STANDARD	PRICE EACH
2-Inch	.40	.50
3-Inch	.60	.75
4-Inch	.80	1.25
5-Inch	1.10	2.50
6-Inch	1.50	3.50

PIPE HOOKS




FIG. A-314.

SIZE	PRICE EACH
2-Inch	.08
3-Inch	.10
4-Inch	.12
5-Inch	.15
6-Inch	.20
8-Inch	.40

PLUGS OR STOPPERS



FIG. A-315.

10.11 010.		
SIZE	PRICE EACH	PRICE EACH
2-Inch	.15	.25
3-Inch	.25	.35
4-Inch	.30	.40
5-Inch	.35	.50
6-Inch	.50	.65
8-Inch	1.20	1.50

ROOF PLATE



FIG. A-316.

SIZE	PRICE EACH	PRICE EACH
	STANDARD	EXTRA HEAVY
3-Inch	.40	.60
4-Inch	.50	.80
5-Inch	1.00	1.25
6-Inch	1.25	1.75
8-Inch	2.00	3.00

PIPE RESTS



FIG. A-317.

SIZE	PRICE EACH STANDARD	PRICE EACH EXTRA HEAVY
2-Inch	.30	.40
3-Inch	.40	.55
4-Inch	.50	.65
5-Inch	.60	.80
6-Inch	.70	1.00
8-Inch	1.10	1.75
10-Inch	1.75	2.50

PALMER SEWER VALVES




FIG. A-318.

SizeInches	2	3	4	5	6	8
PriceEach	6.00	6.50	7.50	9.00	10.00	15.00

TEST PLUGS FOR SOIL PIPE




FIG. A-319.

Size Inches	0	3	4	5	6	8
PriceEach	1.00	1.25	1.50	-2.00	-2.50	4.50

CELLAR TRAPS





FIG. A-320.

Size	Inches	9 x 9 x 2½	12 x 12 x 2½
Price	Each	1.25	1.60

HYDRANT CESSPOOLS



SizeInches	12 x 12 x 6	14 x 14 x 6	16 x 16 x 6
Price Each	1.00	1.15	1.30

CESSPOOLS

WITH BELL TRAP




FIG. A-322.

Sizelnches	6 x 6	9 x 9	13 x 13
Price Each	.75	1.00	2.50

CESSPOOL GRATES

ROUND





SQUARE

FIG, A-323.

FIG. A-324.

ROUND CESSPOOL GRATES

SizeInches	4	5	6	7	8
Price Each	.20	.25	.30	.50	.65

SQUARE CESSPOOL GRATES

SizeInches	6 x 8	7 x 9	10 x 10	10 x 12	12 x 12
PriceEach	.50	.65	.90	1.05	1.20

SQUARE SLOP SINK

WITH 4-INCH OUTLET IN CENTER




FIG. A-325.

SIZE, INCHES	PAINTED	GALVANIZED	WHITE ENAMELED
16 x 16 x 10 Each	3.25	3.90	3.90
20 x 14 x 12 Each	4.00	4.50	4.50
22 x 20 x 12 Each	5.00	5.70	5.70
24 x 20 x 12 Each	5.50	6.40	6.40

SLOP SINK

WITH 2-INCH OUTLET




FIG. A-326.

SIZE, INCHES	PAINTED	GALVANIZED	WHITE ENAMELED
16 x 16 x 10Ea	1ch 2.70	5.25	7.50
20 x 14 x 12 Ea	3.50	6.50	8.50
20 x 16 x 12 Ea	1.00 4.00	8.25	10.00
23 x 15 x 12 Ea	ach 4.25	8.50	11.00
24 x 18 x 12 Ea	1.50	9.00	11.00
24 x 20 x 12 Ea	ich 5.00	9.50	11.50
30 x 20 x 12 Ea	1ch 8.00	15.00	16.00
36 x 20 x 12Ea	10.00	19.00	20.00

HARRIS SLOP SINK

WITH BELL TRAP




FIG. A-327.

Size	Inches	12 x 12	14 x 14	16 x 16
Painted	Each	2.00	2.25	2.50
Gray Enameled	Each	3.25	3.75	4.25
Galvanized	Each	3.25	3.75	4.25

BAILEY SLOP HOPPER


WITH BELL TRAP



FIG. A-328.

SquareEach	3.50
RoundEach	3.50

HALF ROUND SINKS



	BACK WIDTH	BACK WIDTH	BACK WIDTH	BACK WIDTH	
SizeInches	-24 x 14	27 x 15	29 x 16	31 x 17	
Painted Each	1.50	1.80	2.00	2.25	
GalvanizedEach	3.25	3.90 ,	4.50	4.75	
White Enameled Each	6.00	7.00	8.00	9.00	

CORNER SINKS




FIG. A-330.

SizeI	nches	17 x 17 x 25	20 x 20 x 28	22 x 22 x 31
Painted	Each	1.25	1.75	2.10
Galvanized	Each	2.75	3.50	4.20
White Enameled	Each	6.00	7.00	8.00

CAST IRON SINKS




FIG. A-331.

REVISED LIST-APRIL IST, 1899

SIZE, INCHES	PAINTED	GALVANIZED	ENAMELED	SIZE, INCHES	PAINTED	GALVANIZED	ENAMELED
16 x 12	1.10	${2.30}$	4.50	* 30 x 16	2.25	4.75	7.75
* 18 x 12	1.25	2.60	4.75	* 30 x 18	2.50	5.10	8.50
20 x 12	1.50	-3.00	5.25	* 30 x 20	3.00	6.25	9.00
* 20 x 14	1.50	3.20	6.00	* 32 x 18	3.00	6.25	-9.50
22 x 14	1.60	3.30	6.25	* 36 x 18	3.00	6.50	9.50
23 x 15	1.70	3.75	6.25	* 36 x 20	3.70	7.75	10.50
* 24 x 14	1.70	3.75	6.25	38 x 19	3.80	8.00	11.00
* 24 x 16	1.80	4.00	6.50	* 40 x 20	4.00	8.50	11.50
* 24 x 18	2.10	4.30	7.00	* 42 x 20	4.25	9.00	12.00
* 24 x 20	2.40	-5.00	7.50	* 42 x 22	4.25	9.00	$\overline{1}2.00$
27 x 15	2.00	4.25	7.25	* 48 x 20	5.30	11.50	13.25
* 28 x 16	${2.10}$	4.50	7.50	* 48 x 23	5.75	12.50	15.50
28 x 17	2.20	4.50	7.50	50 x 24	7.50	16.00	18.00
28 x 20	2.70	5.50	8.00	62 x 22	10.75	22.00	26.00

^{*} Sizes carried in stock.

STEEL SINKS



FIG. A-332.

SizeInches	16 x 24	18 x 30	18 x 36	20 x 30	20 x 36	20 x 40
PaintedEach	-1.80	-2.50	3.00	3.00	3.70	4.00
Galvanized Each	4.00	5.10	6.50	6.25	7.75	8.50
Blue Enameled Each	4.50	6.00	6.75	6.75	7.50	9.75
White Enameled Each	7.50	10.00	11.00	10.50	12.00	13.00

ROLL RIM SINK BACKS





FIG. A-333.

Length Inches	20	22	24	28	30	32	36	38	42	48
PaintedEach	1.25	1.35	1.50	1.80	2.00	2.25	2.75	3.00	3.50	4.25
GalvanizedEach	2.30	2.40	2.60	3.30	3.50	3.70	4.20	4.50	4.90	5.60
White Enameled_Each	2.30	2.40	2.60	3.30	3.50	3.70	4.20	4.50	4.90	5.60

SINK COUPLINGS



Plain	Per	dozen,	1.50
Galvanized	Per	dozen.	2.00

FIG. A-334.

SINK COUPLINGS

FOR IRON PIPE



FIG. A-335.

PlainEach,	75
Galvanized Each,	.90

PLUG SINK STRAINERS

WITH RUBBER STOPPERS




FIG. A-336.

Plain	Per	dozen,	6.75
Galvanized		,	
Enameled	-Per	dozen,	10.00

OPEN SINK STRAINERS




FIG. A-337.

Plain	Per dozen,	1.50
Galvanized	Per dozen,	2.60
Enameled	Per dozen,	3.00

SINK BOLTS




FIG. A-338.

IronPer dozen,	
Brass Per dozen,	1.00

SINK BRACKETS








FIG. A-339.

FIG. A-340.

Size Inches	6 x 8	7 x 9	9 x 11	12×15	13 x 16	16 x 16	16 x 18	18 x 24	20×29
Sink Brackets, PaintedEach		-		.40		.45	.50		
Sink Brackets, Galvanized Each				.65		.70	.75		
Lavatory Brackets Each	.20	.25	.35		.60		.70	1.40	1.90

NICKEL-PLATED STEEL BRACKETS





FIG. A-341.

NICKEL-PLATED COMPOSITE BRACKETS



SizeInches	7 x 9	9 x 11	12 x 16	16 x 18	18 x 24	20 x 29
Fig. A-341Each	.35	.60	.70	.90	1.50	2.00
Fig. A—342Each	.50	.75	1.15	1.70	2.45	

Note—Fig. A—342 has Nickel-plated Steel Top and Nickel-plated Brass Brace.



FIG. A-343.

DESCRIPTION—White Enameled Roll Rim Kitchen Sink, with 15-inch Back, with Concealed Galvanized Air Chambers, Nickel-Plated Fuller Bibbs, Nickel-Plated Strainers and Bronzed Iron Brackets.

SizeInches	18 x 24	18 x 30	18 x 36	20 x 30	20 x 36	20 x 40
PriceEach	14.75	16.25	17.75	17.25	18.75	20.25

For Backs drilled for three Cocks, add to list \$1.00.




FIG. A-344.

DESCRIPTION—White Enameled Roll Rim Kitchen Sink, with 15-inch Back and End, with Concealed Galvanized Air Chambers, Nickel-Plated Fuller Bibbs, Nickel-Plated Strainer, and Bronzed Iron Bracket.

SizeInches	18 x 24	18 x 30	18 x 36	20 x 30	20 x 36	20 x 40
PriceEach	17.25	18.75	20.25	20.00	21.50	23.00

Note-For backs drilled for three Cocks, add to list \$1.00.

Can be furnished with End on Right or Left Hand Side, but unless otherwise ordered will be sent for Left Hand side.




FIG. A-345.

DESCRIPTION—White Enameled Roll Rim Kitchen Sink, with 15-inch Back, with Concealed Galvanized Air Chambers, Nickel-plated Fuller Bibbs, Nickel-plated Strainer, 24-inch Ash Drain Board. Bronzed Iron Legs and Bracket.

SizeInches	10 . 91	10 90	19 . 96	90 2 90 1	20 2 26	i 20 v 40 −
SizeInches	10 X 44	l to x or	10 X 30	40 X 30	20 X 30	20 X 40
						24. 5.0
Price, without TrapEach	99 00	23.50	25.00	24.50	26.00	27.50
Trice, without Trap Lacin	22,00	40.00	20.00	24.00	20.00	21.00

For Backs drilled for three Cocks, add to list______ 1.00

Above Sink can be furnished with Drain Board on either Right or Left Side, but unless otherwise ordered, will be sent for Left Side.




FIG. A-346.

DESCRIPTION—White Enameled Roll Rim Kitchen Sink, with 15-inch Back and End, with Concealed Galvanized Air Chambers, Nickel-plated Fuller Bibbs, Nickel-plated Strainer, 24-Inch Ash Drain Board, Bronzed Iron Leg and Bracket.

Size Inches	18 x 24	18 x 30	18 x 36	20 x 30	20 x 36	20 x 40
Price, without TrapEach	25.00	26.50	-28.00	27.50	29.00	31.50

For Backs drilled for three Cocks, add ______ 1.00

Above sink can be furnished with Drain Board on either right or Left Hand Side, but unless otherwise ordered, will always be sent for Left Side.

PORCELAIN ENAMELED LAUNDRY TUBS




FIG. A-347.

DESCRIPTION—Porcelain Enameled Laundry Tubs, with 12-inch Enameled Back, Enameled Iron Soap Cups, Nickel-plated Fuller Bibbs, Nickel-plated Brass Union Strips, with Wringer Holders, and Nickel-plated Waste Plugs with Rubber Stoppers.

Price as described	Per Set of Two Tubs, 44.60
Price as described	Per Set of Three Tubs, 66.90
- •	
If Bibb Cocks are not wanted deduct for each Bibl)

SOAP STONE LAUNDRY TRAYS




FIG. A-348.

TWO-PART TRAYS

LENGTH	WIDTH	DEPTH	PRICE WITH PAINTED LEGS	PRICE WITH GALVANIZED LEGS
4 Feet	2 Feet	16 Inches	16.00	17.40
4 Feet 6 Inches	2 Feet	16 Inches	20.50	21.90

THREE-PART TRAYS

LENGTH	WIDTH	DEPTH	PRICE WITH PAINTED LEGS	PRICE WITH GALVANIZED LEGS
6 Feet	2 Feet	16 Inches	32.35	34.45
6 Feet 6 Inches	2 Feet	16 Inches	37.35	39.45
7 Feet	2 Feet	16 Inches	40.35	42.45

Note—Above prices include Plugs and Stoppers, but Does not include Cocks.

SOAP STONE LAUNDRY TRAYS




FIG. A-349.

TWO-PART TRAYS

LENGTH	WIDTH	DEPTH	HEIGHT OF BACK	PRICE WITH PAINTED LEGS	PRICE WITH GALVANIZED LEGS
4 Feet	2 Feet	16 Inches	12 Inches	20.90	22.30
4 Feet 6 Inches	2 Feet	16 Inches	12 Inches	25.40	26.80

THREE-PART TRAYS

LENGTH	WIDTH	DEPTH	HEIGHT OF BACK	PRICE WITH PAINTED LEGS	PRICE WITH GALVANIZED LEGS
6 Feet	2 Feet	16 Inches	12 Inches	38.35	40.45
6 Feet 6 Inches	2 Feet	16 Inches	12 Inches ·	43.35	45.45
7 Feet	2 Feet	16 Inches	12 Inches	46.35	48.45

Above prices include Plugs and Stoppers, but does not include Cocks.

ENAMELED IRON LAVATORY




FIG. A-350.

DESCRIPTION—Enameled Iron Lavatory, with Patent Overflow Oval Bowl, Nickel-plated Brass Overflow Strainer, Nickel-plated Brass Soap Cup, Waste Plug with Rubber Stopper, and Bronzed Iron Brackets. Exterior Bronzed.

SIZE SLAB	SIZE BOWL	HEIGHT OF BACK	PRICE AS DESCRIBED	PRICE ENAMELED ALL OVER
16 x 20	11 x 14	12	10.00	13.00
18 x 24	12 x 15	12	12.00	15.00

Above Lavatory can be furnished with two end pieces for recess, for which add to list__ \$4.00 Note-Above prices do not include Cocks.

ENAMELED IRON LAVATORY



FIG. A-351.

DESCRIPTION—Half Round Enameled Iron Lavatory with Patent Overflow Oval Bowl, Nickel-plated Brass Overflow Strainer, Nickel-plated Brass Soap Cup, Waste Plug with Rubber Stopper, and Bronzed Iron Brackets. Exterior Bronzed.

DIMENSIONS—Length of Back 19½ inches; Bowl, 11x14 inches; Height of Back 6 inches; Wall to center of Waste, 8 inches; center to center of Cocks 13½ inches.

Price, as described, without Cocks	8.00
Price, Enameled all over, without Cocks	11.00

ENAMELED IRON LAVATORY



FIG. A-352.

DESCRIPTION—Corner Enameled Iron Lavatory, with Patent Overflow Oval Bowl, Nickel-plated Brass Overflow Strainer, Nickel-plated Brass Soap Cup, and Waste Plug with Rubber Stopper. Exterior Bronzed.

DIMENSIONS—Length of Sides, 16 inches; Bowl, 11x14 inches; Height of Back, 6 inches; Wall to center of Waste, 10 inches; center to center of Cocks, 6 inches.

Price, as described, without Cocks	7.50
Price, Enameled all over, without Cocks1	0.50

HALF ROUND LAVATORY



F1G. A -353.

DESCRIPTION-White Enameled Iron Lavatory, with Patent Overflow, and Waste Plug with Rubber Stopper. Exterior Bronzed.

DIMENSIONS—Length of Back, 19 inches; Diameter of Bowl, 12½ inches.

Price --- 7.50

CORNER LAVATORY



FIG. A-354.

DESCRIPTION-White Enameled Iron Lavatory, with Patent Overflow, and Waste Plug with Rubber Stopper. Exterior Bronzed.

DIMENSIONS—Length of Side, 13 inches; Diameter of Bowl, 12½ inches.

Price _____ 7.50

HALF ROUND LAVATORY



FIG. A-355.

DESCRIPTION-White Enameled Iron Lavatory, with Patent Overflow, and Waste Plug with Rubber Stopper. Exterior Bronzed.

DIMENSIONS—Length of Back, 13½ inches; Diameter of Bowl, 12½ inches.

Price ----- 4.50

CORNER LAVATORY




FIG. A-356.

DESCRIPTION-White Enameled Iron Lavatory, with Patent Overflow, and Nickel-plated Waste Plug with Rubber Stopper. Exterior Bronzed.

DIMENSIONS—Length of Side, $12\frac{1}{2}$ inches; Diameter of Bowl, $12\frac{1}{2}$ inches.

Price ----- 4.50

HALF ROUND LAVATORY



FIG. A-357.

DESCRIPTION-White Enameled Iron Lavatory, with Patent Overflow, and Waste Plug with Rubber Stopper. Exterior Bronzed.

DIMENSIONS—Length of Back, 13½ inches; Diameter of Bowl, 12 inches.

Price ---- 4.50

ROUND OR OVAL BOWL



FIG. A-358.

Description—White Enameled Iron Bowl, with Patent Overflow, and Nickel-plated Waste Plug with Rubber Stopper.

Price, 14-inch round Bowl 3.50 Price, 14x17-inch oval Bowl 4.50

HALF ROUND URINAL

ENGLISH PATTERN




FIG. A-359.

			1
	LENGTH OF BACK	PAINTED	ENAMELED
No. 1	11 Inches	1.15	${2.50}$
No. 2	15 Inches	1.50	3.00

CORNER URINAL

ENGLISH PATTERN




FIG. A-350.

		1	
	LENGTH CF BACK	PAINTED	ENAMELED
No. 1	8 Inches	.90	1.75
No. 2	9½ Inches	1.15	2.25
No. 3	11 Inches	1.45	2.75

HOPPER CLOSET PHILADELPHIA PATTERN



FIG. A-361.

HOPPER CLOSET

NEW PATTERN



FIG. A-362.

HOPPER CLOSET

PHILADELPHIA PATTERN



FIG. A-363.

DESCRIPTION—Enameled Iron Hopper Closet (Philadelphia Pattern) with Side Arm.

Height	14 inches
Diameter on Top	13 inches
Outlet for 4-inch Soil Pipe	
Price, Enameled Inside	2.00

DESCRIPTION—Enameled Iron Hopper Closet (New Pattern) with Side Arm.

Height	15½ inches
Diameter on Top	13 inches
Outlet for 4-inch Soil Pipe	
Price, Enameled Inside	2.00

DESCRIPTION—Enameled Iron Hopper Closet (Philadelphia Pattern) with Side Arm, Seat Lugs and Guide Ring for Valve Rod.

Height13½ in	ches
Outlet for 4-inch Soil Pipe	
Price, Enameled Inside	2.75

LONG ROUND HOPPER CLOSET

WITH BRASS SUPPLY CONNECTION



FIG. A-361.
HEIGHT, 1434 INCHES

Enameled inside	 5.00
Enameled inside and outside	 6.00

LONG ROUND HOPPER CLOSET

WITH HARDWOOD SEAT AND BRASS SUPPLY CONNECTION



FIG. A-355.
HEIGHT, 15% INCHES

Enameled inside _____ 6.5

LONG OVAL HOPPER CLOSET

WITH SELF-RAISING SEAT AND BRASS SUPPLY CONNECTION



FIG. A-366.

HEIGHT, 151/2 INCHES

Enameled inside

LONG ROUND HOPPER CLOSET

WITH SELF-RAISING SEAT, AND SINGLE OR DOUBLE ACTING VALVES




FIG. A-367.

HEIGHT, 14 INCHES

7					
Enameled	inside v	vith	Round S	Seat	9.00
Enameled	inside v	with	Square	Seat	10.00
Lilameted	morac, i	VICII	Dquare	Dett	10.00

SHORT ROUND HOPPER OR TRAP

WITH SELF-RAISING SEAT, AND SINGLE AND DOUBLE ACTING VALVES



FIG. A-368.

HEIGHT, 17 INCHES

Hopper Enameled inside, with Painted Trap	11.00
Hopper Enameled inside, with Trap Enameled inside	12.25
Hopper Enameled inside and outside, with Trap Enameled inside-	14.25
Hopper Enameled inside and outside, with Trap Enameled inside and outside	15.50

NOTE—Above can be furnished to calk in Soil Soil Pipe, or to set in Lead Bend. In ordering, please specify which is wanted.

McIVER HOPPER CLOSET




FIG. A-369.

HEIGHT, 15 INCHES

Especially adapted for use in exposed places, as the valve is placed below the frost line thereby avoiding all danger of water freezing.

Enameled inside .____ Each, 12.00

FROST PROOF WATER CLOSETS




FIG. A-370.

DESCRIPTION—Cast Iron Hopper, Enameled inside, with Self-raising Seat. Frost Proof Valves, Brass Chain with Adjustable Coupling. 4-inch Cast Iron Waste Pipe, five feet long, with Flange for Hopper and Adjustable Valve Support, and Half "S" Cast Iron Trap tapped for Drain Pipe from Valve.

Price, as described ...

ENAMELED SHORT OVAL FLUSHING RIM HOPPER ON "S" TRAP

WITH BRASS VENT




FIG. A-371.

Enameled inside and outside --

8 50

ENAMELED IRON WASHOUT CLOSET



FIG. A-372.

DESCRIPTION—Enameled Iron Washout Closet, with 2-inch Brass Trap Vent, 1¼-inch Brass Supply Connection and Improved Enameled Iron Flushing Rim, with Seat Lugs attached to Closet with Concealed Screws.

Price, Enameled inside	10.50
Price, Enameled inside and outside	

ENAMELED IRON WASHDOWN CLOSET



FIG. A-373.

Price, Enameled inside, with 14-inch Spud	15.00
Price, Enameled all over, with 14-inch Spud	17.00
Price, Enameled inside, with 2-inch Spud	<u> 16.0</u> 0
Price, Enameled all over, with 2-inch Spud	18.00

ENAMELED IRON SYPHON JET CLOSET



FIG. A-374.

DESCRIPTION—Enameled Iron Syphon Jet Closet, with 1¼-inch Brass Supply Pipe Connection, and Improved Enameled Iron Flushing Rim, attached to Closet with Concealed Screws.

Price, Enameled inside	18.00
Price, Enameled all over	22.00



FIG. A-375

Description—Plain No. 3 Front Washout, Roll Rim Bowl, Oak Seat with Cover and Back, Nickel-plated Seat Brackets, Beaded and Moulded Copper Lined Oak Tank. Complete with Valve, Ball-cock, Nickel-plated Chain with Pull and Nickel-plated Brackets. Nickel-plated (1¼-inch) Flush Pipe with Rubber Closet Connection, Nickel-plated (¾-inch Iron Pipe Size) Supply Pipe. Nickel-plated Pipe Clamps, Closet Screws and Washers.

Price, with Plain Bowl	29.00
Price, with Embossed Bowl	30.00




FIG. A-376.

DESCRIPTION—Plain No. 3 Front Washout Roll Rim Bowl with Oak Seat and Cover attached to Bowl. Round Corner Copper Lined Oak Tank with Moulding, complete with Valve, Ball Cock, Nickel-plated Chain with Pull, and Nickel-plated Brackets. Nickel-plated (14-inch) Flush Pipe and Slip Joint Ell, Nickel-plated (36-inch Iron Pipe Size) Supply Pipe, Nickel-plated Pipe Straps, Closet Screws and Washers.

Price, with Plain Bowl	3	32.00
Thee, with I fam Bowl		
Price with Embossed Bowl	3	3.00



FIG. A-377.

Description—Plain Syphon Action Washdown Roll Rim Bowl, Oak Seat with Cover and Back, Nickel-plated Seat Brackets, Round Corner Copper Lined Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull, and Nickel-plated Brackets. Nickel-plated (1½-inch) Flush Pipe and Rubber Elbow, Nickel-plated (3%-inch Iron Pipe Size) Supply Pipe, Nickel-plated Pipe Clamps, Closet Screws and Washers.

Price, with Plain Bowl	30.00
Price, with Embossed Bowl	31.00




FIG. A-378.

Description—Plain Syphon Action Washdown Roll Rim Bowl, with Oak Seat and Cover attached to Bowl. Copper Lined, Beaded and Moulded Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull and Nickel-plated Brackets. Nickel-plated (1½-inch) Flush Pipe and Slip Joint Elbow. Nickel-plated (¾-inch Iron Pipe Size) Supply Pipe. Nickel-plated Pipe Straps, Closet Screws and Washers.

Price, with Plain Bowl	31.50
nec, with I lam Down	01.00
Price, with Embossed Bowl	32 50
TICC, WITH EHIDOSECU DOWL	02.00




FIG. A-379.

Description—Embossed Syphon Action Washdown Roll Rim Bowl, with Oak Seat and Cover attached to Bowl. Round Corner and Beaded, Copper Lined Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull and Nickel-plated Brackets. Nickel-plated (1¼-inch) Flush Pipe and Slip Joint Elbow. Nickel-plated (3%-inch Iron Pipe Size) Supply Pipe, Nickel-plated Pipe Straps, Closet Screws and Washers.

Price, with Plain Bowl 32.00
Price, with Embossed Bowl 33.00



FIG. A-380.

DESCRIPTION—Plain Syphon Jet Roll Rim Bowl, Oak Seat and Cover attached to Bowl. Round Corner Copper Lined Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull and Nickel-plated Brackets. Nickel-plated (1½-inch) Flush Pipe with Slip Joint, Nut and Flange. Nickel-plated (¾-inch Iron Pipe Size) Supply Pipe. Nickel-plated Pipe Clamps, Closet Screws and Washers.

Price, with Plain Bowl 42.0	$\bar{0}$
Price, with Embossed Bowl43.0	Ō




FIG. A-381.

Description—Embossed Syphon Jet Roll Rim Bowl, Oak Seat and Cover attached to Bowl. Round Corner and Moulded Copper Lined Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull, and Nickel-plated Brackets. Nickel-plated (1½-inch) Flush Pipe. Nickel-plated (¾-inch Iron Pipe Size) Supply Pipe. Nickel-plated Pipe Clamps, Closet Screws and Washers.

Price,	with Plain Bowl	-45.00
Price.	with Embossed Bowl	_ 46.00



FIG. A-382.

DESCRIPTION—Plain Syphon Action Washdown Roll Rim Bowl. Oak Seat and Coverattached to Bowl. Beaded and Moulded Copper Lined Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull, and Nickel-plated Tank Lugs. Nickel-plated (3/s-inch Iron Pipe Size) Supply Pipe. Nickel-plated Closet Connections. Nickel-plated Closet Screws and Washers.

Price, with Plain Bowl	32.00
Price, with Embossed Bowl	




FIG. A-383.

DESCRIPTION—Embossed Syphon Action Washdown Roll Rim Bowl, Oak Seat and Cover attached to Bowl. Round Corner and Moulded Copper Lined Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull, and Nickel-plated Tank Lugs. Nickel-plated (¾-inch Iron Pipe Size) Supply Pipe. Nickel-plated Closet Connections, and Nickel-plated Closet Screws with Washers.

	00.00
Price, with Plain Bowl	33.00
Price with Embossed Bowl	
Fire, will Ellipossed Dowl	




FIG. A-384.

DESCRIPTION—Plain Syphon Jet Roll Rim Bowl, Oak Seat and Cover attached to Bowl. Round Corner and Moulded Copper Lined Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull and Nickel-plated Tank Lugs. Nickel-plated (3%, inch Iron Pipe Size) Supply Pipe. Nickel-plated Closet Connections and Nickel-plated Closet Screws with Washers.

Price, with Plain Bowl	41.00
	42.00



FIG. A-385.

Description—Embossed Syphon Jet Roll Rim Bowl, Oak Seat and Cover attached to Bowl. Solid Bent Copper Lined Oak Tank, complete with Valve, Ball Cock, Nickel-plated Chain with Pull, and Nickel-plated Tank Lugs. Nickel-plated (3%-inch Iron Pipe Size) Supply Pipe. Nickel-plated Closet Connections and Nickel-plated Closet Screws with Washers.

Price, with Plain Bowl	47.00
Price, with Embossed Bowl	48.00

EARTHENWARE

TALL ROUND FLUSH RIM HOPPER



FIG. A-386.

Price, without Spud or Coupling

5.00

TALL OVAL FLUSH RIM HOPPER



FIG. A-387.

EARTHENWAREPLAIN FRONT WASHOUT ROLL RIM CLOSET



FIG. A-388.

	NO. 2	NO. 3
Price	10.25	8.00

Seat Attachment, Spuds and Couplings charged for extra.

EMBOSSED FRONT WASHOUT ROLL RIM CLOSET



FIG. A-389.

	NO. 2	NO. 3
Price	11.25	9.00

EARTHENWARE PLAIN SYPHON ACTION WASHDOWN ROLL RIM CLOSET



FIG. A-390.

8.50

Seat Attachment, Spuds and Couplings charged for extra.

EMBOSSED SYPHON ACTION WASHDOWN ROLL RIM CLOSET




FIG. A-391.

Price.

EARTHENWARE

PLAIN SYPHON JET ROLL RIM CLOSET




FIG. A-392

Price

17.00

Seat Attachment, Spuds and Couplings charged for extra.

EMBOSSED SYPHON JET ROLL RIM CLOSET



FIG. A-393.

Price

18.00

EARTHENWARE

PLAIN FLAT BACK URINAL




FIG. A-394.



FIG. A-395.

FLAT BACK LIPPED URINAL

No. 1	 10.00
No. 2	 8.00
No. 3	 7.00

· Sizes—No. 1, 15x18; No. 2, 13x15; No. 3, 12x14.

PLAIN CORNER URINAL




FIG A-396.

	8.00
No. 2	6.00
No. 3	5.00

LIPPED CORNER URINAL




FIG. A-397.

No. 1	10.00
No. 2	8.00
No. 3	7.00

Sizes—No. 1, 13x13; No. 2, 11½x11½; No. 3, 10½x10½.

EARTHENWARE BASINS

NO OVERFLOW



FIG. A-398.

Outside Diameter Inches	12	13	14	15	16	14x17	15x19	16x21
Price, RoundEach	1.00	1.00	1.00	1.50	-2.00			
Price, OvalEach						2.50	3.50	4.50

COMMON OVERFLOW




FIG. A-399.

	Inches			1			14x17	15x19	16x21
Price, Round	Each	1.00	1.00	1.00	1.50	2.00			
Price, Oval	Each						2.50	3.50	4.50

EARTHENWARE BASINS

PATENT OVERFLOW

METAL PLUG




FIG. A-400.

Outside DiameterInches							15 x 19	16 x 21
Price, RoundEach	1.25	1.25	1.25	2.00	2.50			
Price, OvalEach						3.00	4.00	5.00

PATENT OVERFLOW

RUBBER PLUG




FIG. A-401.

Outside Diameter Inches	12	13	14	15	16	14×17	15×19	16×21
Price, RoundEach	1.50	1.50	1.50	2.50	3.00			
Price, OvalEach						3.50	4.50	5.50

STANDARD AMERICAN SANITARY EARTHENWARE

REVISED PRICE LIST

ADOPTED JULY 17, 1899

201	INID		INIO
RU	שמנ	BAS	INS

Cino	Inches	12	13	14	15	16
	Each					
N. O	Each	1.00	1.00	1.00	1.50	2.00
P. O	Each	1 25	1.25	1.25	2.00	2.50
R. P	Each	1.50	1.50	1.50	2.50	3.00

OVAL BASINS

Size Inches	14 x 17	15 x 19	16 x 21
N. O. Each	2.50	3.50	4.50
C. OEach	2.50	3.50	4.50
P. OEach	3.00	4.00	5.00
R. PEach	3.50	4.50	5.50

SQUARE BASINS

Size	Inches	14 x 17	15 x 19
N. O	Each	5 00	6.00
C. O	Each	5.00	6.00
P. O	Each	5.50	6.50
R. P	Each	6 00	7.00

ROUND STRAIGHT BACK BASINS

SizeInches	14	15	16
N. OEach	3.50	4.00	4.75
P. O. Each	4.00	4.50	5.25

OVAL STRAIGHT BACK BASINS

SizeInches	14 x 17	15 x 19
N. OEach	4.50	5.50
P. O. Each	5.00	6.00

ROUND RECESS BASINS

SizeInches	14	15	16
N. O Each	4.50	5.00	5.50
P. O Each	5 00	5.50	6.00

OVAL RECESS BASINS

Size Inches	14 x 17	15 x 19
N. O. Each	5.00	6.00
P. O. Each	5.50	6.50

Add to list for Embossing	1.00
Grinding Round Basins 10 cts. net e	xtra
Grinding Oval Basins	xtra

BEDFORDSHIRE URINALS

No. 1—Flat	8.00
No. 2—Flat	6.00
No. 3-Flat	5.00
No. 1—Corner	8.00
No. 2—Corner	6.00
No. 3—Corner	5.00
No. 1—Flat, with Lip	10.00
No. 2—Flat, with Lip	8.00
No. 3—Flat, with Lip	7.00
No. 1-Corner, with Lip	10.00
No. 2—Corner, with Lip	8.00
No. 3—Corner, with Lip	7.00
No. 1-Flat, Lipped, Hood and Vent-	12.00
No. 2-Flat, Lipped, Hood and Vent-	10.00
No. 1-Corner, Lipped, Hood and Vent	12 00
No. 2-Corner, Lipped, Hood and Vent	10.00
Grinding Urinals15 cts. net	extra

TALL HOPPERS

	Round, Tall F. R. Hoppers	5.00
•	Round, Tall, F. R. Hoppers with Seat Vent	5.25
	Round, Tall F. R. Hoppers with Hub Vent	5.50
	Oval, Tall F. R. Hoppers	6,50
	Oval, Tall F. R. Hoppers with Seat Vent	6.75
	Oval, Tall F. R. Hoppers with Hub Vent	7.00
	Square, Tall F. R. Hoppers, 14 x 14	8.00
	Square, Tall F. R. Hopperswith Seat Vent	8 25
	Square, Tall F. R. Hopperswith Hub Vent	8 50
	Square, Long F. R. Hoppers, 16 x 16	12.00
	Philadelphia Hoppers	4.50

SHORT HOPPERS

Round, Short F. R. Hoppers	2 50
Round, Short F. R. Hopperswith Seat Vent	2.75
Oval, Short F. R. Hoppers	3 50
Oval, Short F. R. Hopperswith Seat Vent	3.75
Square, Short F. R. Hoppers	
Square, Short F. R. Hoppers with Seat Vent	5.25

COMBINATION HOPPERS AND TRAPS

Oval, Short Hopper & Trap Combined Plain	8.00
Oval, Short Hopper & Trap Combined Emb.	9.00
Square, Short Hopper & Trap Combined-Plain	9.50
Square, Short Hopper & Trap CombinedEmb.	10.50
Syphon Action Hopper & TrapPlain	8.50
Syphon Action Hopper & TrapEmb.	9.50
Syphon Hopper, with JetPlain	10.00
Syphon Hopper, with JetEmb.	11.00

METAL COUPLINGS

	PLAIN	POLISHED	NICKELED
½-Inch	.65	1.15	1.90
34-Inch	.65	1.15	1.90
1 -Inch	.75	1.15	1.90
1¼-Inch	.75	1.25	2.00
1½-Inch	1.00	1.50	2.25
2 -Inch	1.40	1.90	2.60
1¼-Inch, Slip Joint			1.00
1½-Inch, Slip Joint			1.25_
2 -Inch, Slip Joint			1.50
Hopper Clamps			.25

Note-Spuds and Jamb Nuts, 1/2 above prices.

STANDARD AMERICAN SANITARY EARTHENWARE

REVISED PRICE LIST

ADOPTED JULY 17, 1899

CLOSET BOWLS AND SUNDRIES

Round French Closet Bowls	2.25
Oval Closet Bowls	2.50
Round, F. R. Closet Bowls	2.50
Round, F. R. Closet Bowls with Seat Vent	2.75
Oval, F. R. Closet Bowls	3.25
Oval, F. R. Closet Bowlswith Seat Vent	3 50
Ship Closet Basins, Nos. 1 and 2	2.00
Ship Plug Basins, 13 and 14-inch	1.50
Bidet Pans for Brass Plug	4.00
Bidet Pans for Brass Plug with Overflow	4.25
Bidet Pans for Brass PlugNo Holes	4.00
Traps	3.00
Drip Trays, Oval and Round	3.50
Floats, Small (under 7 inches)	.60
Floats, Large (over 7 inches)	.80

WASHOUT CLOSETS, PLAIN

No. 1, Oval, Front Outlet 13.25
No. 2, Oval, Front Outlet 10 25
No. 3, Oval, Front or Back Outlet 8.00
No. 1, Oval, Back Outlet 14.00
No. 2, Oval, Back Outlet 11.00
Square, Front Outlet
Square, Back Outlet 18 00
No. 1, Square Back, Front Outlet 15.00
No. 2, Square Back, Front Outlet 13.(0
No. 1, Square Back, Back Outlet 16 00
No. 2, Square Back, Back Outlet 14.00

WASHOUT CLOSETS, EMBOSSED

No. 1, Oval, Front Outlet	14.25
No. 2, Oval, Front Outlet	11.25
No. 3, Oval, Front or Back Outlet	9.00
No. 1, Oval, Back Outlet	15.00
No. 2, Oval, Back Outlet	12 00
Square, Front Outlet	18.00
Square, Back Outlet	19.00
No. 1, Square Back, Front Outlet	16.00
No. 2, Square Back, Front Outlet	14 00
No. 1, Square Back, Back Outlet	17.00
No. 2, Square Back, Back Outlet	15.00

PEDESTAL CLOSETS, PLAIN

No. 1, Oval, Front Outlet 1	14.25
No. 2, Oval, Front Outlet	11.25
No. 3, Oval, Front Outlet	9.00
Square, Front Outlet	18.00
Square, Back Outlet	19.00
No. 1, Square Back, Front Outlet	16.00
No. 2, Square Back, Front Outlet	14.00
No. 1, Square Back, Back Outlet	17.00
No. 2, Square Back, Back Outlet	15 00

PEDESTAL CLOSETS, EMBOSSED

No. 1, Oval, Front Outlet	15 25
No. 2, Oval, Front Outlet	12.25
No. 3, Oval, Front Outlet	10.00
Square, Front Outlet	19.00
Square, Back Outlet	20.00
No. 1, Square Back, Front Outlet	17.00
No. 2, Square Back, Front Outlet	15.00
No. 1, Square Back, Back Outlet	18.00
No. 2, Square Back, Back Outlet	16.00

SYPHON JET CLOSETS, PLAIN

No. 1, Oval	22.00
No. 2, Oval (Staple)	17.00
No. 1, Square Back	24.00
No. 2, Square Back	22.00
No. 1, Square	24.00
No. 2, Square	23.00

SYPHON JET CLOSETS, EMBOSSED

No. 1, Oval	23.00
No. 2, Oval (Staple)	18.00
No. 1, Square Back	25.00
No. 2, Square Back	23.00
No. 1, Square	25.00
No. 2, Square	24.00

Note—An extra net charge for Seat Attachments.

METAL COUPLINGS

;	PLAIN	POLISHED	NICKELED
½-Inch	.65	1.15	1.90
34-Inch	•65	1.15	1.90
1 -Inch	.65	1.15	1.90
1¼-Inch	.75	1.25	2.00
1½-Inch	1.00	1.50	2.25
2 -Inch	1.40	1.90	2.60
1¼-Inch, Slip Joint			1.00
1½-Inch, Slip Joint			1.25
2 -Inch, Slip Joint			1.50
Hopper Clamps			.25

Note-Spuds and Jamb Nuts, 1/2 above prices.

CLOSET SEATS



FIG. A-402.

1¼-inches thick-----Each 3.50




FIG. A-403.

1¼-inch thick, with Cover and Beaded Back	Each 6.50
Covers only	Each 1.50
Backs only	



FIG. A-404.

14-inch thick, with Cover and Round Corner Back	Each 6.75
Covers only	Each 1.50
Backs only	Each 1.75

Note—Seats can be furnished in Oak, Ash or Birch finished in imitation of Light or Dark Cherry. Oak will always be sent unless otherwise ordered.

CLOSET SEATS




FIG. A-405.

14-inch thick, with Cover	Each 7.00
Covers only	Each 1.50
	Each 1.50




FIG. A-406.

14-inch thick, with Cover-	Each 8.00
Covers only	Each 1.75




FIG. A-407.

1¼-inch thick, with Cover	Fach 900
Covers only	Each 200
	Lacii 2.00

Note—Seats can be furnished in Oak, Ash, or Birch finished in imitation of Light or Dark Cherry. Oak will always be sent unless otherwise ordered.

PLAIN SQUARE CORNER CLOSET TANK




FIG. A-408

DESCRIPTION—5½-gallon, Plain Square Corner, Copper Lined, Oil Finish, Oak Closet Tank. Complete with 1½-inch "Success" or "Goose Neck" Syphon Valve. Ball Cock, Lever, Nickel-plated Chain with Pull, and Japanned Brackets.

Price, as described

8.80

Note—Tanks can be furnished with Lead Lining when desired.

BEADED AND MOULDED CLOSET TANK




FIG. A-409.

Description—Beaded and Moulded, Copper Lined, Polish Finish, Oak or Ash Closet Tank. Complete with "Success" or "Goose Neck" Syphon Valve. Ball Cock, Lever, Nickel-plated Chain with Pull, Nickel-plated Trimmings and Brackets.

Price, 5½-gallon, with 1¼-inch Valve	10.00
Price, 7½-gallon, with 1¼-inch Valve	11.70
Price, 9 -gallon, with 1½-inch Valve	12.30

Note—Tanks can be furnished with Lead Lining when desired.

PLAIN ROUND CORNER CLOSET TANK



FIG. A-410.

Description—Plain Round Corner, Copper Lined, Polish Finish, Oak or Ash Closet Tank, complete with "Success" or "Goose Neck" Syphon Valve. Ball Cock, Lever, Nickel-plated Chain with Pull, Nickel-plated Trimmings and Brackets.

Price, 5½-gallon, with 1¼-inch Valve.	10.30
Price, 7½-gallon, with 1¼-inch Valve	12.00
Price, 9 -gallon, with 1½-inch Valve	13.30

NOTE—Tanks can be furnished with Lead Lining when desired.

ROUND CORNER CLOSET TANK

WITH MOULDING



FIG. A-411.

DESCRIPTION—Round Corner, Copper Lined, Polish Finish, Oak or Ash Closet Tank. Complete with "Success" or "Goose Neck" Syphon Valve. Ball Cock, Lever, Nickel-plated Chain with Pull, Nickel-plated Trimmings and Brackets.

Price, 5½-gallon, with 1½-inch Valve	10.60
Price, 7½-gallon, with 1¼-inch Valve	12.60
Price, 9 -gallon, with 1½-inch Valve	14.00

NOTE—Tanks can be furnished with Lead Lining when desired.

ROUND CORNER LOW DOWN CLOSET TANK

WITH MOULDING



FIG. A-412.

DESCRIPTION—Round Corner, Copper Lined, Polish Finish, Oak or Ash Closet Tank with Moulding. Complete with "Orient" Flush Valve. Ball Cock, Lever, Nickel-plated Chain with Pull, Nickel-plated (2-inch) Flush Connection, Nickel-plated Supply Pipe and Nickel-plated Tank Lugs.

Price, as described-_____




FIG. A-413.

DESCRIPTION—Italian or Tennessee Countersunk Marble Slab 20x24x1¼ inches, with 10-inch Back. 14-inch Round Patent Overflow Bowl with Clamps, Nickel-plated 1¼-inch "S" Trap. Nickel-plated Supply Pipes. Two Nickel-plated No. 0 or No. 1, Fuller Basin Cocks, Nickel-plated Plug and Stopper. Nickel-plated Chain and Chain Stay. Nickel-plated Brackets and Floor Flanges.

20x24 Slab, as described	26.00
20x26 Slab, Balance as above	27.00
20x30 Slab, Balance as above	29.00
20x26 Slab, 14x17 Patent Overflow Bowl, Balance as above	29.00
20x30 Slab, 14x17 Patent Overflow Bowl, Balance as above	31.00

NOTE—Can be furnished with Trap and Supplies to Wall for same price.




FIG. A-414.

Description—Italian or Tennessee Countersunk Marble Slab 20x24x1¼ inches, with 10-inch Back. 14-inch Round Patent Overflow Bowl with Clamps, Nickel-plated 1¼-inch Vented "S" Trap. Two No. 0, or No. 1, Nickel-plated Fuller Basin Cocks, Nickel-plated Supply Pipes with Air Chambers. Nickel-plated Plug and Stopper. Nickel-plated Chain and Chain Stay. Nickel-plated Brackets and Floor Flanges.

20x24 Slab, as described	
20x26 Slab, balance as above	30.00
20x30 Slab, balance as above	32.00
20x26 Slab, 14x17 Patent Overflow Bowl, balance as above	32.00
20x30 Slab, 14x17 Patent Overflow Bowl, balance as above	34.00

Note-Above can be furnished with Trap and Supplies to Wall for same price.




FIG. A-415.

DESCRIPTION—Italian or Tennessee Countersunk Marble Slab 22x30x1¼ inches, with 12-inch Back. 14x17-inch Oval Bowl with Clamps. Nickel-plated "Ideal" Waste and Overflow. Nickel-plated 1¼-inch Vented Bottle Trap. Nickel-plated Supply Pipes with Bottle Air Chambers. Two Nickel-plated No. 4 Fuller Basin Cocks, Nickel-plated Brass (Rope Pattern) Brackets, and Floor Flanges.

22x30 Slab. as described	50.00
	70.00
22x32 Slab, 15x19 Bowl, balance as above	52.00

Note-Above can be furnished with Trap and Supplies to Wall for same price.

HALF CIRCLE OPEN LAVATORY




FIG. A-416.

DESCRIPTION—Italian or Tennessee Countersunk Eliptic Front Marble Slab, 20x30x14/4 inches, with 12-inch Back. 14x17-inch Oval Bowl with Clamps. Nickel-plated 14x17-inch Vented Trap. Nickel-plated Supply Pipes with Offset Bottle Air Chambers. Two Nickel-plated No. 0, or No. 1, Fuller Basin Cocks, Nickel-plated Plug and Stopper. Nickel-plated Chain and Chain Stay with Ring Cup. Nickel-plated Brackets and Floor Flanges.

20x30 Slab, as described	34.00
20x26 Slab, 10-inch Back, 14-inch Round Patent Overflow Bowl 3	$\overline{32.00}$
22x30 Slab, 12-inch Back, 14x17-inch Oval Bowl and "Ideal" Waste and Overflow 4	8.00




FIG. A-417.

DESCRIPTION—Italian or Tennessee Countersunk Marble Slab 20x24x1¼ inches, with 10-inch Back. 14-inch Round Patent Overflow Bowl with Clamps, Nickel-plated Plug and Stopper. Nickel-plated Chain and Chain Stay. Two Nickel-plated No. 0, or No. 1, Fuller Basin Cocks, and Nickel-plated Steel Brackets.

20x24 Slab, as described	18.00
20x26 Slab, balance as above	19.00
20x30 Slab, balance as above	21.00
20x26 Slab, 14x17 Patent Overflow Bowl, balance as above	21.00
20x30 Slab, 14x17 Patent Overflow Bowl, balance as above	23.00




FIG. A-418.

Description—Italian or Tennessee Countersunk Marble Slab 20x24x1¼ inches, with 8-inch Back and End. 14-inch Round Patent Overflow Bowl with Clamps. Nickel-plated Plug and Stopper. Nickel-plated Chain and Chain Stay. Two No. 0, or No. 1, Nickel-plated Fuller Basin Cocks and Nickel-plated Bracket.

Price, as described	
Price, with 10-inch Back and End	20.00

NOTE—Above can be furnished with Right or Left Hand End. Please state which is wanted.

OPEN CORNER LAVATORY




FIG. A-419.

DESCRIPTION—Italian or Tennessee Countersunk Corner Marble Slab 20x20x14 inches, with 10-inch Backs. 14-inch Round Patent Overflow Bowl with Clamps. Nickel-plated 14-inch Vented Trap. Nickel-plated Plug and Stopper. Two. No. 0, or No. 1, Nickel-plated Fuller Basin Cocks. Nickel-plated Chain and Chain Stay.

20x20 Slab, as described	24.00
19x19 Slab, balance as above	23.00
22x22 Slab, balance as above	26.00

Note—For price on Supply Pipes, see pages 52 and 53. Can be furnished with Trap, either to Floor or Wall.

DRINKING FOUNTAIN




FIG. A-420.

Description—Italian or Tennessee Countersunk Marble Slab with Back. Nickel-plated No. 2, Fuller Pantry Cock. Nickel-plated Drip Cup. Nickel-plated Supply and Waste Pipes, and Nickel-plated Brackets.

Price, 12x12 Slab, 12-inch Back	16.00
Price, 14x14 Slab, 12-inch Back	
Price, 16x14 Slab, 14-inch Back	18.00
Price, 18x14 Slab, 14-inch Back	19.00

MARBLE SLABS

SLAB WITH SINGLE BACK




FIG. A-421.

SINGLE BACK SLABS

Size of SlabInches	19 x 24	20 x 24	20 x 25	20 x 28	20 x 30	22 x 28	22 x 30
Feet in Slab, 8-inch Back Feet in Slab, 10-inch Back Feet in Slab, 12-inch Back	5 ft. 7 in.		6 ft. 3 in.	6 ft. 9 in.	7 ft. 2 in.	7 ft. 2 in.	7 ft. 6 in.

CORNER SLAB WITH TWO BACKS




FIG. A-422.

CORNER SLABS

Size of SlabInches	18 x 18	19 x 19	20 x 20	21 x 21	22 x 22	24 x 24
Feet in Slab, 8-inch Backs Feet in Slab, 10-inch Backs Feet in Slab, 12-inch Backs	5 ft. 5 in.	5 ft. 10 in	6 ft. 4 in.	6 ft. 9 in.	7 ft. 3 in.	8 ft. 2 in.

SLAB WITH BACK AND RIGHT OR LEFT HAND END




FIG. A-423.

RIGHT OR LEFT HAND END SLABS

Size of Slab Inches	19 x 21	20 x 24	20 x 26	20 x 28	20 x 30	22 x 28	22 x 30
Feet in Slab, 8-inch Backs Feet in Slab, 10-inch Backs Feet in Slab, 12-inch Backs	6 ft. 11 in.	7 ft. 2 in.	7 ft. 8 in.	8 ft. 1 in.	7 ft. 10 in. 8 ft. 6 in. 9 ft. 3 in.	8 ft. 8!in.	9 ft.

"LEADER"




FIG. A-424.

Description—White Enameled "Leader" Bath Tub with 2¼-inch Roll Rim, Brass Overflow Connection with Nickel-plated Grate, Brass Waste Plug and Coupling with Nickel-plated Strainer. Rubber Stopper, and Nickel-plated Chain.

I			<u></u>		
Length over RimFeet	tլ 4	4 ½	5	5 ½	6
Width over RimInches	29	$\overline{29}$	$-{29}$	$\frac{72}{29}$	29
Depth insideInches	17	17	17	17	17
Height from FloorInches	23	$\overline{23}$	$\overline{23}$	$-{23}$	23
Price as described- Each	20.00	29.00	32.00	37.00	43.00

EXTRAS

For No. 4½ Nickel-plated Fuller or Compression Double Bath Cock	- 3.50
For Nickel-plated Supply Pipes,Per Pai	r 3.00
For Nickel-plated Connected Waste and Overflow	3.00
For Nickel-plated "Ideal" Bath Waste	9.50

"CORONA"




FIG. A-425.

DESCRIPTION—White Enameled "Corona" Bath Tub with 2¾-inch Roll Rim. Brass Overflow Connection with Nickel-plated Grate. Brass Waste Plug and Coupling, with Nickel-plated Strainer. Rubber Stopper and Nickel-plated Chain.

Length over RimFeet	4	4 ½	5	5½	
Width over RimInches	30½	30½	30½	30½	
Depth insideInches	17	17	17	17	
Height from FloorInches	23	23	23	23	
Price as describedEach	32.00	32.00	36.00	41.00	

EXTRAS

For No. 4½ Nickel-plated Fuller or Compression Double Bath Cock	3.50
For Nickel-plated Supply Pipes	
For Nickel-plated Connected Waste and Overflow	3.00
For Nickel-plated "Ideal" Bath Waste	




FIG. A-426.

Description—White Enameled "Occident" Bath Tub with 3-inch Roll Rim Brass Overflow Connection with Nickel-plated Grate. Brass Waste Plug and Coupling with Nickel-plated Strainer. Rubber Stopper and Nickel-plated Chain.

Length over Rim Feet	4	4 1/2	5	5½	6
Width over Rim Inches		30	30	30	30
Depth inside Inches	17	17	-17	-17	17
Height from FloorInches	-22	22	22	22	22
Price as describedEach	32.00	32.00	36.00	41.00	47.00

EXTRAS

For No. 41/2 Nickel-plated Fuller or Compression Double Bath Cock	3.50
For Nickel-plated Supply Pipes Pair	3.00
For Nickel-plated Connected Waste and Overflow.	3.00
For Nickel-plated "Ideal" Bath Waste	9.50




FIG. A-427.

Description—White Enameled "Occident" Bath Tub with 3-inch Roll Rim. Brass Overflow Connection with Nickel-plated Grate. Brass Waste Plug and Coupling with Nickel-plated Strainer. Rubber Stopper, Nickel-plated Chain and No. 4½ Nickel-plated Fuller Double Bath Cock.

Length over Rim Feet	4	4 ½	5	5½	6
Width over RimInches	30	30	30	30	30
Depth insideInches	-17	17	17	17	17
Height from Floor Inches	22	22	22	22	22
Price as describedEach	35.50	35.50	39.50	44.50	50.50

EXTRAS

For Nickel-plated Supply Pipes Per Pair	3.00
For Nickel-plated Connected Waste and Overflow.	
For Nickel-plated "Ideal" Bath Waste	




FIG. A-428.

DESCRIPTION—White Enameled "Occident" Bath Tub, with 3-inch Roll Rim. Brass Overflow Connection with Nickel-plated Grate. Brass Waste Plug and Coupling with Nickel-plated Strainer. Rubber Stopper and Nickel-plated Chain.

No. 4½, Nickel-plated Fuller Double Bath Cock, Nickel-plated Supply Pipes and Nickel-plated Connected Waste and Overflow.

Length over RimFeet	4	41/2	5	5½	6
Width over Rim Inches	30	30	30	30	30
Depth insideInches	. 17	$\overline{17}$	$\overline{17}$	17	17
Height from FloorInches	22	22	$\overline{22}$	$\overline{22}$	22
Price as describedEach	41.50	41.50	45.50	50.50	56.50




FIG. A-429.

DESCRIPTION—White Enameled "Occident" Bath Tub with 3-inch Roll Rim. Brass Overflow Connection with Nickel-plated Grate. Brass Waste Plug and Coupling with Nickel-plated Strainer.

No. 4½, Nickel-plated Fuller Double Bath Cock, Nickel-plated Supply Pipes, and Nickel-plated "Ideal" Bath Waste.

Length over RimFeet	$=$ ${4}$	41/6	ı 5	5 1/2	6
Width over RimInches	30	30	30	30	30
Depth inside Inches	17	$-\frac{17}{7}$	17	$\overline{17}$	17
Height from Floor Inches	22	$\overline{22}$	22	22	$\overline{22}$
Price as describedEach	48.00	48.00	52.00	57.00	63.00

"NEW FAVORITE"




FIG. A-430

DESCRIPTION—White Enameled "New Favorite" Bath Tub with Half Under Roll Rim, and Nickel-plated Bottom Bell Supply Fittings Complete.

Length over Rim Feet	4	4 ½	5	5½	6
Width over Rim Inches	29	29	29	$\overline{29}$	29
Depth insideInches	17	17	17	17	17
Height from FloorInches	23	23	$\overline{23}$	23	23
Price, as described Each	57.00	57.00	61.00	66.00	72.00

If wanted without Bottom Bell Supply Fittings, deduct from List_____ 25 00

ENAMELED STEEL BATH TUBS




FIG. A-431.

DESCRIPTION—Smooth Rolled Galvanized Steel Bath Tub, with Oak Rim, Nickel-plated Connected Waste and Overflow, Nickel-plated Chain and Rubber Stopper.

EXTERIOR-Light Blue Enamel Finish and Gold Trimmed.

INTERIOR-White Enamel Finish.

Dimensions—Height, $23\frac{1}{2}$ inches; Width over Rim, 28 inches; Depth, $17\frac{1}{2}$ inches.

SizeFeet	4 1/2	5	5½	6
Price, as described	19.50	20.50	21.50	24.50

Fitted for Fuller No. 41/2 Double Bath Cock unless otherwise ordered.

COPPER AND ZINC BATH TUBS




FIG. A-432.

COPPER TUBS (NEW YORK PATTERN)

DIMENSIONS—Outside Width, 24 inches; Height, 19 inches; Outside Length, $4\frac{1}{2}$, 5, $5\frac{1}{2}$ and 6 feet.

Weight of CopperOunces	10	12	14	16	18	20
PriceAll sizes	15.00	16.00	18.00	20.00	22.00	24.00

ZINC TUBS (NEW YORK PATTERN)

A II	0.00
All sizes	8.00

STANDARD GALVANIZED RANGE BOILERS

VERTICAL OR HORIZONTAL



CAPACITY			CAPACITY					
18	gallon	S	3	feet by	12	inche	es	14.50
21	"		3½	"	12	"		15.50
24	"		4	"	12	"		15.75
24	"		3	"	14	"		19.00
27	"		41/2	"	12	"		18.50
28	"		31/2	"	14	"		20.25
30	"		5	"	12	"		19.00
32	"		4	"	14	"		21.00
35	"		5	"	13	"		21.00
36	"		6	"	12	"		24.50
36	"		41/2	"	14	"		21.50
4 0	"		5	"	14	"		24.00
4 2	"		4	"	16	"		26.00
47	"		$4\frac{1}{2}$	"	16	"		30.00
4 8	"		6	"	14	"		30.00
52	"		5	"	16	"		31.00
53	"		4	"	18	"		31.50
63	"		6	"	16	"		38.00
66	"		5	"	18	"		38.00
79	"		6	"	18	"		44.00
82	"		5	"	20	"		45.50
98	"		6	"	20	4.6		61.50
00	"		5	"	22	"		63.50
20	"		6	"	22	"		74.00
20	"		5	"	24	"		72.50
44	"		6	"	24	"		103.00
68	"		7	"	24	"		120.00
92	"		8	"	24	"		132.00

The above prices are for Boilers only.



FIG. A-434.

RANGE BOILER STANDS

SIZE	PRICE, EACH	PRICE, EACH
INCHES	PLAIN	GALVANIZED
12	1.25	2.50
13	1.30	2.60
14	1.40	2.70
16	1.75	3.25
18	2.00	3.60
20	2.25	4.25
22	2.50	4.75
24	3.00	5.50

GALVANIZED RANGE BOILERS

WITH GALVANIZED IRON STEAM COILS




FIG. A-435.




FIG. A-436.




FIG. A-437.

CAPACITY SIZE					STA: DARD	EXTRA HEAVY			
30	gallor	ıs	5 fe	eet by	12	inche	es	18.50	20.00
4 0	"		5	"	14	"		23.50	25.00
52	"		5	"	16	"		27.25	30.00
63	"		6	"	16	"	~==	33.25	37.00
66	"		5	"	18	"		33.25	37.00
82	"		5	"	20	"		38.00	40.00
100	"		5	"	22	"		53.00	55.50
120	"		6	"	22	"		55.60	62.00
120	"		5	"	24	"		54.25	60.50

Prices are for Boiler and Coil only; Couplings, Tube and Stand are extra.




FIG. A-438.

GALVANIZED EXPANSION TANKS

CAPACITY, GALLONS	DIMENSIONS, INCHES	PRICE, EACH, GALVANIZED		
5½	9 x 20	6.00		
8	10 x 25½	7.50		
10	12 x 20	8.00		
12	12 x 24	8.50		
15	12 x 30	9.00		
18	12 x 36	9.50		
20	14 x 30	12.50		
24	14 x 36	13.00		
26	16 x 30	14.00		
32	16 x 36	15.00		
42	16 x 48	16.50		
66	18 x 60	31.00		

Water Gauges not included.

WILKS' WATER HEATERS

MAGAZINE FEED




FIG. A-439.

WILKS' MAGAZINE FEED HEATERS

SIZE OF BOILER	TOTAL HEIGHT	SIZE OF OPENINGS	HEATING CAPACITY PER HOUR	WEIGHT	PRICE
INCHES	INCHES	INCHES	GALLONS	POUNDS	EACH
16 x 30	57	1½	140	340	57.50
16 x 36	62	1½	150	380	60.00
20 x 30	66	2	200	445	72.00
20 x 36	72	2	250	500	75.00
20 x 42	78	-2	275	530	80.00
24 x 36	76	$-\frac{1}{2}$	325	700	105.00
24 x 42	82	2	350	740	110.00
30 x 42	84	3	600	1230	130.00
30 x 48	90	3	700	1280	135.00
36 x 42	87	3	900	1950	185.00
36 x 48	93	3	1000	2000	195.00
42 x 42	90	3	1200	2600	215.00
42 x 48	96	3	1300	2700	225.00

WILKS' SURFACE BURNER HEATERS

SIZE OF BOILER	TOTAL HEIGHT	SIZE OF OPENINGS	HEATING CAPACITY PER HOUR	WEIGHT	PRICE
INCHES	INCHES	INCHES	GALLONS	POUNDS	EACH
10 x 15	22	3/4	30	70	20.00
10 x 18	25	3/4	40	75	21.00
12 x 24	32	1	65	120	25.00
20 x 30	38	1	75	130	26.50
14 x 30	40	1 1/4	100	180	30.00
14 x 36	46	11/4	125	190	32.00

TABASCO WATER HEATERS

MAGAZINE FEED




FIG. A-440.


TABASCO MAGAZINE FEED HEATERS

SIZE OF BOILER	TOTAL HEIGHT	SIZE OF FLOWS AND RETURNS	HEATING CAPACITY PER HOUR	WEIGHT	PRICE
INCHES	INCHES	INCHES	GALLONS	POUNDS	EACH
17 x 30	48	2—1½	130	430	71.00
17 x 36	54	2—1½	150	450	75.00
21 x 30	57	2-2	200	530	85.00
21 x 36	57	2-2	250	560	91.00
21 x 42	63	2—2	300	590	97.00
21 x 48	69	$\overline{2-2}$	350	630	103.00
25 x 36	57	2-2	300	730	130.00
25 x 42	63	2-2	350	780	136.00
25 x 48	69	2-2	400	830	143.00
30 x 42	67	-2-3	500	1120	156.00
30 x 48	73	2-3	600	1220	163.00
30 x 54	79	${2-3}$	700	1300	170.00

TABASCO, JR., SURFACE BURNER HEATERS

SIZE OF BOILER	SIZE OF FLOWS AND RETURNS	HEATING CAPACITY PER HOUR	WEIGHT	PRICE
INCHES	INCHES	GALLONS	POUNDS	EACH
10 x 16	1	30	120	30.00
10 x 18	1	40	125	32.00
12 x 24	Ĩ	65	180	40.00
12 x 30	1	80	200	41.00
15 x 30	11/4	100	250	49.00
15 x 36	11/4	120	270 -	52.00

CRESCENT INSTANTANEOUS WATER HEATER



DESCRIPTIVE
CIRCULARS
SENT
ON
APPLICATION



FIG. A-441. FIG. A-442.

HEATING CAPACITY

2½ to 3 gallons per minute.

FULL NICKEL-PLATED

No. 2 Heater	
No. 6 Heater	25.00
No. 8 Heater	22.00

EXTRAS

Nickel-plated Shelf and Bracket		2.75
•	Pipe, per Foot	.50 .35 .80 1.00

CAUTION: Heaters should ALWAYS be Vented, and Vent carried to attic or to outside of building.

ELBOWS



FIG. A-443.

Size Inches	1/8	1/4	3/8	1/2	3/4	1	11/4	1½	2	21/2	3
BlackEach	.04.	.04	.06	.10	.15	.22	.25	.35	.50	.80	1.50
Galvanized Each		.05	.08	.14	.20	.32	.40	.60	.90	$\overline{1.35}$	$\overline{2.60}$
Right and Left, BlackEach		.05	.07	.12	.17	.25	.30	.40	.65		

45º ELBOWS



FIG. A-444.

Size	Inches	1/4	3/8	1/2	3/4	1	11/4	1½	2	21/2	3
Black	Each	.08	.10	.12	.18	.26	.36	.54	.82	$\overline{1.25}$	2.50
Galvanized	Each	.12	.15	.20	.25	.40	.50	.85	1.35		

STREET ELBOWS




FIG. A-445.

Size1nches	1/4	3/8	1/2	3/4	1	11/4	1½	2	21/2
Black Each	10	10	.12	.20	.25		.55	90_	1.50
GalvanizedEach	.12	12 _	.15	.28	.35	55^{-}	.80	1.30	

SIDE OUTLET ELBOWS



FIG. A-446.

SizeInches	3/2	1/6	3/4	1	11/	1 1 1/6	2
	/0	/2	/+		-/+	-/2	_
PriceEach	.08	.10	.18	.30	.45	.60	1.00

DROP ELBOWS



FIG. A-447.

Size	Inches	1/4	3/8	1/2	3/4	1
Black	Each	.06	.08	.12	20_	.25
Galvanized	Each		.12	20	.35	.40

LONG DROP ELBOWS



FIG. A-448.

Size Inches	¼ x 3/8	3/8 x 3/8
BlackEach	.10	.10
GalvanizedEach	.18	.18

FLANGE RIGHT

DROP ELBOWS

FLANGE LEFT



FLANGES RIGHT OR LEFT

SizeIncl	hes 1/4 x 3/8 3/8 x 3/8
PriceEa	ach .08 .08



FIG. A-450.

TEES



FIG. A-451

Size Inches	1/8	<u>I/4</u>	3/8	1/2	3/4	1	11/4	1½	2	21/2	3
BlackEach	.07	.07	.08	.11	.15	.25	.30	.45	.60	1.05	1.70
GalvanizedEach		.09	.10	.16	.20	.38	.50	.70	1.00	1.90	3.00

FOUR-WAY TEES



FIG. A-452

Size	Inches	3/8	1/2	3/4	1	11/4	1½
Price	Each	.12	.14	.20	.35	.50	.80

DROP TEES



FIG. A-453.

SizeInches	3/8	1/2	3/4	1
Black Each	.10	.14	.22	.30
GalvanizedEach	.15	.25	.40	.55

CROSSES



FIG. A-454.

Size Inches	1/4	3/8	1/2	3/4	1	11/4	1½	2	21/2	3
Black Each	.08	.10	.12	.20	.30	.40	.60	1.00	1.75	3.00
GalvanizedEach		.15	.17	.25	.45	.60	.90	1.50	2.75	4.25

REDUCERS



FIG. A-455.

SizeInches	1/4	3/8	1/2	3/4 1	11/4	1 ½	2	2½	3,	3½	4
Black Each	.03	.03	.05	.10 .16	.20	.28	.45	.70	1.00	1.50	1.85
Galvanized Each		.05	.08	.15 .25	.35	.45	.75	1.05	1.65	2.40	3.05

CAPS



F1G. A-456.

SizeInches	1/4	3/8	1/2	3/4	1	11/4	1½	2	$2\frac{1}{2}$	3	3½	4
Black Each	.03	.04	.05	.08	.12	.16	.24	.32	.45	.85	1.00	1.20
GalvanizedEach	.04	.05	.08	.12	.17	24	.38	.52	.76	1.30	1.60	2.00

COUPLINGS

RIGHT HAND




FIG. A-457.

RIGHT AND LEFT



FIG. A-458.

SizeInches	I/4	3/8	1/2	3/4	1	11/4	1½	2
Right Hand, Black Each	03_	.04	.07	.10	.14	.20	.25	.35
Right Hand, GalvanizedEach	.05	.07	.10	.17	.23	.30	.40	.55
Right and Left, Black Each	.04	.05	.08	.12	.16	.25	.36	.52
Right and Left, Galvanized - Each	.06	.08	.10	.17	.25	.35	,55	.75

OFFSET REDUCING COUPLINGS



FIG. A-459.

Size Inches	1x ¾	1¼x1	1½x1¼	$2x1\frac{1}{2}$	$2\frac{1}{2}x2$	$3x2\frac{1}{2}$	3½x3	4x3	5x4
PriceEach	.60	-70	.90	1.10	1.80	-2.50	3.00	4.00	6.00

CROSS-OVERS




FIG. A-460.

SizeInches	1/2	3/4	1
BlackEach	.20	.30	.45
Galvanized Each	.25	.40	.60

RETURN BENDS

MEDIUM PATTERN




FIG. A-461.

CLOSE PATTERN

SizeI	nches	1/2	3/4	1	11/4	1 ½	2
Right Hand, Black	Each	.13	.25	.35	.50	.75	1.00
Right Hand, Galvanized	Each	.25	.35	.55	.75	1.15	1.65
Right and Left, or Left Hand, Black	Each	.15	.30	.45	.60	.90	1.25
Distance between centers I	nches	1	11/4	1 ½	1 3/4	$\overline{2_{16}^3}$	25/8

MEDIUM PATTERN

Inchest	1/2	3/	1	1 1/	1 11/2	
	$\frac{72}{13}$	$\frac{-74}{25}$	$\frac{1}{35}$	50	$-\frac{1/2}{75}$	$\frac{2}{1.00}$
					1 15	1.65
	15				90	$\frac{1.05}{1.25}$
	1/			91/	21/2	2
	Each	Each .13 Each .25 Each .15	Each .13 .25 .35 .35 .30	Each .13 .25 .35 .55 .55 .55 .55 .30 .45	Each .13 .25 .35 .50 Each .25 .35 .55	

OPEN PATTERN

SizeInches	1/2	3/4	1	1 1/4	1 ½	1 2	$\frac{2\frac{1}{2}}{2}$	3
Right Hand, BlackEach	.15	.30	.50	.65	.85	1.25	2.00	3.00
Right Hand, Galvanized Each	.25	.45	.70	.90	1.25	2.00	3.50	5.00
Right and Left, or Left Hand, Blk-Each	.20	.38	.60	.80	1.05	1.55	2.50	3.75
Distance between centersInches	1/2	2	21/2	3	3½	4	4 1/2	5

BUSHINGS

REGULAR



REDUCING ONE SIZE ONLY.

FACED



FIG. A-462.

FIG. A—463.

SizeInches	3/8	1/2	3/4	1	11/4	1½	2	2½
Regular, Black Each	.04	.04	.05	.06	.07	.09	.14	.21
Regular, Galvanized Each	.08	08	.10	.12	.14	.18	.28	.42
Faced, Black Each	.08	.09	.11	.13	.17	.22	.32	.48

LOCK NUTS

REGULAR



FIG. A-464.

FACED



FIG. A-465.

SizeInches	1/4	3/8	1/2	3/4	1	11/4	1½	2
Regular, BlackEach	.02	.03	.04	.05	.07	.09	.11	.18
Regular, Galvanized Each	.03	.04	.05	.07	.10	.14	.20	.30
Faced, Black Each	.08	.09	.10	.12	.15	.20	.25	.30

WASTE NUTS



FIG. A-466.

C' I al al	T /	2/	1/	2/	1
SizeInches		3/8	/2		1
Black Each	.04	.05	.06	.08	.10
GalvanizedEach	.08	.10	.12	.16	.20

RIGHT AND LEFT NIPPLES WITH HEXAGON CENTER



FIG. A-467.

Size Inches	3/4	1	11/4	1½	2
PriceEach	.25	.30	.40	.50	.70

MALLEABLE UNIONS




FIG. A-468.

Size Inches	1/4	3/8	1/2	3/4	1	11/4	1½	2	.2½	3
BlackEach	.18	.20	.22	.27	.33	.46	.58	.75	1.55	2.10
Galvanized Each	.27	.30	.33	.40	.50	.70	.90	1.15	2.35	3.15

COMBINATION BRASS AND IRON GROUND BALL JOINT UNIONS




FIG. A-469.




FIG. A-470.

SizeInches	3/8	1/2	3/4	1	11/4	11/2	2
BlackEach	.24	.28	.35	.40	.56	.80	.95
Galvanized Each	.28	.35	.46	.55	.78	1.12	1.35

"Y" BENDS



FIG. A-471.

Size	Inches	1/2	3/4	1	11/4	1½	2	21/2	3
Black	Each	.25	.40	60	.80	1.00	1.70	2.00	3.00
Galvanized	Each	.38	.60	.90	1.25	1.50	2.50	3.00	4.50

UNION ELBOWS




FIG. A-472.

Size	Inches	1/2	3/4	1	11/4	1½	2	21/2
Black	Each	.42	.54	.63	90	1.05	1.55	2.85
Galvanized	Each	.63	.81	.95	1.35	1.58	2.35	4.30

UNION TEES




FIG. A-473.

Size	Inches	1/2	3/4	1	11/4	1½	2	21/2
Black	Each	.45	.57	.70	.95	1.15	1.70	3.20
Galvanized	Each	.68	.86	1.05	1.45	1.75	2.55	4.80

CIRCULATING BOILER FITTINGS

GALVANIZED

BOILER ELBOW



FIG. A-474.

BOILER COUPLING



FIG. A-476.

BOILER ELBOW

WITH UNION




FIG. A-475.

BOILER COUPLING

WITH UNION




FIG. A-477.

		FEMALE MALE	FEMALE MALE	FEMALE MALE
Sizes	Inches	34 x 34 x 1	<u>¾ x ½ x 1</u>	1/2 x 1/2 x 1
Boiler Elbows	Each	.40	.40	.40
Boiler Elbows, with Union	Each	.75	.75	.60
Boiler Coupling	Each	.40	.40	.40
Boiler Coupling, with Union	Each	.75	.75	.60

DRIVE CAP




FIG. A-478.

SizeInches	1	1 1/4	1 ½	2	2½	3	3½	4
PriceEach	.26	.35	.42	.60	1.10	2.00	2.70	3.80

RAILING FITTINGS



FIG. A-479.



FIG. A-480.



FIG. A-481.



FIG. A-482.



FIG. A-483.



FIG. A-484.



FIG. A-485.



FIG. A-486.

Size		Inches	1/2	3/4	1	11/4	1½	2
Fig. A-479.	Elbow	Each	.15	.18	.20	.35	.45	.72
Fig. A-480.	Side Outlet Elbow	Each	.20	.23	25	.40	.50	.80
Fig. A - 481.	Tee	Each	.20	.23	.25	.40	.50	.75
Fig. A-482.	Side Outlet Tee	Each	.30	.33	.35	.45	.55	.90
Fig. A-483.	Cross	Each	.30	.33	.35	.45	.58	1.00
Fig. A-484.	Side Outlet Cross	Each	.35	.38	.40	.50	.65	1.35
Fig. A—485.	Floor Flange	Each	.14	.15	.15	.20	.28	.30
Fig. A—486.	Acorn Ornament	Each	.16	.18	.20	.25	.35	.90

Note—Railing Fittings tapped Right and Left, or Left Hand, 15 per cent higher than above prices.

CHANDELIER HOOKS



FIG. A-487.



FEMALE

FIG. A-488.



CHANDELIER

LOOP

FIG. A-489.



EXTENSION

PIECE

FIG. A-490.



WALL


PLATE

FIG. A-491.

Size	Inches	3/8	1/2	3/4
Chandelier Hooks, Male	Each	.10	.12	1
Chandelier Hooks, Female	Each	.10	.12	
Chandelier Loops	Each	.10	.12	
Extension Pieces	Each	.06	.09	.12
Wall Plates		.12		

HYDRANT CLAMPS

SQUARE SOCKET



HYDRANT CLAMPS

TAPPED SOCKET




FIG. A-492.

FIG. A-493.

Size	Inches	1/2	5/8	3/4	1
Square Socket :- Per	Pound	.15	.15	.15	.15
Tapped Socket, for 3%-inch Pipe Per	Pound	.18			.18
Tapped Socket, for ½-inch Pipe Per	Pound	.20	.20	20_	.20

STREET WASHER KEYS






FIG. A-495.

Price ------ Per Pound .15

FIG. A-494. Price ------- Per Pound .15

PUMP ROD COUPLINGS



F	\mathbf{IG}	A-	-49	6

SizeInches	3/8	3/8 X 1/6	1 6	1/2
Number of Threads to Inch		14-12		
Price, PlainPer Pound	.25	.25	.25	.25
Price, Galvanized Per Pound	.32	.32	.32	.32

WOOD ROD COUPLINGS



Price, Plain Per Set .40	;
Price, Galvanized Per Set 50)

ELBOWS	STREET ELBOWS
Gas ¹ / ₈ x ¹ / ₈	Beaded ¼ x ¼
Gas ¼ x ⅓	*Beaded
*Steam and Gas ¼ x ¼	*Beaded ½ x ½
Gas 3/8 x 1/8	Beaded 34 x ½
*Steam and Gas 3/8 x 1/4	*Beaded 34 x 34
*Steam and Gas 3/8 x 3/8	Beaded1 x 3/4
Gas ½ x ¼	*Beaded 1 x 1
*Steam and Gas ½ x 3/8	*Beaded 1½ x 1
*Steam and Gas ½ x ½	*Beaded 1½ x 1½ *Beaded 1½ x 1½
*Gas 34 x 3/8	
*Steam and Gas 34 x ½	Beaded 1½ x 1½
*Steam and Gas 3/4 x 3/4	*Beaded 1½ x 1½
Gas 1 x 3/8	Beaded 2 x 2½ *Beaded 2 x 2
*Steam and Gas 1 x ½	
*Steam and Gas 1 x 3/4	Beaded 2½ x 2½
*Steam and Gas 1 x 1	4E0 ELBOWS
Steam 1¼ x ¾	45º ELBOWS
*Steam and Gas 1¼ x 1	Beaded 1/4 x 1/4
*Steam and Gas 1½ x 1½	Beaded 3/8 x 3/8
Steam 1½ x ¾	*Beaded /8 X /8
Steam 1½ x 1	
*Steam and Gas 1½ x 1¼	*Beaded 34 x 34
*Steam and Gas 1½ x 1½	*Beaded
Steam 2 x 1	*Beaded 1½ x 1½
Steam 2 x 1¼	*Gas 1½ x 1½
*Steam and Gas 2 x 1½	*Beaded 1½ x 1½ x 1½ x 1½
*Steam and Gas 2 x 2	*Gas 1½ x 1½
Steam 2½ x 1½	*Beaded 2 x 2
Steam 2½ x 2	Beaded 2½ x 2½
*Steam 2½ x 2½	Beaded 3 x 3
Steam 3 x 2	Beaded
Steam 3 x 2½	Beaded
*Steam 3 x 3	Beaded 4½ x 4½
Steam 3½ x 3	Beaded 5 x 5 Beaded 6 x 6
Steam 3½ x 3½	Beaded 0 x 0
Steam 4 x 3	
Steam 4 x 3½	SIDE OUTLET ELBOWS
*Steam 4 x 4	0 2/ 2/ 1/
Steam 4 ½ x 4½	Gas
Steam 5 x 5	*Gas
Steam 6 x 6	Gas
	*Gas
RIGHT AND LEFT ELBOWS	Gas 34 x 34 x 38
Steam	Gas ¾ x ¾ x ½
Steam 3/8 x 3/8	*Gas
Steam ½ x ½	Gas
Steam	*Gas
Steam 1 x 1	Gas 1¼ x 1¼ x 1
Steam 1½ x 1½	*Gas 1½ x 1½ x 1½
Steam 1½ x 1½	*Gas1½ x 1½ x 1½ x 1½
Steam 2 x 2	Gas2 x 2 x 2
All above since corried in steels	

All above sizes carried in stock.

Those marked * carried in stock, Galvanized.

60° ELBOWS			
PlainPlainPlain	2	x 1½	
DROP ELBOWS			
Gas	3/8 3/8 1/2 3/4 3/4 3/4	x ½ x 3/8 x ½ x ½ x 3/4	
DROP ELBOWS (MALE AND FEMALE)			
Gas *Gas *Gas Gas	1/4 2 3/8 2	x 3/8 x 3/8	
DROP ELBOWS WITH DROP 21/2 INCHES LON	١G		
GasGas			
DROP ELBOWS WITH FLANGE RIGHT SIDE			
GasGas			
DROP ELBOWS			
Gas Gas		3/8 3/8	

Gas	1/4	X	1/4	х	1/4	X	1/4
Gas	3/8	X	<u>1/4</u>	х	1/4	X	1/4
Gas	3/8	X	3/8	X	1/4	X	1/4
Steam and Gas.	3/8	X	3/8	X	3/8	X	3/8
Gas	$\frac{1}{2}$	X	3/8	X	1/4	X	1/4
Gas	1/2	X	3/8	X	$\frac{3}{8}$	X	3/8
Gas	1/2	X	1/2	x	1/4	x	1/4
*Steam and Gas-	$\frac{1}{2}$	x	1/2	X	3/8	X	3/8
*Steam and Gas-	1/2	X	1/2	X	1/2	x	$\frac{1}{2}$
Gas	3/4	X	3/8	X	$\frac{1}{2}$	x	1/2
Gas	3/4	X	1/2	X	3/8	X	3/8
*Gas	3/4	x	1/2	x	1/2	x	1/2
Steam and Gas.	3/4	x	3/4	X	3/8	X	3/8
*Steam and Gas-	3/4	X	3/4	X	$\frac{I_2}{2}$	X	1/2
*Steam and Gas-	3/4	X	3/4	X	3/4	x	3/4
Gas	1	X	1/2	X	3/8	X	3/8
Gas	1	x	3/4	X	3/8	x	3/8
Steam and Gas-	1	x	3/4	x	1/2	X	1/2
Steam and Gas-	1	x	3/4	x	3/4	x	3/4
Steam and Gas-	1	X	1	X	3/8	х	3/8
*Steam and Gas-	1	X	1	х	1/2	X	1/2
*Steam and Gas.	1	X	1	x	3/4	х	3/4
*Steam and Gas.	1	x	1	x	1	x	1
Steam	11/4	х	1	x	3/4	x	3/4
Steam	11/4	x	1	x	1	x	1
Steam	11/4	x	11/4	x	3/8	x	3/8
*Steam	11/4	x	11/4	x	1/2	x	1/2
*Steam	11/4	x	11/4	x	3/4	x	3/4
*Steam	11/4	x	11/4	x	1	x	1
*Steam and Gas_	11/4	X	11/4	x	11/4	X	1 1/4
Steam	1 ½	x	11/4	x	11/4	x	11/4
Steam	1 ½	x	1½	x	1/2	x	1/2
*Steam and Gas_	1½	x	1½	x	3/4	x	3/4
*Steam and Gas.	1½	x	1½	x	1	х	1
*Steam and Gas_	11/2	x	1½	x	11/4	x	11/4
*Steam and Gas.			1½		$1\frac{1}{2}$		/
*Steam	2		$2^{'}$	x			
	2.		2	x		x	
*Steam and Gas.	2	x		x			
*Steam and Gas_		x		x	, .		
	$\overline{2}$	x		x		x	$2^{\tilde{2}}$
Steam			2½		1½		1½
Steam					2^{2}	x	$2^{\tilde{2}}$
*Steam			21/2		$\frac{1}{2}$		$\frac{1}{2}$
	3	x			$\frac{1}{2}$	x	
Steam	3		3		$\frac{1}{2}$	x	
Steam and Gas.	3	X		X		X	_ '
Steam and Gas.			31/2		3½	X	
Steam	4	X	4	X		X	-
Steam	_	X			4	X	4
D.C	-	4.	-	• *	_		~

CROSSES

All above sizes carried in stock.

Those marked * carried in stock Galvanized.

TEES	3							
Gas		1/8	X	ī	8:	x	1/8	
Gas		1/8		1	8 :	x	1/4	
Gas	_	1/4	X	I,	(:		1/8	
*Steam and Gas		1/4	X	1/2	٠.		1/4	
*Gas		1/4		1/2			8	
Gas		3/8	X	1/4		x ;	4	
Gas	-	3/8	X	1/4	· []		8	
Gas		3/8	X	3/	g y	٠,	8	
*Gas		3/8	X	3/5	ýΣ	()	4	
*Steam and Gas		3/8	X	3/8	ź y	3	8	
*Gas		3/8	X	3/8	<u>′</u> >	, ,	/2	
Gas		1/2	X	1/4	<u> </u>	1	2	
Gas		1/2	x	3/8	, 3	,	4	
*Gas		1/2	x	3/8	×		8-	
*Gas		1/2	x	3/8			2	
Gas		1/2	x	3/8	X	-	4	
Gas		1/2	x	1/2	X	<u></u>	4	
*Steam and Gas		1/2	X	1/2	X			
*Steam and Gas		1/2	x	1/2	X	· 1	2	
*Steam and Gas		1/2	x	1/2		3	4	
Gas		3/4	x	1/4		3	4	
*Gas		3/4	x	3/8		_		
*Gas		3/4	х	3/8				
*Gas		3/4	x	3/8				
Gas		3/4	х	1/2				
*Gas		3/4	X	1/2				
*Steam and Gas		3/4	x	1/2				
*Steam and Gas		3/4	X	1/2	x	3/2		
*Gas		3/4	x	1/2	х	1		
Gas		3/4.	X	3/4		1/4	_	
*Steam and Gas		3/4	x ·	3/4	х	3/8		
*Steam and Gas		3/4	X	3/4	X	1/2	é	
*Steam and Gas		3/4	X	3/4	X	3/4		
*Steam and Gas		3/4	X	3/4	X	1		
Gas	1		X	3/8		1/2	é	
Gas	1		X	3/8	X	3/4		
Gas	1		X	3/8	X	1		
Ġas	1		X	1/2	x	3/8	3	
*Steam and Gas	1		X	$\frac{I}{2}$	X	1/2	!	
*Steam	1		x	$\frac{1}{2}$	x	3/4		
*Steam and Gas	1		x	1/2	x	1		
*Gas :	1		X	3/4	X	3/8		
*Steam and Gas	1		X	3/4	\mathbf{x}	$\frac{I}{2}$		
*Steam and Gas	1		X	3/4	x	3/4		
*Steam and Gas	1	:	X	3/4	x	1		
Steam	1	:	X	3/4	X	11/4		
Gas	1	:	x :	1	x	1/4		
*Gas	1	:	x :	1	x	3/8		
*Steam and Gas	1	2	x]	Ĺ	x	$\frac{1}{2}$		
*Steam and Gas	1	2	x]	Ĺ	x	3/4		

TEES					
*Steam and Gas	1	х	1	х	1
*Steam and Gas		x	1	x	11/4
Steam		x	1	x	1½
Gas			3/8	X	11/4
Steam			1/2	X	1
*Steam	11/4		1/2	X	11/4
Steam	11/4		3/4	X	3/4
*Steam	11/4		3/4	X	1
*Steam	11/4	X	3/4		11/4
Gas	11/4	X	1	X	3/8
*Steam	11/4	X	1		78 1/2
*Steam	11/4	X	1	X	
*Steam and Gas	$\frac{1}{4}$	X	1	X	¾ 1
*Steam and Gas	11/4		1		
Steam		X			11/4
Gas	11/4	X	1		1 ½
*Steam and Gas	11/4	X	11/4	X	3/8
*Steam and Gas	11/4		11/4	X	1/2
	11/4		11/4	Х	3/4
*Steam and Gas*Steam and Gas	1 ¼ 1 ¼		1¼ 1¼		1
*Steam	11/4		1 1/4		1 ¼ 1 ½
Steam	1 1/4		14		$\mathbf{\hat{2}}^{\prime 2}$
Steam	$1\frac{1}{2}$	\mathbf{x}	3/8		1 1/2
Steam	1 ½	X	1/2		1/2
Steam	1 ½	X	3/4		1/2
*Steam	1 1/2		1	x]	-
*Steam	1½		1		1/4
*Steam *Steam	$\frac{1\frac{1}{2}}{1\frac{1}{2}}$		1 1 ¼		1/2
*Steam	$1\frac{72}{1\frac{1}{2}}$		1 1/4	x x 1	3/4
*Steam	$1\frac{1}{2}$		1 1/4		1/4
*Steam and Gas	1 ½	x .	1 1/4	x 1	1/2
Steam	1½	x	14	x^2	
Steam	1½		1 1/2	X	3/8
*Steam	11/2			X	1/2
*Steam and Gas	$1\frac{7}{2}$			X	3/4
*Steam and Gas	$1\frac{1}{2}$			x 1	
*Steam and Gas	11/2	\mathbf{x}			1/4
*Steam and Gas	1½	x 1		x 1	1/2
*Steam	$1\frac{1}{2}$	x]		$\times 2$	
Steam	2	X		x 2	
	2	X	/ -	x 2	
	2	X		x 2	
	2	x 1		x 2	
	2			x l	1/4
	$\frac{2}{2}$	X J		x l	1/2
	$\frac{2}{2}$	ΧĮ		x 2	
	^	X I		x 1	
	^	x I		X I	1/4 1/
*Steam and Gas *Steam and Gas	^	x 1	<i>,</i> –.		1/2
	^	$\begin{array}{c} x & 1 \\ x & 2 \end{array}$	72		I/
		$\stackrel{\mathrm{x}}{\dot{\mathrm{x}}}\stackrel{\mathrm{z}}{\dot{\mathrm{z}}}$,	X X	1/2 3/4
*Steam and Gas		$\frac{x}{x} = \frac{2}{2}$		x 1	74
	_	$\stackrel{\text{A}}{\text{x}} \stackrel{\text{Z}}{2}$			1/4
*Steam and Gas	^	$\stackrel{\wedge}{\mathbf{x}} \stackrel{\circ}{2}$		x 1	/4 1/ ₂
	^	\hat{x} \hat{z}		$\frac{1}{2}$	12
	^	$\frac{1}{x}$ $\frac{1}{2}$			1/2

All above sizes carried in stock.

Those marked * carried in stock Galvanized.

TEES-CONTINUED

*Steam	$2\frac{1}{2}$	χ.	$2\frac{1}{2}$	x	1
Steam	$2\frac{1}{2}$	x	$2\frac{1}{2}$	x	11/4
Steam					$1\frac{1}{2}$
*Steam	$2\frac{1}{2}$	\mathbf{x}	$2\frac{1}{2}$	X	2
*Steam	$2\frac{1}{2}$	x	$2\frac{1}{2}$	X	$2\frac{1}{2}$
Steam	3	X	3	\mathbf{x}	1
Steam	3	x	3	x	11/4
Steam	3	\mathbf{x}	3	X	$1\frac{1}{2}$
*Steam	3	x	3	X	2
*Steam	3	X	3	X	$2\frac{1}{2}$
*Steam	3	x	3	x	3
Steam	31/2	\mathbf{x}	$3\frac{1}{2}$	X	$2\frac{1}{2}$
Steam	31/2	x	$3\frac{1}{2}$	x	3
Steam	31/2	x	3½	X	3⅓
Steam	4	x	4	X	2
Steam	4	X	4	X	$2\frac{1}{2}$
Steam	4	\mathbf{x}	4	X	3
Steam	4	x	4	X	3⅓
*Steam	4	x	4	X	4
Steam	$4\frac{1}{2}$	x	$4\frac{1}{2}$	X	4 ½
Steam	5	x	5	X	5
Steam	6	x	6	X	6

DROP TEES

(FEMALE)

Gas	3/8	\mathbf{x}	1/4	x	1/4
Gas	3/8	x	3/8	\mathbf{x}	<u>1/4</u>
*Gas	$\frac{3}{8}$	x	3/8	X	3/8
Gas	1/2	x	3/8	X	<u>1/4</u>
Gas	$\frac{I}{2}$	x	3/8	X	3/8
Gas	$\frac{I}{2}$	X	1/2	X	1/4
*Gas	$\frac{I}{2}$	x	1/2	X	3/8
*Gas	1/2	X	1/2	X	$\frac{I}{2}$
Gas	3/4	x	1/2	X	1/4
Gas	3/4	x	1/2	x	3/8
*Gas	3/4	x	3/4	X	<u>1</u> /4
*Gas	3/4	x	3/4	x	3/8
*Gas	3/4	X	3/4	x	$\frac{1}{2}$
*Gas	3/4	x	3/4	X	3/4
Gas	1	x	3/4	X	3/8
Gas	1	x	1	x	3/8
Gas	1	x	1	x	$\frac{I}{2}$
Gas	1	x	1	X	1

DROP TEES

WITH DROP 21/2 INCHES LONG

Gas	3/0 x	3/2 x	3/6

All above sizes carried in stock.

Those marked * carried in stock Galvanized.

DROP TEES

(MALE AND FEMALE)

Gas	1/4	X	1/4	x	3/8
Gas	3/8	x	1/4	x	3/8
*Gas	$\frac{3}{8}$	X	3/8	X	3/8
Gas	$\frac{I}{2}$	X	3/8	x	3/8
*Gas	$\frac{I}{2}$	X	1/2	x	3/8
Gas	3/4	x	1/2	x	3/8
Gas	3/4	x	3/4	x	3/8
Gas	1	x	3/4	x	3/8
Gas	1	x	1	x	3/6

RETURN BENDS

(OPEN PATTERN)

	DISTANCE BETWEE
SIZE	CENTERS
* ½	$1\frac{1}{2}$
* 3/4	2
* 1	$2\frac{1}{2}$
* 1¼	3
* 1½	$3\frac{1}{2}$
* 2	4
* 2½	$4\frac{1}{2}$
* 3	5

RETURN BENDS

(MEDIUM PATTERN)

	DISTANCE BETWEEN
SIZE	CENTERS
1/2	1 1/4
3/4	$1\frac{1}{2}$
1	$17/_{8}$
1 1/4	$2lac{1}{4}$
1 ½	$2\frac{1}{2}$
2	3

RETURN BENDS

(CLOSE PATTERN)

	DISTANCE BETWEEN
SIZE	CENTERS
* 1/2	1
* 3/4	1 1/4
* 1	$1\frac{1}{2}$
* 11/4	1 3/4
* 1½	$2_{1\overline{6}}^{3}$
* 2	$2\frac{5}{8}$

	COUPLINGS (RIGHT HAND)		Y BENDS	
SIZE	SIZE	SIZE	_	
* 1/4	* 1	$2\frac{1}{2}$	Beaded	3/4
* 3/8	* 1¼	3	Beaded 1	
* 1/2	* 1½	31/2	Beaded and Plain 17	4
* 3/4	* 2	4	Beaded and Plain 1	1/2
C	OUPLINGS		Beaded and Plain 13	2 x 14
	GHT AND LEFT)		Beaded and Plain 2	, , , , , , , , , , , , , , , , , , ,
SIZE			Beaded and Plain2	x 1½
1/4	size 1		Beaded 2½	2
3/8	11/4		Beaded 27	2 x 2
1/2	1½		Beaded3	
72 3 <u>/</u> 4	$\overset{1}{2}\overset{72}{2}$		Beaded3	x 2½
	ING COUPLINGS			, 2
	<u>,</u>		60° Y'S	
Gas	3	8 X 1/8		
	S		Plain 1½	<u>'</u>
Gas	·	2 X 1/4	Plain 2	
	5		Plain 2	x 1½
	3	, ,	-	11 1/2
Gas		4 X 3/8		
Steam and Gas	3,	4 X ½	FOUR-WAY TEES	
	1			
	1	x 3/8		
		x ½	Gas	
	1	x 3/4	Gas	•
	1 ¹ / ₄		Gas	, .
	1 ¹ / ₄		Gas	
	- · · · · · 1 ¼		Gas	
	1 ₁ / ₄		Gas	1½
	1½		Gas	2
*Steam and Gas.	1½	x 3/4		
*Steam and Gas.	- · 1½	x 1		
*Steam and Gas.	1½	x 1¼	CAPS	
Steam and Gas-		x ½		
Steam and Gas.	· ·2	x 3/4	*Gas	1/
*Steam and Gas.		x 1	*Gas	
*Steam and Gas_		x 1¼	*Gas	
*Steam and Gas-		x 1½	*Steam and Gas	/ -
	2½		*Steam and Gas	
	2½			
	· 2½		*Steam and Gas* Steam and Gas	
	2½	x 2	*Steam and Gas	•
Steam and Gas-		x 1		
Steam		x 1¼	*Steam *Steam	,
*Steam		x 1½		-
Steam and Gas.	3	x 2	*Steam *Steam	
*Steam and Gas.	3 9 t/	x 2½	Steam	- 4
*Steam	3½ 3½	x 4/2 x 3		
Steam	4	$\stackrel{x}{\mathbf{x}}\stackrel{g}{\mathbf{z}}$	All above sizes carried in stock.	
Steam	4	x 2½		C 1
Steam		x 3	Those marked * carried in stock	Gal-
*Steam	4	x 3½	vanized.	

WROUGHT IRON NIPPLES

CLOSE



FIG. A-498.

THREADED RIGHT HAND SHOULDER



FIG. A-499.

BLACK

	LENGTH, INCHES				PRICES OF EXTRA LONG NIPPLES										
CLOSE	SHORT	LONG		SIZES	CLOSE OR	LONG				LENG	TH, IN	CHES			
ช	RS .			1	SHORT		4	5	6	7	8	9	10	11	12
3/4	1½	$\frac{2}{2}$ $\frac{2}{2}$ 3	31/2	1/8	.04	.06	.07	.08	.10	.12	.14	15	.17	18	.19
7/8	1½	$2 2 \frac{1}{2}$	3½	1/4	.04	.06	$ \overline{.07} $.08	.10	.12	.14	.15	17	.18	.19
1	1½	$2 2\frac{1}{2} 3 $	3½	3/8	.04	.06	.07	.08	.10	.12	.14	15	.17	.18	.19
11/8	1½	2 $2\frac{1}{2}$ 3	31/2	1/2	.05	.07	.08	.10	.12	.14	.16	.18	.20	22	
$\overline{1\frac{3}{8}}$	2^{-}	31/2	$\overline{4}$	3/4	.06	.09		.11	.13	.17	.18		22	.24	26
1½	$\overline{2}$	21/2 3 31/2		1	.08	.13		.15	.18	.23	25	.28	31	.34	.36
15/8	$\overline{2\frac{1}{2}}$	3 3 4	4 1/2	11/4	.11	.17		20	.24	.29	33	.36	.40	.44	.47
1¾	$2\frac{1}{2}$	$\overline{3}$ $\overline{3}$ $\overline{4}$	41/2	1½	.13	.20		25	.29	.36	40	45	50	$\overline{.54}$.59
			4 1/2	2	.18	.27		.32	.38	50	$\overline{.54}$	59		.72	.77
21/2	3	3½ 4 4½	$\overline{5}$	2½	.39	.59			.68	90	97	1.06	1.17	$\overline{1.26}$	1.35
21/2	$\overline{3}$	31/2 4 41/2	5	3	.48	.72			.85	1.08	1.20	1.33	1.45	1.58	1.70
	$\overline{4}$	4 1/2 5 5 1/2	$\overline{6}$	3½	75	1.05				1.30	1.45	1.60	1.75	1.90	$\overline{2.05}$
	$\overline{4}$	41/2 5 51/2	6^{-}	4	.85	1.20				$\bar{1.52}$	$\overline{1.69}$	1.87	2.05	$\overline{2.22}$	$\overline{2.40}$
3	_	4 1/2 5 5 1/2		41/2	1.25	1.70				-2.25	-2.50	2.75	2.95	3.17	3.40
3½	$\overline{4\frac{1}{2}}$		61/2	5	1.55	2.45				2.58	$^{-}2.83$	3.10	3.35	3.60	-3.85
31/2	$4\frac{1}{2}$		61/2	6	1.85	2.90				3.05	3.35	3.70	$\overline{4.00}$	4.30	$\overline{4.65}$

GALVANIZED

	LEN	IGTH	, INC	HES			PRI	CES	P	RICES	OF EX	CTRA L	ONG G	ALVAN	IIZED	NIPPLE	ES .
CLOSE	SHORT		LC	NG		SIZES	CLOSE OR	LONG				LENG	TH, IN	CHES			
Ą	ᇙ						SHORT		4	5	6	7	8	9	10	11	12
3/4	1½	$\overline{2}$	21/2	3	3½	1/8	.06	.11	.12	.15	.17	.21	.24	.26	.29	31	.34
7/8	1½	$\overline{2}$	$2\overline{1/2}$	3	3½	1/4	.06	.11	.12	.15	.17	.21	.24	$\overline{.26}$.29	.31	.34
1	11/2	$\overline{2}$	21/2	3	31/2	3/8	.06	.11	.12	.15	.17	.21	.24	26	.29	.31	.34
11/8	11/2	$\overline{2}$	21/2	3	31/2	1/2	.06	.11	.13	.16	.18	.23	.26	.28	.31	.33	.36
	2^{-}	$2\frac{1}{2}$	3		4	3/4	.08	.14		.18	.21	.26	.29	.32	.35	.38	.41
		21/2		3 1/2	4	1		.19		.24	.28	.34	.38	.42	47	.51	.55
15/8	21/2	3	31/2	4	4 1/2	11/4	.17	.29		.32	.38	.45	.51	.57	.63	.6 9	.75
	$\overline{2\frac{1}{2}}$		31/2	4	4 1/2	1½	.21	.35		.39	.46	.55	.63	70_{1}	$\overline{.77}$.84	.91
			31/2		$4\frac{1}{2}$	2	.27	.47		.52	.61	.74	.83	.93	1.03	.113	1.23
21/2	$\overline{3}$	31/2		41/2	5	$-2\frac{1}{2}$.56	.86			1.00	1.26	1.41	1.56	1.71	1.86	2.01
		3 1/2		41/2	5	3	.70	1.10			1.30	1.60	1.80	2.00	$\overline{2.20}$	2.40	2.60
$\overline{234}$	$\overline{4}$	$\overline{4\frac{1}{2}}$		51/2	6	3½	1.20	1.70				2.10	2.35	2.60	2.85	3.15	3.40
3	$\overline{4}$	$\overline{4\frac{1}{2}}$	$\frac{1}{5}$	51/2	$\overline{6}$	4	1.35	1.87				2.30	2.60	2.90	$\overline{3.20}$	3.50	3.80
3	$\overline{4}$	$\overline{4\frac{1}{2}}$	5	5½	$\overline{6}$	41/2	1.85	2.60				3.30	3.65	4.05	4.45	4.85	$\overline{5.25}$
31/2	$4\frac{1}{2}$	5	5½	$\overline{6}$	$\overline{6\frac{1}{2}}$	5	2.30	3.15				3.75	4.20	4.60	5.00	5.40	5.85
	41/2		5½		6½	6	2.80	4.25				4.50	5.00	5.55	6.05	6.60	7.15

WROUGHT IRON NIPPLES

RIGHT AND LEFT

	LEN	GTH, INCHES		PRICES			ES OF	EXTR	LON	G RIGH	IT AND	LEFT	NIPP	LES		
CLORE	SHORT	LONG	SIZES	SIZES CLOSE CLOSE CONG		LENGTH, INCHES										
_ ರ				SHORT		4	5	6	7	8	9	10	11	12		
3/4	1½	$2^{-1}2\frac{1}{2}\frac{3}{2}3$	· 1/8	.05	.08	.09	.11	.13	.16	.18	.20	.23	.25	.27		
7/8	$1\frac{1}{2}$	$2 2 \sqrt{3} 3 3 \sqrt{3}$	<u></u>	.05	.08	.09	.11	.13	.16	.18	.20	.23	.25	27		
$\overline{1}$	/-	$2 \ 2 \ 3 \ 3 \ 3 \ $	3/8	.05	08_	.09	.11	.13	.16	.18	.20	.23	25	.27		
1 1/8	$1\frac{1}{2}$	$2 2 \sqrt{3} 3 \sqrt{3}$	1/2	.07	.10	.11	.13	.16	.18	.21	.24	.27	.29	31		
13/8	2^{-}	2½ 3 3½ 4	3/4	.08	.12		.15	.17	.23	.25	.27	.29	$\overline{.32}$.35		
$1\frac{1}{2}$	$\overline{2}$	$2\frac{1}{2}$ 3 $3\frac{1}{2}$ 4	1	.11	.18		.20	.24	.31	.33	.37	.41	.45	.48		
1 5/8	$\overline{2\frac{1}{2}}$	$ 3^{-} 3^{-} 4^{-} 4^{-} 4^{-} $	$-1\frac{1}{4}$.15	.23		.27	.32	.39	$\overline{.45}$	50	.55	.60	.65		
13/4	$\overline{2\frac{1}{2}}$	3 3½ 4 4½	1½	.18	.27		.34	.39	.4 8	$\overline{.52}$.60	.67	.72	.80		
2	$2\frac{1}{2}$	3 3½ 4 4½	$\overline{2}$.24	.36		.43	.51	.67	.72	.80	.87	.96	1.03		
2½	3	3 1/2 4 4 1/2 5	21/2	.52	79			.91	1.20	1.30	1.40,	1.55	1.68	-1.80		
$\overline{2\frac{1}{2}}$		3½ 4 4½ 5	3	.65	96_			1.13	1.44	1.60	1.77	$\overline{1.93}$	2.10	2.27		
~ -		$4\frac{1}{1/2} \overline{5} \overline{5} \overline{6} $	3½	1.00	1.40				1.75	1.95	2.15	2.35	2.55	2.75		
	$\overline{4}$	$4\frac{1}{1/2} 5 5\frac{1}{5}\frac{1}{1/2} 6 $	4	1.15	1.60				2.00	2.25	2.50	2.75	3.00	3.25		

Add 60 per cent to above prices for Galvanized Nipples threaded Right and Left.

LONG SCREWS

WITH FACED COUPLING AND LOCK NUT



FIG. A-500.

SizeIncl	es ¼	3/8	1/2	3/4	1	11/4	1½	2	21/2	3
Standard Length Inch	es 2½	3	3½	4	4 1/2	5	5½	6	7	8
Black Ea	ch .30	.35	.40	.55	.75	1.00	1.30	1.70	2.70	3.70
Galvanized Ea	ch .35	.40	.50	.66	1.00	1.25	1.60	2.10	3.10	4.70

TANK NIPPLES




FIG. A-501.

Size	- Inches	1/4	3/8	1/2	3/4	1	11/4	1½	2	21/2	3
Length	Inches	6	6	6	6	6	6	6	6	6	6
Black	Each	.25	.25	.25	.25	.35	.45	.50	.65	1.10	1.50
Galvanized	Each	35_	.35	$^{-}.35^{-}$.35	.45	.60	.70	.90	1.45	2.00

CAST IRON ELBOWS



FIG. A-502.

Size	Inches	1/4	3/8	1/2	3/4	1	11/4	1 ½	2	21/2	3
Right Hand, Black	Each	.05	05	.06	.08	.10½	.16	.20	.28	.50	75
Right Hand, Galvanized	Each	.10	10	.12	.16	.21	.32	.40	.56	1.00	1.50
Right and Left	Each	.06	.06	.07	.09	.12	.18	.23	.32	$-\frac{1}{.60}$.85
Pitched, Black	Each				.10	.13	.20	.25	.35	.65	1.00
Size	Inches	3½	4	41/2	5	6	7	8	9	10	12
Right Hand, Black	Each	1.05	1.20	1.75	2.00	2.75	4.70			•	$\overline{20.00}$
Right Hand, Galvanized	Each	2.10	2.40	3.50	$\overline{4.00}$	5.50	9.40	$\overline{13.50}$	$\overline{18.00}$	27.00	40.00
Pitched, Black	Each	1.30	1.50								

CAST IRON REDUCING ELBOWS



FIG. A-503.

Size	Inches	1/2	3/4	1 1	11/4	1 ½	2	21/2	3	3½
Black	Each	.07	.09	.12	.18		.32	.60	.85	1.20
Galvanized	Each	.14	.18	.24	.36	.46	.64	1.20	1.70	2.40
Size	Inches	4	$-4\frac{1}{1/2}$	5	6	7	8	9	10	-12^{-}
Black	Each	1.40	-2.00	2.30	3.15	5.40	7.75	10.50	15.50	23.00
Galvanized	Each	-2.80	${4.00}$	4.60	6.30	10.80	15.50	21.00	31.00	46.00

CAST IRON 45° ELBOWS



FIG. A-504.

Size Inches	3/8	1/2	3/4	1	1 1/4	1½	2	21/2	3	31/2
Black Each	.06	.07	.10	.12	.19	.24	.34	.60	.90	1.25
Galvanized Each	.12	.14	.20		.38	.4 8	.68	1.20	1.80	2.50
SizeInches	4	$\frac{1}{4}\frac{1}{1/2}$		6	7	8	9	_10_	12	14
BlackEach	1.45	2.20	-2.50	3.45	5.90	8.50	11.25	17.00	25.00	50.00
GalvanizedEach	${2.90}$	4.40	-5.00	6.90	11.80	17.00	22.50	34.00	50.00	100.00

CAST IRON TEES



FIG. A-505.

SizeInches	1/4	3/8	1/2	3/4	1	11/4	1½	2	2½	3
Black Each	.08	.08	.09	.12	.15	.23	.29	.41	.73	1.10
GalvanizedEach	.16	.16	.18	.24	.30	.46	.58	.82	1.46	2.20
SizeInches	3½	4	4 1/2	5	6	7	-8-	9	10	12
Black Each	1.50	$\overline{1.75}$	-2.55	3.00	4.00	6.80	9.75	13.00	19.50	29.00
Galvanized Each	3.00	3.50	5.10	6.00	8.00	13.60	19.50	26.00	39.00	58.00

CAST IRON REDUCING TEES



FIG. A-506.

SizeInches	1/2	3/4	1	1¼	$\overline{1}\frac{\overline{1}}{1/2}$	2	2½	3	3½
BlackEach	.10	.14	.17	$\overline{}.27$.33	.47	.83	1.25	1.75
GalvanizedEach	.20	.28	.34	.54	.66	.94	1.66	2.50	3.50
Size Inches	4	41/2		6	7	8	$\frac{}{}$	10	12
Black Each	2.00	2.95	3.50	4.60	7.80	11.25	15.00	22.50	33.50
Galvanized Each	4.00	5.90	7.00	9.20	15.60	22.50	30.00	45.00	67.00

CAST IRON REDUCERS



FIG. A-507.

		21/2							7	8	9	10	
Black Each													
GalvanizedEach	.86	1.20	1.60	2.00	2.70	3.70	4.00	5.40	10.70	13.50	16.70	20.00	30.00

CAST IRON CROSSES



FIG. A-508.

SizeInches	1/2	3/4	1	11/4	1 1/2	2	21/2	3	31/2
BlackEach	.16	.22	.27	.42	.53	.75	1.30	-2.00	2.70
GalvanizedEach	.32	.44	.54	.84	1.06	1.50	2.60	4.00	5.40
SizeInches	4	4 1/2	5	. 6	7	8	9	10	12
BlackEach	3.15	4.60	5.50	7.25	12.25	17.50	$\overline{23.50}$	35.00	52.50
Galvanized Each	6.30	9.20	11.00	14.50	$2\overline{4.50}$	$\overline{35.00}$	47.00	70.00	$\overline{105.00}$

REDUCING CAST IRON CROSSES



FIG. A-509.

SizeInches	1/2	3/4	1	11/4	1½	2	2½	3	3½
Black Each	.18	.25	.30	.46	.60	.83	1.45	-2.20	3.00
GalvanizedEach		.50	.60	.92	1.20	1.66	2.90	4.40	6.00
Size Inches	$\overline{4}$	4 1/2	5	6	7	8	9	10	12
Black Each	3.50	5.10	-6.00	8.00	13.50	19.25	26.00	38.50	58.00
Galvanized Each	7.00	10.20	12.00	$\overline{16.00}$	27.00	38.50	52.00	77.00	$\overline{116.00}$

CAST IRON "Y" BRANCHES



FIG. A-510.

Size Inches	1/2	3/4	1	11/4	1½	$\overline{2}$	2 %	3	3½	4	4 1/2	5	6
Black Each	•												9.20
Galvanized Each													
Reducing Each	.23	.33	.40	.62	.76	1.08	1.90	2.90	4,00	4.60	6.80	8.00	$\overline{10.60}$

CAST IRON CAPS



FIG. A-511.

SizeInches	2	21/2	3	31/2	4	41/2	5	6	7	8	9	10	12
Black Each	.26	.40	54	.75	87	1.05	1.20	1.55	2.50	2.85	4.75	5.50	7.00
GalvanizedEach	.52	.80	1.08	-1.50	1.74	-2.10	-2.40	3.10	-5.00	$\overline{5.70}$	9.50	$\overline{11.00}$	$\overline{14.00}$

REGULAR

CAST IRON BUSHINGS

FACED



REDUCING TWO OR MORE SIZES, UP TO, AND INCLUDING $2\frac{1}{2}$ INCHES

REDUCING ONE OR MORE SIZES, THREE INCH, AND LARGER .



FIG. A-513

SizeInches	1/2	3/4	1	11/4	1½	2	21/2	3	3½
Regular, BlackEach	.04	.05	.06	.07	.09	.14	.21	.30	.40
Regular, GalvanizedEach		.10	.12	.14	.18	28	.42	.60	.80
Faced (reducing two or more sizes) Each	09_	.11	13	.17	.22	.32	.48	.70	1.20
SizeInches	$ \overline{4} $	$\overline{4\frac{1}{2}}$	$\overline{5}$	6	7	8	9	10	12
Regular, Black Each	.50	.75	.93	1.25	1.87	2.75	3.25	3.75	5.00
Regular, GalvanizedEach	l1				3.75	-5.50	6.50	7.50	$\overline{10.00}$
Faced (reducing two or more sizes)Each	1.50	2.10	2.60						

Note—Bushings reducing one size only, up to and including $2\frac{1}{2}$ inch, are Malleable, and will be found listed among the Malleable Fittings.

CAST IRON PLUGS

REGULAR



COUNTERSUNK





FIG. A-514.

FIG. A-515.

Sizes	s 1/4	3/8	1/2	3/4	1	11/4	1½	2	21/2	3
Regular, BlackEac	h .02	.02	.02	03 [_]	.04	.05	.07	.10	.18	.25
Regular, Galvanized Eac	h .04	.04	.04	.06	.08	.10	.14	.20	.36	.50
Countersunk Eac	h		.04	.06	.08	.09	.11	.15		
Left HandEac	h			.06	.08	.09	.11	.15		
Solid Eac	h .04	.04	.04	.06	.08	.09	.11	.15	.27	.38
SizeInche	s 3½	4	41/2	5	6	7	8	9	10	12
Regular, BlackEac	h .38	.42	.65	.88	$\overline{1.20}$	1.85	2.75	3.25	3.75	5.00
Regular, Galvanized Eac	h .76	.84	1.30	1.75				1		10.00
SolidEac	$\overline{\mathrm{h}}$ $\overline{.57}$.63	1.00	1.35	1.80	2.80	4.15	5.00	5.75	7.50

CAST IRON RETURN BENDS





WIDE PATTERN

FIG. A-516.

FIG. A-517.

CLOSE PATTERN

SizeInches	1/2	3/4	1	11/4	1 ½	2	21/2	3
Center to CenterInches	11/4	11/2	1 3/4	21/4	21/2	31/4	33/4	4 1/2
Right Hand, BlackEach	.18	.20	.22	28_	.40	.57	1.20	1.70
Right Hand, GalvanizedEach	.36	.40	.44	.56	.80	1.14	2.40	3.40
Right and LeftEach	.21	.23	.26	.33	.46	66	1.40	1.95

OPEN PATTERN

Size	Inches	3/4	1	1 1/4	1½	2	2½	3
Center to Center	Inches	17/8	23/8	3	31/2	4 1/2	5½	61/2
Right Hand, Black	Each	26_	.30	.40	.55	.80	1.35	2.20
Right Hand, Galvanized	Each	.52	.60	.80	1.10	1.60	2.70	4.40
Right and Left	Each	.30	.35	.46	.64	.92	1.55	2.50

WIDE PATTERN

Size	Inches	1	1	1	1	1	11/4	11/4
Center to Center	Inches	3	4	5	6	8	4	6
Right Hand, Black	Each	.45	.50	.60	.75	1.00	1.00	1.25
Right Hand, Galvanized	Each	.80	.90	1.10	1.30	1.60	1.75	2.00
Size	Inches	1 1/2	1½	1½	$\overline{2}$	$\overline{}$	4	4
Center to Center_	Inches	47/8	6	8	47/8	6	71/2	11
Right Hand, Black	Each	1.30	1.60	2.00	1.75	2.00	6.50	7.50
Right Hand, Galvanized	Each	2.30	2.60	3.25	3.00	3.25	10.00	11.00

CLOSE PATTERN, PITCHED

SUITABLE FOR COILS, AS PER TABLE BELOW

Size Inches	1	1	1	1	1	11/4	11/4	11/4
Length of Pipe in CoilFeet	3	4	5	6	8	4	5	6
Right HandEach	.26	.26	.26	.26	.26	.33	.33	.33
Right and Left Each	.26	.26	.26	.26	.26	.33	.33	.33

Right and Left Pitched Return Bends are made to order.

CAST IRON LOCK NUTS



FIG. A-518.

Size	Inches	2	21/2	3	31/2	4	4 ½	5	6	. 7	8
Black	Each	.25	.27	.34	.47	.64	.85	.90	1.30	1.70	2.35
Galvanized	Each	.50	.54	68	.94	1.28	1.70	1.80	2.60	3.40	4.70

CAST IRON ECCENTRIC BUSHINGS

REDUCING TWO OR MORE SIZES



FIG. A-519.

Size	Inches	$=_{2}^{=}=$	21/2	3	31/2	4	4 ½	5	6	7	8
Price	Each	.27	.42	.60	.80	1.00	1.50	1.85	2.50	3.75	5.50

CAST IRON ECCENTRIC OFFSET REDUCING COUPLINGS



FIG. A-520.

Size	 - Inches	2x1½	2½x1¼	2½x1½	2½x2	3x2	3x2½
Price	 Each	1.00	1.50	1.50	1.50	2.40	2.40
Size	 Inches	$-3\overline{\frac{1}{2}x3}$	3½x2½	4x3½	4x3	5x4	6x4
Price	 Each	3.00	3.00	4.00	4.00	6.00	8.00

CAST IRON ECCENTRIC TEES







FIG. A-522.

These Fittings are designed to prevent the accumulation and lodgment of condensation. Orders must be accompanied with a sketch, showing position in which the Fitting is to be placed.

PRICES ON APPLICATION

CAST IRON FLANGE UNIONS



FIG. A-523.

STANDARD FLANGE UNIONS

Size Inches	1/2	3/4	1	11/4	1½	2	2½	3	3½
Diameter of Flange Inches	3	31/4	3½	41/8	43/8	51/8	5 5/8	-65/8	67/8
Number of Bolts in each	3	3	4	4	4	4	4	4	4
Black Each	.40	.46	.52	.64	.78	1.00	1.25	1.50	1.80
Galvanized Each		.92	1.04	1.28	1.56	2.00	2.50	3.00	3.60
SizeInches	4	4 1/2	-5^{-}	6	7	8	9	10	12
Diameter of Flange Inches	71/2	81/4	91/4.	101/4	12	13	14	16	18
Number of Bolts in each	4	${4}$ $-$	5	6	6	8	8	10	10
BlackEach	2.10	2.70	3.15	3.95	5.50	7.00	10.00	11.50	16.00
Galvanized Each	4.20	5.40	6.30	7.90	11.00	14.00	20.00	23.00	32.00

EXTRA HEAVY CAST IRON FLANGE UNIONS

Size Inches	3/4	1	11/4	1 ½	2	21/2	3
Diameter of Flange Inches	31/4	35/8	41/8	45/8	53/8	6	63/4
Number of Bolts in Each	4	4	4	4	5	5	6
Price Each	.70	.80	1.00	1.15	1.50	1.90	2.25
Size Inches	3½	4	41/2	5	6	7	8
Diameter of Flange Inches	73/8	8	85/8	93/8	10¾	12	131/4
Number of Bolts in each	6	7	8	8	9	10	10
Price - Each	2.70	3.15	4.00	4.75	6.00	8.25	10.50

CAST IRON FLANGES




FIG. A-524.

SIZE, PIPE INCHES	3/8	1/2	3/4	1	1¼	1½	2	21/2	3	3½	4	4 ½	5	6	7	8	9	10	12
DIAMETER				l	1	<u>. </u>		<u>_</u>	<u> </u>		l	1		<u> </u>	l I	<u> </u>	1	1	<u> </u>
INCHES												1							
3	.10	.10				ĺ.													
31/	15		.15	.15	.16														
0 72 1	99	.22	99	16	16														
41/	95	.25	95	$.16 \\ .25$.10	$\tilde{22}$													
3½ 4 4½ 5	.15 .22 .25 .35 .45	. 40	.22 .25 .30 .45	. 40	.25 .30 .40	. 44													
5	. 33	.35	. 50	.30	.30	.30 .40	$.35 \\ .35$												
$\overset{\circ}{\overset{1}{2}}$.45	.45	.45	.40	.40	.40	. 35	.40											
6	.50	. 50	. 50	.42	.40	.40	.42	.42	.50										
$\frac{6\frac{1}{2}}{7}$	- -	. 65	.60	.60	.60	. 55	.50	.50 .62 .80	. 50	.65									
7		.75	.75	.75	.70	.70 .85	.62	. 62	.62	.75					-				
$7\frac{1}{2}$. 90	.90	. 90	.85	.85	. 80	.80	.75	.85	_90								
8		1.00	1.00	1.00	.95	. 95	. 90	. 90	.90	.90	. 90								
81/2		1.25	1.25	1.25					1.10	1.00	1.00								
9'2					1.35	1.35	1.30	1.25	1 15			$\overline{1.15}$	1 40		1	1			
91/					1 90	1.90						$1.\tilde{25}$							
10/2					2 25	2 25	2 15	2 00	1 80	1 50	1 50	1.50	1 50	1 50					
11					2.20	2.20	2 50	2.50	9 95	9 95	2 00	1.75	1 75	1 75	2 20			1	
10								9 00	9 00	0 75	2.00	$ \frac{1}{2.50} $	9 90	11.10	12.20	00 00			
12					·			5.00	5.00	2.10	2.00	$\frac{2.30}{3.00}$	2.40	2.40	4.40	4.00			
15									3.50	3.00	3.20	3.00	3.00	2.80	12.80	2.00	0 50	4 00	
14									4.00	4.00	3.75	3.75	3.50	3.25	3.25	3.25	3.75	4.00	
7 ½ 8 8 ½ 9 9 ½ 10 11 12 13 14 15 16															4.00	4.00	4.00	[4.50]	0.00
16			- -												5.00	5.00	5.00	5.00	6.00
17															6.50	$0,\!6.50$	5.75	5.75	7.00
18																8.00	8.00	7.00	7.00
18 19																		7.50	7.50
20											-								8.50

CAST IRON DRILLED FLOOR FLANGES



FIG. A-525.

Size Pipe1nches	3/8	1/2	3/4	1	11/4	1½	2
Diameter FlangeInches							
PriceEach	.10	.15	.15	.16	.16	.22	.35

CAST IRON BACK OUTLET RETURN BENDS



FIG. A-526.

SizeInches	3/4	1	1 1/4	1 ½	2	21/2	3
Center to CenterInches	17/8	21/4	21/4	21/2	31/4	3¾	41/4
Right Hand, Black Each	38	.42	.60	.80	1.15	2.00	3.00
Right Hand, Galvanized Each	.76	.84	1.20	1.60	2.30	4.00	6.00
Right and LeftEach	.42	.48	.70	.95	1.30	2.30	3.50

The Back Outlet of Right and Left Return Bends is always tapped right hand.

CAST IRON OFFSETS



FIG. A-527.

SizeInch	es 3/4	1	11/4	1½	2	21/2	3	3½	4	5	6
To Offset 1% inchesEach	ch .45										
To Offset 21/4 inches Eac	ch	.70	.70								
To Offset 2½ inches Eac	ch			1.20							
To Offset 31/4 inches Each	$\overline{\mathrm{ch}}$				1.80						
To Offset 3¼ inches Eac	ch					3.00					
To Offset 4 inchesEac	ch .45	.70	1.00	$\overline{1.20}$	1.80	$3.0\overline{0}$	$\overline{4.00}$	5.00	6.00	8.00	$\overline{10.00}$
To Offset 4½ inchesEac	ch						4.00				
To Offset 6 inchesEac			1.50				6.00				$\overline{15.00}$
To Offset 8 inchesEac	ch .90	1.40	2.00	2.40	3.60	6.00	8.00	$\overline{10.00}$	$\overline{12.00}$	$\overline{16.00}$	$\overline{20.00}$

CAST IRON LONG RADIUS ELBOWS



FIG. A-528.

Size Inches	1	11/4	1½	2	21/2	3	3½	4	4 ½	5	6
Straight Each	.32	.40	.55	80_	1.20	2.25	3.25	3.50	5.50	6.50	8.75
ReducingEach	.48	.60	.83	1.20	1.80	3.38	4.88	5.25	8.25	9.75	13.13

CAST IRON LONG RADIUS DOUBLE BRANCH ELBOWS



FIG. A-529.

SizeInches	1	11/4	1½	2	21/2	3	3½	4	4 ½	5	6
Straight Each	.64	.80	1.10	1.60	2.40	4.50	6.50	7.00	11.00	13.00	17.50
ReducingEach	.96	1.20	1.65	2.40	3.60	6.75	9.75	10.50	16.50	19.50	$\overline{26.25}$

CAST IRON LONG RADIUS TEES



FIG. A-530.

Size Inches	1	11/4	1 ½	2	$2\frac{1}{2}$	3	3½	4	$4\frac{1}{2}$	5	6
Straight Each	.4 8	.60	.82	1.20	1.80	3.40	4.90	5.25	8.25	9.75	13.25
Reducing Each	.72	.90	1.23	1.80	2.70	5.10	7.35	7.88	$\overline{12.38}$	14.63	19.88

OF

CAST IRON FITTINGS

ELBOWS

SIZE	SIZE	SIZE	SIZE
¼ x ¼	1½ x 1½	3½ x 3½	6 x 6
3/8 x 3/8	1½ x 1¼	3½ x 3	6×5
	1½ x 1		6 x 4
½ x ½	1½ x ¾	4 x 4	
½ x 3/8		4 x 3½	7 x 7
	2×2	4 x 3	7 x 6
3/4 x 3/4	2 x 1½	4 x 2½	
¾ x ½	2 x 1¼	4 x 2	8 x 8
	2 x 1		8 x 6
1 x 1		4½ x 4½	
1 x 3/4	$2\frac{1}{2} \times 2\frac{1}{2}$	4½ x 4	9 x 9
1 x ½	$2\frac{1}{2} \times 2$		
·	$2\frac{1}{2} \times 1\frac{1}{2}$	5 x 5	10 x 10
1¼ x 1¼		5 x 4	
1¼ x 1	3 x 3	5 x 3	12×12
1¼ x ¾	3 x 2½		
1¼ x ½	3 x 2		

45° ELBOWS

Sizes—¾, ½, ¾, 1, 1¼, 1½, 2, 2½, 3, 3½, 4, 4½, 5, 6, 7, 8, 9, 10, 12

PITCHED ELBOWS

SIZE	SIZE	SIZE	SIZE	SIZE	ŞIZE
1 x 1	1¼ x 1¼	1½ x 1½	2 x 2	2½ x 2½	3 x 3
1 x ³ / ₄	1¼ x 1	1½ x 1¼	2 x 1½	2½ x 2	3 x 2

RIGHT AND LEFT ELBOWS

Sizes—3/8, 1/2, 3/4, 1, 11/4, 11/2, 2, 21/2, 3

TEES

SIZE	SIZE	SIZE	SIZE
¼ x ¼ x ¼	34 x 34 x 2	1 x 1 x 2	1 x ½ x 1
	34 x 34 x 1½	$1 \times 1 \times 1\frac{1}{2}$	1 x ½ x ¾
3/8 x 3/8 x 3/8	34 x 34 x 1 1/4	1 x 1 x 1 ¹ / ₄	1 x ½ x ½
3/8 x 3/8 x 1/2	34 x 34 x 1	1 x 1 x 1	
	34 x 34 x 34	1 x 1 x 3/4	$1 \times \frac{3}{8} \times 1$
½ x ½ x 1	34 x 34 x ½	1 x 1 x ½	
½ x ½ x ¾	34 x 34 x 3/8	1 x 1 x 3/8	1 x 1/4 x 1
½ x ½ x ½			
½ x ½ x ¾	¾ x ½ x 1	1 x 3/4 x 2	$1\frac{1}{4} \times 1\frac{1}{4} \times 2$
	3⁄4 x 1⁄2 x 3⁄4	1 x 3/4 x 11/2	1¼ x 1¼ x 1½
1/2 x 3/8 x 1/2	34 x ½ x ½	1 x 3/4 x 11/4	1¼ x 1¼ x 1¼
½ x 3/8 x 3/8		1 x 3/4 x 1	$1\frac{1}{4} \times 1\frac{1}{4} \times 1$
	3/4 x 3/8 x 3/4	1 x 3/4 x 3/4	$1\frac{1}{4} \times 1\frac{1}{4} \times \frac{3}{4}$
	3/4 x 3/8 x 3/8	1 x 3/4 x 1/2	$1\frac{1}{4} \times 1\frac{1}{4} \times \frac{1}{2}$

OF

CAST IRON FITTINGS

TEES-CONTINUED

SIZE	SIZE	SIZE	SIZE
1¼ x 1 x 2	2 x 1½ x 2½	3 x 3 x 4	4 x 4 x 6
1¼ x 1 x 1½	2 x 1½ x 2	3 x 3 x 3½	4 x 4 x 5
$1\frac{1}{4} \times 1 \times 1\frac{1}{4}$	2 x 1½ x 1½	3 x 3 x 3	4 x 4 x 4
1¼ x 1 x 1	2 x 1½ x 1¼	3 x 3 x 2½	4 x 4 x 3½
$1\frac{1}{4} \times 1 \times \frac{3}{4}$	$2 \times 1\frac{1}{2} \times 1$	3 x 3 x 2	4 x 4 x 3
1½ x 1 x ½	2 x 1½ x ¾	3 x 3 x 1½	4 x 4 x 2½
	2 x 1½ x ½	3 x 3 x 1 ¹ / ₄	4 x 4 x 2
1¼ x ¾ x 2	2 x 1½ x 2	3 x 3 x 1	4 x 4 x 1½
1½ x ¾ x 1½	2 x 1½ x 1½	$3 \times 3 \times \frac{3}{4}$	4 x 4 x 1 1/4
1½ x ¾ x 1¼	2 x 1½ x 1½		4 x 4 x 1
1 1/4 x 3/4 x 1	2 x 1½ x 1	3 x 2½ x 3	4 x 4 x 3/4
1 1/4 x 3/4 x 3/4	2 x 1½ x ¾	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4 x 3½ x 4
$1\frac{1}{4} \times \frac{1}{2} \times 1\frac{1}{2}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		4 x 3½ x 3½
$1\frac{1}{4} \times \frac{1}{2} \times 1\frac{1}{4}$		$3 \times 2\frac{1}{2} \times 1\frac{1}{2}$	4 x 3½ x 3
$1\frac{1}{2} \times 1\frac{1}{2} \times 2\frac{1}{2}$	· · · · · · · · · · · · · · · · · · ·	$3 \times 2\frac{1}{2} \times 1\frac{1}{4}$	4 x 3½ x 2½
$1\frac{1}{2} \times 1\frac{1}{2} \times 2$, ,	3 x 2½ x 1	4 x 3½ x 2
1½ x 1½ x 1½	2 x 1 x 1	3 x 2 x 3	4 x 3½ x 1½
$1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{4}$	2 x 1 x 3/4	$3 \times 2 \times 2\frac{1}{2}$	4 x 3½ x 1¼
$1\frac{1}{2} \times 1\frac{1}{2} \times 1$	2 x 3/4 x 2	3 x 2 x 2	
$1\frac{1}{2} \times 1\frac{1}{2} \times \frac{3}{4}$	2 x 3/4 x 1½	3 x 2 x 1½	4 x 3 x 4
1½ x 1½ x ½	2 x ½ x 2	3 x 2 x 1½	4 x 3 x 3½
1½ x 1¼ x 2	2½ x 2½ x 4	3 x 2 x 1	4 x 3 x 3
1½ x 1¼ x 1½	$2\frac{1}{2} \times 2\frac{1}{2} \times 3$	3 x 1½ x 3	4 x 3 x 2½
1½ x 1¼ x 1¼	$2\frac{1}{2} \times 2\frac{1}{2} \times 2\frac{1}{2}$	$3 \text{x } 1\frac{1}{2} \text{ x } 2\frac{1}{2}$	4 x 3 x 2
1½ x 1¼ x 1	$2\frac{1}{2} \times 2\frac{1}{2} \times 2$		4 x 3 x 1½
$1\frac{1}{2} \times 1\frac{1}{4} \times \frac{3}{4}$	$2\frac{1}{2} \times 2\frac{1}{2} \times 1\frac{1}{2}$	/ '	4 x 3 x 1¼
$1\frac{1}{2} \times 1\frac{1}{4} \times \frac{1}{2}$	$-\frac{2\frac{1}{2}}{2\frac{1}{2}} \times \frac{2\frac{1}{2}}{2} \times \frac{1\frac{1}{4}}{4}$	3 x 1 x 3	4 x 3 x 1
1½ x 1 x 2	$2\frac{1}{2} \times 2\frac{1}{2} \times 1$	3½ x 3½ x 4	4 x 3 · x ¾
$\frac{1}{2} \times 1 \times 2$ $\frac{1}{2} \times 1 \times \frac{1}{2}$	$2\frac{1}{2} \times 2\frac{1}{2} \times \frac{3}{4}$	$3\frac{1}{2} \times 3\frac{1}{2} \times 3\frac{1}{2}$	4 x 2½ x 4
$\frac{1}{2} \times 1 \times \frac{1}{2}$ $\frac{1}{2} \times 1 \times \frac{1}{4}$	2½ x 2½ x ½	3½ x 3½ x 3	4 x 2½ x 3
$\frac{1}{2} \times 1 \times \frac{1}{4}$ $\frac{1}{2} \times 1 \times 1$	2½ x 2 x 3	$3\frac{1}{2} \times 3\frac{1}{2} \times 2\frac{1}{2}$	$4 \times 2\frac{1}{2} \times 2\frac{1}{2}$
$1\frac{1}{2} \times 1 \times 1$ $1\frac{1}{2} \times 1 \times 34$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3½ x 3½ x 2	4 x 2½ x 2
$1\frac{1}{2} \times 1 \times \frac{1}{4}$ $1\frac{1}{2} \times 1 \times \frac{1}{2}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$3\frac{1}{2} \times 3\frac{1}{2} \times 1\frac{1}{2}$	4 x 2½ x 1½
•	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3½ x 3½ x 1¼	4 x 2½ x 1
1½ x ¾ x 2	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3½ x 3½ x 1	4 x 2 x 4
$1\frac{1}{2} \times \frac{3}{4} \times \frac{1}{2}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3½ x 3 x 3	4 x 2 x 3
$1\frac{1}{2} \times \frac{3}{4} \times \frac{1}{4}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3½ x 3 x 2½	4 x 2 x 2½
$1\frac{1}{2} \times \frac{3}{4} \times 1$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3½ x 3 x 2	4 x 2 x 2
$1\frac{1}{2} \times \frac{3}{4} \times \frac{3}{4}$		$3\frac{1}{2} \times 3 \times 1\frac{1}{2}$	4 x 2 x 1½
$1\frac{1}{2} \times \frac{1}{2} \times 1\frac{1}{2}$	2½ x 1½ x 2½	3½ x 3 x 1¼	4 x 1½ x 4
$1\frac{1}{2} \times \frac{1}{2} \times 1\frac{1}{4}$	2½ x 1½ x 2	3½ x 2½ x 3	4 x 1¼ x 4
$2 \mathbf{x} 2 \mathbf{x} 3$	2½ x 1½ x 1½	$3\frac{1}{2} \times 2\frac{1}{2} \times 2\frac{1}{2}$	
$2 \times 2 \times 2\frac{1}{2}$	2½ x 1½ x 1¼	$3\frac{1}{2} \times 2\frac{1}{2} \times 2$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2½ x 1½ x 1		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
2 x 2 x 1½ 2 x 2 x 1¼	$2\frac{1}{2} \times 1\frac{1}{4} \times 2\frac{1}{2}$	3½ x 2 x 3½	5 x 5 x 5 5 x 5 x 4
$2 \times 2 \times 1$	2½ x 1¼ x 2	$3\frac{1}{2} \times 1\frac{1}{2} \times 3\frac{1}{2}$	$5 \times 5 \times 3\frac{1}{2}$
$2 \times 2 \times \frac{3}{4}$	$2\frac{1}{2} \times 1 \times 2\frac{1}{2}$	$3\frac{1}{2} \times 1\frac{1}{4} \times 3\frac{1}{2}$	$5 \times 5 \times 3$
$\frac{2 \times 2 \times \frac{1}{2}}{2}$	$2\frac{1}{2} \times \frac{3}{4} \times \frac{2\frac{1}{2}}{2}$	$3\frac{1}{2} \times 1 \times 3\frac{1}{2}$	$5 \times 5 \times 2\frac{1}{2}$

OF

CAST IRON FITTINGS

TEES-CONTINUED

SIZE	SIZE	SIZE	SIZE
5 x 5 x 2	6 x 6 x 3½	7 x 6 x 7	9 x 9 x 9
5 x 5 x 1½	6 x 6 x 3	7 x 6 x 6	$9 \times 9 \times 5$
5 x 5 x 1 1/4	6 x 6 x 2 ½	7 x 6 x 5	
	6 x 6 x 2		$10 \times 10 \times 10$
5 x 4 x 5	6 x 6 x 1½	$7 \times 5 \times 6$	10 x 10 x 8
5 x 4 x 4	6 x 6 x 1 1/4	$7 \times 5 \times 5$	$10 \times 10 \times 6$
5 x 4 x 3	6 x 6 x 1		10 x 10 x 5
$5 \times 4 \times 2\frac{1}{2}$		8 x 8 x 8	$10 \times 10 \times 4$
$5 \times 4 \times 2$	6 x 5 x 6	8 x 8 x 6	10 x 10 x 3
5 x 3 x 5	6 x 5 x 5	$8 \times 8 \times 5$	
5 x 3 x 4	6 x 5 x 4	$8 \times 8 \times 4$	10 x 8 x 8
5 x 3 x 3		8 x 8 x 3½	
	6 x 4 x 6	$8 \times 8 \times 3$	12 x 12 x 12
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6 x 4 x 4	$8 \times 8 \times 2\frac{1}{2}$	12 x 12 x 10
3 X 3 X 2		$8 \times 8 \times 2$	12 x 12 x 8
$5 \times 2\frac{1}{2} \times 5$	6 x 3 x 6		12 x 12 x 6
5 x 2½ x 4		8 x 7 x 6	12 x 12 x 5
5 x 2½ x 3	6 x 2½ x 6		12 x 12 x 3
· ·		$8 \times 6 \times 8$	12 X 12 X 4
$5 \times 2 \times 5$	6 x 2 x 6	$8 \times 6 \times 7$	12 x 8 x 10
6 x 6 x 8	7 x 7 x 7	$8 \times 6 \times 6$	12 x 8 x 8
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		12 x 0 x 0
		8 x 5 x 8	14 14 14
6 x 6 x 6	7 x 7 x 5	$8 \times 5 \times 5$	14 x 14 x 14
6 x 6 x 5	7 x 7 x 4	0 4 0	14 x 14 x 8
6 x 6 x 4	7 x 7 x 3	8 x 4 x 8	14 x 14 x 6

BUSHINGS

SIZE	SIZE	SIZE	SIZE	SIZE
1/4 x 1/8 Brass	1½ x ½	3½ x 1	5 x 2	7 x 4½
3/8 x 1/8 Brass	1½ x ¾	3½ x 1¼	5 x 2½	7 x 5
	1½ x 1	$3\frac{1}{2} \times 1\frac{1}{2}$	5 x 3	7 x 6
3/8 x 1/4	1½ x 1¼	3½ x 2	5 x 3½	
½ x ¼		3½ x 2½	5 x 4	8 x 3
½ x 3/8	2 x ½	3½ x 3	5 x 4½	8 x 4
/2 A 78	$2 \times \frac{3}{4}$		/-	8 x 5
- 3/4 X 1/4	2 x 1	*	6 x 2	8 x 6
3/4 x 3/8	2 x 1¼	4 x 1	6 x 2½	8 x 7
3/4 x 1/2	2 x 1½	4 x 1¼	6 x 3	
1 -/	2½ x ¾	4 x 1½	6 x 3½	9 x 6
1 x ½ 1 x 3/8	2½ x 1	4 x 2	6 x 4	9 x 7
	2½ x 1¼	4 x 2½	6 x 4½	9 x 8
1 x ½	2½ x 1½	4 x 3	6 x 5	"
1 x 3/4	2½ x 2	4 x 3½		10 x 6
1¼ x ¼	3 x 1		7 x 2	10 x 8
1¼ x 3/8		4½ x 2½	7 x 2½	
1¼ x ½		4½ x 3	7 x 3	12 x 6
1¼ x ¾	3 x 1½ 3 x 2 3 x 2½	4½ x 3½	7 x 3½	12 x 8
1¼ x 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4½ x 4	7 x 4	12 x 10

OF

CAST IRON FITTINGS

CROSSES

		;	SIZ	E						SIZ	E					8	SIZ	E ,					s	IZE		
1/2	X	1/2	x	1/2	X	1/2	2	x	2	х	2	X	2	31/2	X	31/2	X	3½	x 3½	6	х	6	x	3½	x	31/2
1/2	x	$\frac{1}{2}$	X	3/8	X	3/8	2	X	2	X	$1\frac{1}{2}$	X	11/2	31/2	X	31/2	X	3	x 3	6	X	6	X	3	X	3
1/2	x	1/2	X	1/4	x	<u>1/4</u>	2	X	2	X	11/4	X	11/4	31/2	X	$3\frac{1}{2}$	X	$2\frac{1}{2}$	x 2⅓	6	X	6	X	$2\frac{1}{2}$	x	21/2
							2	X	2	X	1	X	1	31/2	X	$3\frac{1}{2}$	x	2	x 2	6	x	6	X	2	x	2
3/4	x	3/4	X	3/4	X	3/4	2	X	2	X	3/4	X	3/4	l l												
3/4	x	3/4	X	1/2	X	$\frac{1}{2}$								4	X	4	X	4	x 4	7	X	7	X	7	x	7
3/4	x	3/4	X	3/8	X	3/8	21/2	x	2½	x	21/2	x	21%	4	x	4	x	$3\frac{1}{2}$	x 3⅓	7	x	7	X	6	x	6
									$\frac{-72}{2\frac{1}{2}}$					4	\mathbf{X}	4	X	3	x 3	7	x	7	x	5	x	5
1				1			1		$\frac{-72}{2\frac{1}{2}}$					4	X	4	X	$2\frac{1}{2}$	x 2½	İ						
1				3/4			1 '		$\frac{21/2}{21/2}$		•			4	x	4	X	2	x 2	8	x	8	X	8	x	8
1	X	1	X	1/2	X	1/2	1		2½				, ,	4	X	4	X	$1\frac{1}{2}$	x 1½	8	X	8	X	7	х	7
11/	v	11/	v	1 1/	v	1¼	i '		$2\frac{1}{2}$											8	x	8	x	6	x	6
		11/4					-/2		-/2		/4		/4	41/2	X	$4\frac{1}{2}$	X	$4\frac{1}{2}$	x 4½							
		11/4					21/2	v	2	v	11/	v	11/	5		5		5	5	9	x	9	x	9	х	9
		1¼					-/2	21	_	1	1/2	Λ	1/2	5 5		5			1							
							3		3		3		9	-		5		4	- 1	10	v	10	v	10	v	10
1½	X	$1\frac{1}{2}$	X	$1\frac{1}{2}$	X	$1\frac{1}{2}$	3							5		5			x 3					8		8.
$1\frac{1}{2}$	X	$1\frac{1}{2}$	X	11/4	X	11/4	3		3				2½	1		5			x 2½					7	X	
$1\frac{1}{2}$	X	$1\frac{1}{2}$	X	1	\mathbf{x}	1	3	X			2			5	X	5	Х	Z	x 2	10	Λ	10	Λ	•	Λ	•
11/2	x	$1\frac{1}{2}$	x	3/4	x	3/4	3		3				1½	e		c		e	C	10		10		10		10
$1\frac{1}{2}$	x	$1\frac{1}{2}$	\mathbf{x}	$\frac{1}{2}$	\mathbf{x}	$\frac{1}{2}$	3		3		, .		11/4	i		6		6	x 6					12	X	
1 1/		1/		1		1		X			1			6		6		5	x 5					10	X	
$\frac{1\frac{1}{2}}{2}$	X	1 1/4	X	1	X	7	3	х	<u>ა</u>	X	3/4	X	3/4	0	X	b	X	4	x 4	12	X	12	X	8	X	8 .

REDUCING COUPLINGS

SIZE	SIZE	SIZE	SIZE	SIZE	SIZE
2 x 1½	2½ x 1½	3 x 1½	4 x 3	5 x 3	7 x 6
2 x 1¼	2½ x 1¼	3 · x 1½	4 x 2½	6×5	
2 x 1	2½ x 1	3 x 1	4 x 2	6 x 4	8 x 6
2 x ¾	2½ x ¾	3 ½ x 3	4½ x 4	6 x 3	
2 x ½	3 x 2½	3½ x 2½	5 x 4½	6 x 21/2	10 x 8
$2\frac{1}{2} \times 2$	3 x 2	4 x 3½	4 x 4	6×2	12 x 10

CAPS

Sizes-1¼,	1½,	2,	2½,	3,	3½,	4,	4½,	5,	6,	7,	8,	9,	10,	$\overline{12}$

LOCK NUTS

P														
Sizes—1¼,	1½,	2,	$2\frac{1}{2}$,	3,	3½,	4,	4½,	5,	6,	7,	8,	9.	10,	12

"Y" BENDS

Sizes—½,	3 ⁄ 4,	1,	1¼,	1½,	2,	2½,	3,	3½,	4,	4½,	5,	6,	7, 8
									-				

RETURN BENDS,	Close, ½ to 3.	Open, ½ to 3.	Wide, 1 to 4

PLUGS AND FLANGE UNIONS _______½ to 19

BRANCH TEES

FOR CIRCULATION



FIG. A-531.

FOR CIRCULATION

FOR BOX COILS








FIG. A-533

All openings in Branch Tees for Circulation Tapped Right Hand.

Branch Tees for Box Coils are always Tapped Left Hand in Branches and Right Hand in Back Inlet.

	I IN.	BRANCH	TEES	1¼ in.	BRANCH	TEES	1½ IN.	BRANCH	TEES	2 IN.	BRANCH	TEES	
NUMBER OF	1	INCH CEI			CH CENTE		1	NCH CENTE		4½ INCH CENTER TO CENTER			
BRANCHES	I IN. OR 11/4 IN· RUN	1⅓ in. RUN	2 IN. RUN	1 1/2 IN. OR 1 1/2 IN. RUN	2 IN. RUN	2½ IN.	1 ½ IN. OR 2 IN. RUN	2½ IN.	3 IN. RUN	2 IN. RUN	2 ½ IN. OR 3 IN. RUN	3½ in.	
$\frac{2}{3}$.90	1.00	1.15										
3	1.05	1.15	1.35	1.65	1.90	2.40	2.70	3.45	3.80	5.25	5.75	6.25	
4 5 -	1.15	1.30	1.60	2.00	2.40	2.85	3.35	4.15	4.60	6.40	7.00	7.75	
5 -	1.35	1.45	1.85	2.40	2.90	3.55	4.00	5.00	5.50	7.65	8.50	9.25	
6	1.60	1.75	2.10	2.80	3.30	3.95	4.65	5.75	6.25	8.80	9.75	10.75	
7	1.90	2.20	2.45	3.20	3.90	4.20	5.25	6.50	7.25	10.60	11.75	13.00	
8 9	2.20	2.45	2.75	3.60	4.50	4.95	5.85	7.00	7.75	11.50	12.75	14.00	
9	2.65	2.90	3.40	4.30	5.25	6.15	6.50	8.25	9.00	12.25	13.50	15.00	
10		3.30	4.00	4.80	5.85	6.85	7.60	9.25	10.00	13.50	15.00	16.50	
11		4.50	4.80	5.00	6.25	7.25	8.00	9.75	10.75	- -			
12		4.75	5.10	5.25	6.50	7.65	8.50	10.50	11.50				
13		5.50	6.00	6.00	7.00	8.25							
14		7.00	7.25	$\mid 6.75 \mid$	7.75	9.00							
15		7.50	7.75	7.50	8.50	9.75							
16		8.00	8.25	8.50	9.50	10.75							

1-inch Branch Tees, 1-inch or 14-inch Run, are 13/4 inches Inside Diameter.

1-inch Branch Tees, 1½-inch or 2-inch Run, are 2¼ inches Inside Diameter.

14-inch Branch Tees are all 2½ inches Inside Diameter.

1½-inch Branch Tees are all 2¾ inches Inside Diameter.

2-inch Branch Tees are all 3½ inches Inside Diameter.

Always order Branch Tees by size and number.

1-inch Branch Tees, 1-inch and 1¼-inch Run, are also made 2¼-inch Inside Diameter, as LARGE PATTERN.

HOOK PLATES






FIG. A-534.

Number of Hooks	1	2	3	4	5	6	7	8	9	10	11	12
For ¾-inch PipeEach	.08	.16	.21	.24	.28	.34	.40	.45	.50	.56	.68	.72
For 1 -inch Pipe Each	.09	.18	.23	.26	.32	.38	.4 8	.59	.65	70	.85	1.00
For 14-inch Pipe Each	.10	.21	27	.32	.41	.52	.68	.80	.90	1.20	1.35	1.40
For 1½-inch Pipe Each	.15	.28	.43	.58	.72	.88	1.10	1.25	1.40	1.55	1.65	1.90
For 2 -inch PipeEach	22	.43	.65	.90	1.15	$\overline{1.35}$						

EXPANSION PLATES



F1G. A-535.

Number of Hooks	1	2	3	4	5	6	7	8	9	10	11	12
For ¾-inch Pipe Each	.12	.23	.34	.45	.55	.65	.77	.90	$\overline{1.05}$	1.25	1.45	1.65
For 1 -inch Pipe Each	.15	.25	.35	.50	.60	.70	.80	.95	1.10	1.35	1.55	1.70
For 14-inch Pipe Each	.17	27^{-}	.40	.60	.70	.80	.90	1.15	1.30	1.50	1.70	$\overline{2.00}$
For 1½-inch Pipe Each	.25	.40	.60	.75	.90	1.00						

TINNED STRAPS



FIG. A-536

Size of PipeInches	<u>I/4</u>	3/8	1/2	3/4	1	11/4	11/2	2
PricePer Found	.30	.30	.30	30	30	.30	.30	.30

GAS HOOKS



FIG A- 537.

Size of Pipe Inches	1/4	3/2	1/2	3/4	1	11/	11/	2
Bize of Tipe inches	/4	/0	/2	/4	_	1/4	1/2	-
Price Per 100	.45	.55	.65	.80	1.00	1.30	1.60	2.00
1 1100 1 01 100		.00	.00	.00	1.00	1.00	1.00	2.00

EXPANSION PIPE HANGERS




FIG. A-538.

Size	Inches	3/4	1	11/4	1 1/2	2	21/2	3	3 1/2	4	5	6
Price	Each	.17	.18	19_	.25	.29	.36	.44	.55	.63	1.12	1.35
	Buttons only-Each	.06	.06	.06	.07	.07	.08	.08	.08	.08	.08	.08
REPAIRS	Plates onlyEach	.08	08	.08	.09	.09	.10	.10	.10	.10	.10	.10
	Rings onlyEach	.08	.12	.15	.20	.25	.30	.40	.50	.60	1.00	1.25

Buttons and Rings for 2-inch Pipe and under are tapped for \%-inch Pipe, other sizes for \%-inch Pipe.

EXPANSION PIPE HANGERS

SECTIONAL RING




FIG. A-539.

SizeInche	3/4	1	11/4	11/2	2	21/2	3	3½	4	5	6
PriceEacl						.65	.80	1.00	1.15	2.00	2.50
Buttons and Rings Tapped Inche	s 1/8	1/8	1/4	3/8	3/8	3/8	1/2	1/2	1/2	34	3/4

CEILING PLATES

SOLID









FIG. A-541.

SOLID CEILING PLATES

Size Inches	1/2	3/4	1	11/4	1 ½	2	2 1/2	3	31/2	4
Price Each	.11	.13	.16	.18	.23	.27	.36	.50	.55	.68

CEILING PLATES IN HALVES

Size Inches	3/4	1	11/4	1 ½	2	2½	3	3½	4
PriceEach	.22	.28	.32	.40	.50	.65	.90	1.00	1.20

SPLIT FLOOR PLATES



FIG. A-542.

SizeInches	1/2	3/4	1	11/4	1½	2	2½	3	3½	4	5	6
PriceEach	.06	.06	.08	.11	.14	.16	.24	.30	.35	.42	.60	.75

HINGED FLOOR AND CEILING PLATES

FLOOR



CEILING



FIG. A-543.

FIG. A-544.

Size	Inches	1/2	3/4	1	11/4	1½	2	21/2	3	31/2	4	5	6
Black	Each	.14	.14	.18	.20	.24	.28	.43	.60	.90	1.25	1.60	$\overline{2.00}$
Nickel-plated	Each	.25	.25	.28	.32	.35	.38	.52	.75	1.10	1.50	2.00	2.50

BRASS FLOOR AND CEILING PLATES

FLOOR





FIG. A-515.



CEILING

FIG. A-546.

SizeInches	1/4	3/8	1/2	3/4	1	11/4	1 ½	2
Nickel-platedEach	.08	.08	.09	.10	.11	.12	.13	.15

STANDARD BRASS

GLOBE, ANGLE, AND CROSS VALVES

ANGLE





FIG. A-547.



FIG. A-548.



FIG. A-549.

Size	Inches	1/8	1/4	3/8	1/2	3/4	1	11/4	1½	2	21/2	3
	Each						1				l	
Angle -	Each											
Cross -	Each		1.25	1.25	1.50	$^{-}2.00^{-}$	-2.50	3.50	5.00	8.00	16.00	24.00

BRASS GLOBE AND ANGLE VALVES

WITH JENKINS DISC

Size Inches	<u>1/4</u>	3/8	1/2	3/4	1	11/4	1½	2	21/2	3	
GlobeEach	1.10	1.25	1.60	2.20	2.80	4.00	5.50	8.75	15.75	22.00	
Angle Each	1.10	1.25	1.60	2.20	2.80	4.00	5.50	8.75	15.75		

STANDARD BRASS CHECK VALVES

ANGLE

HORIZONTAL



FIG. A-550



FIG. A-551.



FIG. A-552

Size Inches	1/8	1/4	3/8	1/2	3/4	1	11/4	1½	2	21/2	3
Horizontal Each	.65	.65	.70	.90	1.15	1.60	2.25	3.15	4.75	9.00	13.00
AngleEach		.72	.77	1.00	1.26^{-}	1.80	2.52	3.50	5.30	10.00	14.40
Vertical Each	.72	.79	.77	1.00	1.26	1.80	2.52	3.50	5.30	10.00	14.40

BRASS CHECK VALVES

WITH JENKINS DISC

* ************************************										
SizeInches	1/4	3/8	1/2	3/4	1	11/4	1 ½	$\lfloor 2 \rfloor$	$2\frac{1}{2}$	3
PriceEach	1.10	1.20	1.30	1.90	2.60	3.60	5.00	7.50	13.50	20.50

JENKINS BROTHERS BRASS

GLOBE, ANGLE, AND CROSS VALVES

ANGLE





FIG. A-553.

FIG. A-554.



FIG. A-555.

SizeInches	1/8	1/4	3/8	1/2	3/4	1	11/4	1 ½	2 .	21/2	3
GlobeEach	1.10	1.10	1.25	1.60	2.20	1		5.50		1	
Angle Each				1.60	2.20	2.80	4.00	5.50		1	
Cross Each		1.70	2.00	2.25	2.50	3.25	4.75	6.25	9.50	20.00	27.50

LUNKENHEIMER'S BRASS REGRINDING

GLOBE, ANGLE, AND CROSS VALVES

GLOBE



FIG. A-556.

ANGLE



FIG. A-557.

CROSS



FIG. A-558.

Size Inches	1/8	1/4	3/8	1/2	3/4	1	11/4	1½	2	2½	3
GlobeEach	.70	.70	.85	1.15	1.45	2.00	2.80	3.90	6.20	$\overline{12.00}$	16.50
Angle Each	.70	70	.85	1.15	1.45	2.00	2.80	3.90	6.20	$\overline{12.00}$	16.50
Cross Each	1.00	1.00	1.00	1.50	2.00	2.70	3.50	5.10	8.00	$\overline{16.00}$	24.00

JENKINS BROTHERS BRASS CHECK VALVES

HORIZONTAL



FIG. A-559.

ANGLE



FIG. A-550.

VERTICAL



FIG. A -561

Size	Inches	1/4	3/8	1/2	3/4	1	11/4	1½	2	21/2	3
Horizontal	Each	1.10	1.20	1.30	1.90	-2.60	3.60	5.00	7.50	13.50	20.50
Angle	-Each	1.10	1.20	1.30	1.90	$ \overline{2.60} $	3.60	5.00	7.50	13.50	20.50
Vertical	- Each	1.10	1.20	1.30	1.90	2.60	3.60	$\overline{5.00}$	7.50	13.50	20.50

LUNKENHEIMER'S REGRINDING BRASS CHECK VALVES

HORIZONTAL



FIG. A-552.

ANGLE



FIG. A-563.

VERTICAL



FIG A-564

Size	Inches	1/8	1/4	3/8	1/2	3/4	1	11/4	1 ½	2	21/2	3
Horizontal	Each	.50	.50	.60	.85	1.15	1.55	2.30	3.25	5.20	10.00	14.00
Angle	Each	.50	.50	.60	.85	1.15	1.55	2.30	3.25	5.20	10.00	14.00
Vertical	Each	.50	.50	.60	.85	1.15	1.55	2.30	3.25	5.20	10.00	14.00

BRASS HORIZONTAL CHECK VALVE

WITH DRIP COCK

BRASS SWING CHECK VALVE



FIG. A-355.



FIG. A-566.

IRON HORIZONTAL CHECK VALVE



FIG. A-567.

Size Inches	1/2	3/4	1	11/4	1 ½	2	2 ½	3
Swing Check Each	1.30	1.75	2.25	3.25	4.25	6.25	11.50	16.00
Horizontal, with Drip Cock Each	-2.15	2.55	3.15	4.05	5.40			
Iron Check ValveEach		1.00	1.25	1.50	2.00	2.75		

IRON BODY VALVES

BRASS

MOUNTED

PLAIN -

GLOBE




FIG A-568.

ANGLE



FIG. A-569.

Size	Inches	2	21/2	3
Standard	Each	5.40	7.35	9.80
With Jenkins Disc	Each,	7.25	11.00	16.00

BRASS

MOUNTED

WITH YOKE

GLOBE




FIG. A-570.

ANGLE





FIG. A-571.

										
SizeInches	2	21/2	3	31/2	4	4 1/2	5	6	7	8
Standard Each	7.00	9.00	12.50	15.25	19.00	24.00	27.00	37.50	63.00	72.00
With Jenkins Disc Each		12.00	16.75	19.50	24.00		40.00	48.00	80.00	90.00

IRON BODY VALVES



CROSS, PLAIN



BRASS MOUNTED




FIG. A-573.

				3		4	4 ½	5	6	7	8
Plain	Each	6.50	-9.00	12.50							
With Yoke	Each			16.25	20.00	23.50	30.65	35.25	47.25	78.00	92.00

IRON BODY CHECK VALVES

BRASS MOUNTED



FIG. A-574.




FIG. A-575.



FIG. A-576.

Size	Inches	2	21/2	3	3½	4	4 1/2	5	6	7	8
Horizontal	Each										57.00
Horizontal, with Jenkins Disc	Each			$\overline{14.00}$							
Vertical			9.50	$\overline{12.50}$	$\overline{17.00}$	21.00	$\overline{30.00}$	33.00	40.00	62.00	73.00
Angle	Each	3.60	6.50	8.90	12.25	$\overline{14.25}$	19.00	22.00	30.00	45.00	57.00

IRON BODY SWING CHECK VALVES, BRASS MOUNTED

Size Inches	2	21/2	3	3½	4	4 ½	5	6	7	8
Price Each	6.25	10.00	12.00	16.00	20.50	23.00	25.50	32.00	41.50	50.00

GATE VALVES

IRON BODY, BRASS MOUNTED






FIG. A-577.




FIG. A-578.

BRASS GATE VALVES

										
SizeInches	1/4	3/8	1/2	3/4	1	11/4	1 1/2	2	21/2	3
Price Each	1.25	1.25	1.30	1.75	2.50	3.50	5.00	7.50	15.00	22.00

IRON BODY, BRASS MOUNTED GATE VALVES

SizeInches	1 2	21/2	3	3 1/2	4	4 1/2	5	6	7	8
PriceEach	10.00	12.00	15.00	18.00	20.00	23.00	25.00	30.00	45.00	55.00

"CLIP"



FIG. A-579.

LUNKENHEIMER
IRON BODY
BRASS MOUNTED
GATE VALVES



"VICTOR"

FIG 4-580

"CLIP" GATE VALVES

Size	Inches	1/2	3/4	1	11/4	1½	2	21/2	3
Price	Each	1.50	1.90	2.50	3.50	5.00	7.50	12.00	15.00

"VICTOR" GATE VALVES

Size In	nches 2	2½	3	3½	4	4 ½	5	6	7	8
Price	Each 9.00	11.00	14.00	22.00	29.00	34.00	42.00	53.00	60.00	75.00

QUICK OPENING GATE VALVES

"HANDY"




FOR
PRESSURE
NOT
EXCEEDING
75
POUNDS

FIG. A-581.

Size	Inches										
Brass Body	Each	1.60	$1.8\overline{0}$	2.50	3.50	5.00					60.00
Iron Body, Brass Mounted	Each										$\overline{21.00}$
All Iron	Each		3.40	4.00	4.50	6.00	7.00	12.00	15.00	18.00	$\overline{21.00}$

"VICTOR"



FOR
175
POUNDS
WORKING
PRESSURE

FIG. A-582.

C:	1 0	1 014		917	4	41/		e	17	0
SizeInches	Z	2 1/2	3	3 1/2	4	4 1/2	<u> </u>	0		
Iron Body, Brass MountedEach	9.00	$\overline{11.00}$	14.00	22.00	29.00	34.00	42.00	53.00	60.00	75.00
All IronEach	9.00	$1\overline{1.00}$	$\overline{14.00}$	22.00	$\overline{29.00}$	34.00	42.00	53.00	60.00	75.00

THROTTLE VALVES




FIG. A-583.

BRASS BODY

SizeInches	3/4	1 11/4	1½	2	$2\frac{1}{2}$
PriceEach	3.00 4	1.00 5.00	7.00	10.00	19.00

IRON BODY BRASS MOUNTED

SizeInches	2½	3	31/2	4	5	6
Price Each	16.00	20.00	25.00	30.00	35.00	40.00

BACK PRESSURE VALVES

IRON BODY, BRASS MOUNTED




FIG. A-584.




FIG. A-585

IRON BODY, BRASS MOUNTED, PRESSURE VALVES

Size	Inches	2	21/2	3	31/2	4	4 1/2	5	6
Price	Each	11.00	13.00	$\overline{15.00}$	19.00	22.50	28.50	33.50	43.00

"DAVIS" NOISELESS, BACK PRESSURE VALVES

· · · · · · · · · · · · · · · · · · ·								
SizeInches	2	21/2	3	3½	4	4 1/2	5	6
PriceEach	14.00	16.00	18.00	22.00	25.00	30.00	40.00	60.00

STANDARD STEAM COCK

BRASS



FIG. A-586.

Size Inches	1/4	3/8	1/2	3/4	1	11/4	1½	2	21/2	3
Flat or Square Head Each	.85	1.00	$\overline{1.25}$	1.70	2.35	3.70	4.85	7.30	14.50	22.50
With CheckEach	1.00	$\overline{1.15}$	1.40	1.90	-2.55	3.95	5.15	7.65	15.00	23.25

THREE-WAY STEAM COCK

BRASS



FIG. A-587.

SizeInches	1/2	3/4	1	11/4	1½	2	$2\frac{1}{2}$ 3
PriceEach	2.50	3.00	3.75	5.75	7.15	11.00	18.75 26.00

MALLEABLE IRON WRENCHES

FOR GAS OR STEAM COCKS

FLAT OR SQUARE HEAD

Cino	1/	3/8	1/	3/	1	11/	1 1 1/4 1	9	121/2	1 3
Size inches	4	1 78	1/2	74	1 1	1/4	1/2		2/2	
		<u>-</u> -					- C-		F 0	1 00
Flat or Square Head Each	07	0.7	.07	.09	.14	19	.25	44	1 56	1.00
riat of Square fread = Lacif	.01	.0.	.01	.00			1 .20	•	1 .00	1.00

IRON COCKS



FIG. A-588.

SizeInches	1/2	3/4	1	11/4	1½	2	2½	3	31/2	4
All IronEach										
Iron Body, Brass Plug Each	1.30	1.60	1.90	2.65	3.75	5.25	8.75	$\overline{13.00}$	$\overline{27.50}$	$\overline{36.50}$

IRON THREE-WAY COCKS




FIG. A-589.

Size	Inches					2				
All Iron	Each									$\overline{19.00}$
Iron Body, Brass Plug	Each	 2.20	2.40	3.10	$\overline{4.50}$	6.25	9.75	13.75	$\overline{30.00}$	$\overline{40.00}$

HOT WATER RADIATOR VALVES

WITH UNION AND BY-PASS

WOOD WHEEL




FIG. A-590.

No.	SizeInches	3/4	1	11/4	1½	2
	Rough Body, Finished Trimmings Each		2.50	3.50	5.00	7.00
	Rough Body, Nickel-plated TrimmingsEach			3.90	5.40	8.00
3	Rough Body, Nickel-plated all over Each	2.40	3.00	4.10	5.60	8.25
4	Finished all over Each	3.00	4.05	5.15	7.40	11.25
5	Finished and Nickel-plated all overEach	3.40	4.50	5.75	8.00	12.00

RADIATOR VALVES WITH UNION

JENKINS DISC

WOOD WHEEL




FIG. A-591.

THREADS: Male, Right Hand on Union; Female, Right Hand on Bottom.

	Size Inches			1	11/4	1½	
	Rough Body, Finished Trimmings Each				5.85	7.75	12.60
$\overline{12}$	Rough Body, Nickel-plated Trimmings Each	3.05	3.80	4.60	6.15	8.05	12.90
	Rough Body, Nickel-plated all over Each		3.90	4.70	-6.25	8.15	13.00
	Finished all over Each		4.00	4.80	6.40	8.75	13.85
15	Finished and Nickel-plated all over Each	3.60	4.40	5.20	6.80	9.15	14.25

CORNER RADIATOR VALVES WITH UNION

JENKINS DISC

WOOD WHEEL




FIG. A-592.

THREADS: Male, Right Hand on Union; Female, Right Hand on Bottom.

No.	SizeInches	3/4	1	11/4	1½	$\overline{2}$
	Rough Body, Finished Trimmings Each		4.75	6.45	8.55	13.85
	Rough Body, Nickel-plated TrimmingsEach	4.15	5.05	6.85	8.85	14.15
23	Rough Body, Nickel-plated all over Each		5.15	6.95	8.95	14.25
24	Finished all over Each	4.40	5.30	7.05	9.65	15.25
25	Finished and Nickel-plated all overEach	4.80	5.70	7.45	10.05	15.65

RADIATOR VALVES

JENKINS DISC

WITH LOCK AND SHIELD




FIG. A-593.

Lock and Shield Radiator Valves same price as Wood Wheel Valves. When ordering, use Wood Wheel Valve number, adding the words "Lock and Shield."

BRASS KEYS

FOR LOCK AND SHIELD VALVES



•	PLAIN	NICKEL PLATED
Fig. A—594 for Valves ¾ to 2 inches, inclusive —— Each	.50	.70
Fig. A - 595 for Valves 3/8 to 1/2 inchEach	.18	.25

EXTRA JENKINS DISCS

SizeInches PriceEach		3/804	.04	.05	.06			
Size Inches Price Each	/-		- / -		5 .68	<u>6</u> .90	.98	$\frac{-8}{1.05}$

UNION ELBOWS

BRASS





FIG. A-596.

No.	SizeInches	3/4	1	11/4	1½	2
31	Rough BodyEach	1.25	1.60	2.15	2.85	4.50
	Rough Body, Nickel-plated Each	1.50	1.85	2.40	3.15	4.80
33	Finished all overEach	1.70	2.10	2.80	3.75	5.35
34	Finished and Nickel-plated all over Each	1.95	2.35	3.05	4.05	5.65

COMPRESSION RADIATOR AIR VALVES



Size	Inches	1/8	1/4
Tim A FOR NI last all and a	Each	.35	.40
Fig. A-598 Nickel-plated	Each	.45	.55
Fig. A-599 Nickel-plated	Each	.45	.55
Fig. A - 600 Nickel-plated	Each	.60	.65
Fig. A—601 Nickel-plated	Each	.70	.75

"CLEVAUC" AUTOMATIC SYPHON AIR VALVES








FIG. A-603.

Plain Valve, Nickel-plated	Each 1.25
With Heat Controller	Each 1.40
Screw Caps	Each .10

AUTOMATIC AIR VALVES



FIG. A-604.




FIG. A-605.

"Acme," Plain	Each 1.25
"Acme," with Heat Controller	Each 1.40
"Acme," for Hot Water	Each 1.25
"Paul"	Each 1.25

"VICTOR" AUTOMATIC AIR VALVES

No. 1 or No. 2 Each	.65
No. 1 or No. 2 with Drip Connection Each	




AIR COCKS

STRAIGHT

FIG. A-606.

Size	Inches	1/8	1/4	3/8	1/2
T Handle	Each	.40	.40	.50	.60
Lever Handle	Each	.55	.55	.65	.75



AIR COCKS

BIBBED

FIG. A-607.

SizeInches	1/8	1/4	3/8	1/2
T HandleEach	.70	.70	.80	.90
Lever Handle Each'	.80	.80	.90	1.00




AIR COCKS

MALE THREADS

FIG. A-608.

			1	
Size Inches	1/8	1/4	3/8	1/2
T HandleEach	.55	.55	.65	.90
Lever Handle Each	.60	.70	.85	1.00



AIR

OR

STEAM GAUGE COCKS

FEMALE THREADS

FIG. A-609.

SizeInches	1/8	<u>1/4</u>	3/8	
T HandleEach	.70	.75	.85	
Lever HandleEach	.85	.90	1.00	

COMPRESSION GAUGE COCKS

WITHOUT STUFFING BOX




FIG. A-610.

WITH STUFFING BOX




FIG. A-611.

SizeInches	3/8	1/2	3/4
Without Stuffing Box Each	1.10	1.20	1.35
With Stuffing BoxEach	1.35	1.50	1.70

MISSISSIPPI GAUGE COCKS.



FIG. A-612.

Size, Iron Pipe Thread Inches	3/8	1/2		3/4
Size, Blank ShankInches	5/8	3/4	7/8	1
PriceEach	.90	1.20	1.50	1.80

DUPLEX GAUGE COCKS



FIG. A-613.

REGISTER GAUGE COCKS



FIG. A-614.

Size Inches	3/8	1/2	3/4
DuplexEach	1.00	1.00	1.10
kegister Each	1.00	1.00	1.10

SAFETY VALVES

IRON BODY, BRASS MOUNTED, AND ALL BRASS




FIG. A-615.

Size Inches	1/4	3/8	1/2	3/4	1	11/4	/-			3½	
Iron Body, Brass DiscEach					4.00	5.00	i				$\overline{28.75}$
Iron Body, Jenkins DiscEach											38.00
Brass, Brass DiscEach	$\overline{2.20}$			ı		1	1 1		$3\overline{3.50}$		
Brass, Jenkins DiscEach			4.12	$\overline{4.95}$	5.50	8.25	$ \overline{10.15} $	$\overline{15.40}$			

LUNKENHEIMER POP SAFETY VALVES



FIG. A-616.

TOP OR ANGLE OUTLET

BRASS



FIG. A-617.

SizeInches	3/8	1/2	3/4	1	11/4	1½	2	21/2	3
Top OutletEach	5.50	6.00	6.50	7.50	9.00	11.50	18.00	28.00	38.00
Angle OutletEach	6.00	6.50	7.00	8.20	9.80	12.40	19.50	30.00	41.00



LOW PRESSURE SAFETY VALVES

BRASS

FIG. A-618.

Size	Inches	3/4	1	11/4	11/2	2
Price	Each	2.60	3.30	4.50	6.35	8.65

BRASS STEAM WHISTLES AND WHISTLE VALVES



FIG. A-619.



FIG. A-620.



FIG. A-621.

BRASS STEAM WHISTLES

Diameter of Bell Inches	1	11/4	1½	2	21/2	3	3½	4	5	6
Size of Pipe Connection Inches				1/2			1			
Regular, without ValveEach										
Regular, with Valve Each	3.10	3.75	4.00							
Long Bell, without Valve Each					$\overline{6.40}$	8.00	$\overline{11.00}$	$\overline{14.20}$	22.50	33.00

Note—Regular size Whistle Bells are about twice as long as the diameter.

Long size Whistle Bells will run about three times as long as the diameter.

WHISTLE VALVES WITH ADJUSTABLE LEVER

									
Size Inches	3/8	1/2	3/4	1	1¼	1½	. 2	$2\frac{1}{2}$	3
PriceEach	2.00	2.50	3.00	3.50	-5.00	6.00	9.00	18.00	27.00

WATER COLUMNS


Nos. 5 AND 6







FIG. A- 623.



Number	0	1	2	3	4	5	6
Center to Center of Boiler ConnectionsInches		10	$12\frac{1}{2}$	14	18		
Center to Center of Water Gauge Connections. Inches	91/2	10	12½	14	18	133/8	$\overline{27}$
Center to Center of Gauge Cocks Inches		33/8	33/4	4 1/2	4	35/8	4 3/4
Extreme Length Inches	12½	13	$\overline{16\frac{1}{2}}$	18¾	$22\frac{1}{2}$	201/4	301/4
Tapped for Boiler Connections Inches	3/4	1/2	3/4	11/4	11/4	11/4	11/4
Tapped for Water Gauge Connections Inches	3/8	1/2	1/2	3/4	3/4	1/2	3/4
Tapped for Gauge Cocks1nches		3/8	1/2	1/2	3/4	1/2	3/4
Top and Bottom Tapped Inches	1/4 x 3/4	3/4	1	3/4	11/4	11/4	11/4
Price, Columns onlyEach	1.50	2.75	4.00	$\overline{6.00}$	8.00	7.50	12.00

No. 0 is designed especially for House Heating Boilers, and has no holes for gauge cocks. Nos. 5 and 6 the connection to the boiler is made from top and bottom of column.

STEAM GAUGE SYPHON



FIG. A-625.

Size Inches	1/4
PriceEach	.50

HIGH PRESSURE STEAM GAUGES

BOURDON SPRINGS




FIG. A-626.

PRICES INCLUDE COCK

Size of DialInches	2½	3½	41/2	5	5½	6	6 3/4	8½
Iron Case, Single Spring Each	6.00	7.00	8.00	8.00	10.00	13.00	16.00	22.00
Brass Case, Single SpringEach	8.00	9.00	10.00	11.00	12.00	16.00	20.00	30.00
Iron Case, Double Spring Each					12.00			
Brass Case, Double Spring Each			12.00	$\overline{1}3.00$	14.00	18.00	22.00	34.00

LOW PRESSURE STEAM GAUGES

BOURDON SPRINGS




FIG. A- 627.

PRICES INCLUDE COCK

Size of DialInches	$2\frac{1}{2}$	3⅓	/-	5	/ -		63/4	
Iron Case, Single Spring Each	6.00	7.00	8.00	8.00	10.00	13.00	16.00	22.00
Brass Case, Single Spring Each	8.00	9.00	I	l				
Iron Case, Double Spring Each			10.00	11.00	12.00	15.00	18.00	25.0
Brass Case, Double SpringEach			12.00	13.00	14.00	18.00	22.00	34.00

Note—Steam Gauges should never be used without a syphon of sufficient capacity o fill the Gauge Tube and keep it cool.

COMBINATION WATER PRESSURE GAUGES




FIG. A-628.

For indicating the height in feet, and pounds pressure per square inch of water in Reservoir, Stand-pipe, or Pumping Station.

PRICES INCLUDE COCK

Size of Dials Inches						10	
Iron Case, Brass Ring Each							
Iron Case, Nickel-plated Ring Each	12.50	14.25	16.50	20.60	30.75	41.00	61.50
Brass Case Each							
Nickel-plated Case Each	15.00	17.25	21.50	27.00	42.50	53.00	84.00

ALTITUDE GAUGES




FIG. A-629.

This Gauge is designed for use on Hot-water Heaters.
DIRECTIONS—When Reservoir is filled to proper height, set RED hand to point indicated by BLACK hand. This shows height at which water should be constant in Reservoir. An variation in height of water will be indicated by black hand.

PRICES INCLUDE COCK

Size of DialInches	31/4	4 1/2	5
Iron Case Each	8.00	8.00	8.00

WATER GAUGES

ROUGH BRASS BODY

IRON WHEEL




FIG. A-630.

FINISHED BRASS BODY

WOOD WHEEL




FIG. A-631.

ROUGH BRASS BODY, IRON WHEEL, WATER GAUGES

3/8-inch Pipe Connections.	%x10 Glass	Each 2.75
½-inch Pipe Connections.	%x12 Glass	Each 3.00
½-inch Pipe Connections.	%x14 Glass	Each 3.25
34-inch Pipe Connections.	34 x 16 Glass	Each 4.50

FINISHED BRASS BODY, WOOD WHEEL, WATER GAUGES

3/8-inch Pipe Connections.	5% x10	Glass	Each	3.75
½-inch Pipe Connections.	5% x12	Glass	Each	4.25
½-inch Pipe Connections.	5⁄8 x14	Glass.	. Each	4.50
34-inch Pipe Connections.	34x16	Glass	Each	5.50


WATER GAUGES

FINISHED BRASS BODY


ROUGH BRASS BODY

WOOD WHEEL

FOR EXPANSION TANKS







FINISHED, SQUARE BRASS BODY, WOOD WHEEL, WATER GAUGES

½-inch Pipe Connections.	%x12 Glass	Each 6.00
½-inch Pipe Connections.	%x14 Glass	Each 6.50
¾-inch Pipe Connections.	34x16 Glass	Each 8.00

ROUGH BRASS BODY WATER GAUGES.

FOR EXPANSION TANKS

½-inch Pipe Connections.	%x12 Glass	Each 2.60

EXTRA BRASS GUARDS

FOR WATER GAUGES

Length of GuardsInches	12	14	16	18	20
PriceEach	.15	.20	.25	.30	.35

SCOTCH GLASS TUBES



FIG. A-634.

Length Inches	10	12	14	16	18	20	22	24
½-inch Diameter Each	.25	.30	.35	.40	.45	.50	.55	.60
%-inch Diameter Each	25	.30	.35	.40	.45	.50	.55	.60
34-inch Diameter Each	30_	.37	.43	.49	.55	.62	68	.74
7/8-inch Diameter Each		.51	.59	.66	.76	.85	.93	1.01
1-inch Diameter Each	51	.61	-71	81_	.91	1.01	1.12	1.22

'BROCKTON"
GLASS TUBE CUTTERS

"CHESTERTON"
GLASS TUBE CUTTERS




FIG A-635




FIG. A-636.

Price _____Each 1.00

Price ----Each 2.50

THERMOMETERS FOR HOT WATER HEATERS



* FIG. A-637.

Straight	Each 5.00
Angle	Each 6.00

FUSIBLE PLUGS



F1G. A-638.

Size Inch	16	3/4	1 1	1 1 1/	1 11/6	1 - 2
Size Inch	1 ,-	1 ''		-/-	1 /2	
PriceEa	sh 60	.75	1.00	1.50	2.00	3.00
PriceEa	.00	1 .10	1.00	1.00	2.00	1 0.00

LEVER HANDLE OIL CUP HINGED LID OIL CUP

PLAIN OIL CUP






FIG. A-640.



FIG. A-641.

Number	00	0	1	2	3	4	5	6	7
Outside Diameter Inches	5/8	3/4	7/8	1	11/4	1 ½	13/4	17/8	2
Pipe ThreadInches	1/8	1/8	1/8	1/4	1/4	3/8	3/8	3/8	1/2
Plain Each	.25	.30	.35	.40	60	.90	1.25	1.60	1.75
Lever HandleEach		.90	1.00	1.10	1.60	2.20	2.75	3.00	3.25
Hinged Lid Each			.80	1.00	1.40	1.85	2.40	-2.75	3.10

"MARINE"

SCREW FEED, GREASE CUP

"TIGER" PLAIN GREASE CUP





FIG. A-643.

"TIGER" PLAIN GREASE CUP

Number	00	0	1	2	3	4
Pipe ThreadInches	1/8	1/4	1/4	3/8	1/2	1/2
outputty and the second	1/2	2/3	1	2	3½	5
Rough Brass Each	.56	.74	.96	1.28	1.76	2.30
Finished BrassEach	.70	.90	1.15	1.50	2.15	2.90

"MARINE" SCREW FEED, GREASE CUP

Number	00	0 .	1	2	3	4
Pipe ThreadInches	1/8	1/4	1/4	3/8	1/2	1/2
Capacity Ounces	1/3	1	1½	3	6	10
Finished Brass Each	-1.00	1.20	1.60	2.00	2.80	4.00

"IDEAL"

AUTOMATIC GREASE CUP

"JEWEL" AUTOMATIC GREASE CUP



FIG. A-644.



FIG. A-645.

Number	00	$={0}$	1	$-2^{}$	3	4
Pipe ThreadInches	1/8	<u>'</u> 4	1/4	3/8	1/2	1/2
CapacityOunces	1/3	1	$\overline{1\frac{1}{2}}$	3	6	10
"Jewel," Finished BrassEach	.80	1.00	1.30	1.70	2.30	3.20
"Ideal" Finished BrassEach	1.50	2.00	2.50	3.20	4.30	6.00

"SENTINEL"

SNAP LEVER, SIGHT FEED, OIL CUP



FIG. A-646.

FIGURE AT LEFT, SHOWS

LEVER UP, AND CUP

FEEDING

FIGURE AT RIGHT, SHOWS
LEVER DOWN, AND FEED
STOPPED



FIG. A-647.

Number	0	1	1 ½	2	3	4	5 6
Pipe Thread Inches	, 0	1/4	1/4	3/8	3/8	3/8	1/2 1/2
CapacityOunces	5/8	1	11/2	21/2	4	5	10 18
Finished Brass Each	3.00	3.25	3.50	3.75	4.25	5.25	$7.25 \mid 9.25$
Nickel-plated Each	3.50	3.75	4.00	4.25	4.75	5.75	8.00 10.25

"ROYAL"

SIGHT FEED

'PIONEER"



SLIDE TOP GLASS OIL CUPS



FIG. A-649.

FIG.	A-648.

Number	000	00	0	1	1½	-2	3	4	5	6
Pipe ThreadInches	1/8	1/8	1/8	<u>1/4</u>	1/4	3/8	3/8	3/8	1/2	1/2
CapacityOunces	1/4	1/2	5/8	1	1½	$\frac{1}{2\frac{1}{4}}$	4	5	10	18
"Pioneer," Finished BrassEach	.70	$\overline{.75}$.80	$\overline{1.00}$	$\overline{1.25}$	$\overline{1.50}$	1.90	$\overline{2.40}$	$\overline{3.10}$	4.00
"Royal," Finished Brass Each	.95	1.10	1.25	1.50	1.75	2.10	2.55	3.15	3.90	4.80

AUTOMATIC ROD CUPS

SCREW FEED



ENGINE CRANK PINS

FOR

FIG. A-650.

Number	0	1	1½	2	3	4
Pipe ThreadInches	<u></u>	1/4	1/4	3/8	3/8	3/8
Capacity Ounces	, -	1	-/4	21/2	4	5
Finished BrassEach	1.10	1.50	2.00	2.50	3.00	4.00

EXTRAS

GLASSES AND CORK WASHERS FOR OIL CUPS

Number	000	00	0	1	1½	2	3	4	5	6
Diameter of GlassInches	1	1 1/8	11/4	1½	13/4	$\overline{2}$	21/4	21/2	3	3½
Glasses Each										
Cork Washers Per dozen	.45	.55	.75	.90	1.10	$\overline{1.20}$	1.35	1.50	1.80	2.25

PLAIN ENGINE LUBRICATORS





FIG. A-651.

Number	00	0	1	2	3	4	5	6	7
Pipe ThreadInches	3/8	3/8	3/8	1/2	1/2	1/2	1/2	3/4	3/4
Capacity Ounces	3/4	1	11/4	1½	21/2	4	5	10	18
Finished Brass Each	2.00	2.20	2.40	2.60	2.90	3.25	3.75	4.75	7.00

"SWIFT" LUBRICTORS

DOUBLE CONNECTION






FIG. A-653.

CapacityPints	1/4	1/3	1/2	1	11/2	2
Pipe ThreadInches	3/8	3/8	3/8	1/2	1/2	1/2
Single Connection, Finished BrassEach	10.00	12.00	16.00	22.00	28.00	34.00
Double Connection, Finished BrassEach	10.00	12.00	16.00	22.00	28.00	34.00

"DETROIT" LUBRICATORS

SINGLE CONNECTION




FIG. A-654.

DOUBLE CONNECTION




FIG. A-655.

CapacityPi	ints	1/4	1/3	1/2	1	2
Single Connection, Finished Brass E.	ach	15.00	17.00	20.00	28.00	42.00
Double Connection, Finished Brass E	ach		17.00	22.00	30.00	45.00

LUNKENHEIMER LUBRICATORS

"JUNIOR"

SINGLE CONNECTION



FIG. A-656.

"SENIOR"

DOUBLE CONNECTION



FIG. A-657.

Capacity Pints	1/4	1/3	1/2	2/3	1	1½	2
Pipe Thread Inches	3/8	3/8	3/8	1/2	1/2	1/2	1/2
Single Connection, Finished BrassEach	7.00	8.00	10.00				
Double Connection, Finished BrassEach	12.00	15.00	17.00	20.00	22.00	25.00	28.00

"PENBERTHY" AUTOMATIC INJECTOR




FIG. A-658.

"PENBERTHY" !NJECTOR REPAIRS




FIG. A-659.


PENBERTHY AUTOMATIC INJECTOR

SIZE	HORSE	PIPE CONNECTIONS		PER HOUR 75 POUNDS STEAM PRESSURE	PRICE	
	POWER	INCHES	MAXIMUM	MINIMUM	EACH	
00	4 to 8	3/8	80 Gallons	55 Gallons	16.00	
A	8 " 16	1/2	135 "	70 "	18.00	
AA	12 " 22	1/2	180 "	100 "	20.00	
В	17 " 32	3/4	260 "	140 "	25.00	
BB	20 " 45	3/4	355 "	170 "	30.00	
C	40 " 65	1	475 "	300 "	40.00	
CC	45 " 80	1	600 "	350 "	45.00	
D	50 " 100	11/4	800 "	425 "	55.00	
$\overline{\mathrm{DD}}$	75 " 135	11/4	1000 "	525 "	60.00	
E	100 " 180	1½	1400 "	800 "	75.00	
EE	115 " 255	1½	1900 "	900 "	90.00	
F	160 " 320	2	2400 "	1300 "	110.00	
$\overline{\mathbf{F}\mathbf{F}}$	200 " 400	2	3000 "	1600 "	125.00	

PENBERTHY INJECTOR REPAIRS .

SIZE OF INJECTOR	00	A OR AA	B OR BB	C OR CC	D OR DD	E	EE	F	FF
R—Steam Jet Each	.25	.35	.45	.55	.65	.75	.75	.85	1.00
S—Suction JetEach	.25	.35	.45	.55	.65	.75	.75	.85	1.00
Y—Delivery Jet Each	1.25	1.50	2.00	2.50	3.00	3.75	4.50	5.50	6.50
X—Coupling Nut Each	.25	.30	.40	.50	.60	1.25	1.25	1.50	1.50
V—Tail Pipe Each	.25	.30	.40	.50	.60	.80	.80	1.00	1.00
Z—Overflow Cap Each	.30	.40	.50	.60	.70	.80	.80	.90	.90
P-Overflow ValveEach	.40	.50	.60	.75	.90	1.00	1.10	1.25	1.25
N-Overflow Hinge Each	.10	.10	.15	.15	.15	.20	.20	.20	.20
O-PlugEach	.60	.80	1.00	1.25	1.50	1.75	1.75	2.00	2.00
Strainer Each	.40	.40	.50	.50	.60	.75	.75	1.00	1.00

"U S" AUTOMATIC INJECTORS






STYLE D

FIG. A-661.

FIG. A-660.

<u>"U S" AUTOMATIC INJECTORS </u>

SIZE	HORSE	PIPE CONNECTIONS		CAPACITY PER HOUR 4 FOOT LIFT. 80 POUNDS STEAM PRESSURE					
	POWER	INCHES	MAXIMUM	MINIMUM	EACH				
00	1 to 4	1/4	36 Gallons	15 Gallons	13.00				
0	3 " 8	3/8	65 "	28 "	14.00				
1	6 " 10	3/8	90 "	40 "	16.00				
2	8 " 15	1/2	125 "	60 "	18.00				
_3	15 " 20	1/2	170 "	75 "	20.00				
4	20 " 30	3/4	250 "	125 "	25.00				
5	30 " 40	1/4	340 "	140 "	30.00				
6	40 " 60	1	475 "	250 "	40.00				
7	60 " 70	1	575 "	300 "	45.00				
8	70 " 85	11/4	750 "	350 "	55.00				
9	85 " 120	11/4	920 "	450 "	60.00				
10	120 " 165	11/2	1350 "	675 "	75.00				
$\overline{11}$	165 " 230	1½	1750 "	850 "	90.00				
12	230 " 295	2	2275 "	1000 "	110.00				
13	295 " 375	2	2820 "	1300 "	125.00				
14	375 " 460	. 2	3400 "	1700 "	150.00				
15	460 " 500	21/2	3650 "	1800 "	175.00				
16	500 " 600	21/2	4000 "	1950 "	200.00				



"U S" INJECTOR REPÁIRS

	00	4	6	8	10	12
SIZE OF INJECTOR	то	OR	OR	OR	OR	то
	3	5	7	9	11	14
A-Steam JetEach	.80	1.00	1.15	1.35	1.60	2.00
B—Suction Jet Each	50	.75	1.25	1.50	1.75	
C—Delivery Tube Each	1.00	1.10	1.45	1.75	2.00	
D-Tail PipeEach	.30	.35	.40	.50	.75	1.00
E-Tail Pipe NutEach	.30	.40	50	.65	.85	1.20
F-Delivery CapEach	1.00	1.10	1.45	1.75	2.00	2.50
G \ Overflow Cap and Valve	.80	.95	1.00	1.25	1.50	2.00

STEAM JET PUMP




FIG. A-663.

Number	1	2	3	4	5	6
Suction and Delivery, Size Inches	1/2	3/4	1	11/4	1½	2
Steam Connection, Size Inches	, -	1/2	, , ,	1		11/4
Capacity per hour (65 pounds Steam, 3 foot Lift) Gallons						
Price, all Brass Each	8.00	$\overline{10.00}$	$\overline{15.00}$	20.00	25.00	35.00

KIELEY STANDARD STEAM TRAP




FIG. A-664.

"KIELEY" HIGH AND LOW PRESSURE STEAM TRAPS

NUMBER	INLET AND OUTLET CONNECTIONS	CAPACITY LINEAL FEET	CAPACITY SQUARE FEET	CAPACITY POUNDS WATER	PRICE
ž	SIZE INCHES	1-INCH PIPE	RADIATION	PER HOUR	EACH
1	3/4	4000	1300	500	25.00
2^{-}	1	6000	2000	725	35.00
3	11/4	10000	3300	1200	45.00
4	1½	15000	5000	2000	60.00
5	2	25000	8300	3000	80.00
6	2½	35000	11500	4000	100.00
7	3	50000	16500	6000	125.00

STANDARD STEAM TRAPS

NASON STEAM TRAPS



FIG. A-665.




FIG. A-666.


STANDARD STEAM TRAPS

SizeInches	12	15	18
Drainage Capacity, 1-inch Pipe Feet	1500	3500	5000
PriceEach	$\overline{23.00}$	36.00	54.00

NASON STEAM TRAPS

Number	1	2	3	4	5
Drainage Capacity, 1-inch Pipe Feet	1050	2700	4200	6000	10500
PriceEach	16.00	20.00	27.50	42.50	70.00

DAVIS PRESSURE REGULATOR



FOR
REGULATING
STEAM
PRESSURE




FIG. A-667.

FIG. A-668.

SizeInches									
Fig. A—667Each									
Fig. A—668 Each	25.00	27.00	29.00	30.00	36.00	42.00	48.00	58.00	70.00

Note—No. 1 Pressure Regulator is designed for use where the pressure is uniform. No. 2 Regulator is the same as No. 1, with the addition of an Oil Cylinder (Dash Pot) and is intended for use where the pressure is variable.

EXPANSION JOINTS

STEAM METAL




FIG. A-669

STANDARD TRAVERSE

SizeInches	1/2	3/4	1	11/4	1 ½	2	21/2	3
Traverse Inches	$\overline{2}$	21/4	21/4	21/4	21/4	21/2	21/2	23/4
PriceEach	1.50	2.20	-2.75	4.00	5.00	8.00	17.50	24.00

SPECIAL TRAVERSE

TraverseInches	Size	Inches	3/4	1	11/4	1½	2.
6	Price	Each	8.25	9.00	10.00	11.50	13.50
8	Price	Each	9.00	10.00	11.25	13.00	15.50
10	Price						
12	Price	Each	10.50	12.00	13.75	16.00	19.50

EXPANSION JOINTS

BRASS SLEEVE




FIG. A-670.

STANDARD TRAVERSE

SizeInches	2	21/2	3	3½	4	5	6	7	8
TraverseInches	_ /-	1	1		' '	-	5	6	7
PriceEach	7.00	8.00	10.00	14.00	18.00	38.00	45.00	70.00	100.00

SPECIAL TRAVERSE

TraverseInches	Size Inches	2	2½	3	3½	4	5	6	7
6	PriceEach					30.00		55.00	
10	PriceEach								
12	PriceEach							92.50	115.00
14	Price Each								
16	Price Each					i I			
18	Price Each	26.00	31.00	41.00	55.00	66.00			

Note-When used for High Pressure Steam, the expansion is 1 inch in 50 feet of pipe.

MUELLER WATER PRESSURE REGULATOR




FIG. A-671.

Size		/ - 1						/ -
For Iron Pipe	Each	10.00	10.00	13.00	17.50	24.00	40.00	55.00
For Lead Pipe	Each	10.50	10.50	13.70				

LENNOX TAPPING MACHINE




FIG. A-672.

BRASS GAS FIXTURE FITTINGS

INDEPENDENT HOSE COCKS










FIG A - 674



FIG. A-675

Size	Inches	1/8	1/4	3/8	1/2
Pillar Cocks	Per dozen	3.90	4.25	4.55	
Hose Cocks	Per dozen	4.25	4.55	4.90	5.55
Independent Hose Cocks	Per dozen	7.00	7.00	7.00	

L BURNER COCKS



FIG. A-676.

Size	Inches	1/0	I/	3/0
5120		/8	/4	78
Price	Per dozen	4.25	4.55	5.90
1 11CC	I CI UUZCII	T.40	T.00	0.40

2 LIGHT

PENDANT COCKS

UNIVERSAL

PENDANT COCKS





FIG A-677




FIG. A-678.



FIG. A-679.

SizeInches	¹ / ₈ x ½	¼ x 1/8	¼ x ¼	3/8 x ½	3/8 x 1/4	3/8 x 3/8	1/2 x 1/2
Straight CocksPer dozen							6.20
2 Light Pendant Cocks Per dozen							<u>[</u>
Universal Pendant Cocks Per dozen	8.60	8.80	9.10	9.45	.9.75	10.00	

BRASS GAS FIXTURE FITTINGS

2 LIGHT

BRACKET BODY



FIG. A-680.

STIFF JOINT




FIG. A-681.

SWING JOINT



FIG. A-682.

Size Inches	½ x ⅓	¼ x 1/8	¼ x ¼	3/8 X 1/8	3/8 x 1/4	3/8 x 3/8	½ x ¼	½ x 3/8	½ x ½
2 Light Bracket Bodies - Per doz						3.90			
Stiff JointsPer doz						1.95	2.60	2.60	3.25
Swing Joints Per doz	4.25	4.55	4.90	5.20	5.55	6.20			

HOSE ENDS

SIDE NOZZLE



STRAIGHT NOZZLE





FIG. A-685.

Size	Inches	1/8	1/4	3/8
Hose Ends	Per dozen	2.60	${2.95}$	3.25
Straight Nozzles	Per dozen	1.00	1.65	1.95
Side Nozzles	Per dozen	1.00	1.65	2.30

ACETYLENE GAS BURNERS

"WILLIAMSON"



FIG. A-686.

"BRAY"

FIG. A-687.

"SHAFFER GEM"





FIG. A-688.

"HAHN"




FIG. A-689.

Capacity per hour	Feet	1/4	. 1/2	3/4	1
"Williamson"	Each	.10	.10	.10	.10
"Bray"	Each	.11	.11	.11	.11
"Shaffer Gem"	Each	.60	.60	.60	.80
"Hahn"	Each	.40	.40	.40	

POLISHED BRASS GAS BRACKETS

(SQUARE PATTERN)

STIFF STRAIGHT BRACKET




FIG. A-690.

Extends 7 inches _____ Each .58 Extends 8 inches ____ Each .65

FIG. A-691.

I-SWING BRACKET



FIG. A-692.

Extends 11½ inches....Each .90

2-SWING BRACKET




FIG. A-693.

Extends 21 inches____Each 1.25

3-SWING BRACKET




FIG. A-694.

____Each 1.65 Extends 30 inches.....

POLISHED BRASS GAS BRACKETS

(ROUND PATTERN)

STIFF STRAIGHT BRACKETS

STIFF CURVED BRACKETS




FIG. A-695.




FIG. A-696.

Extends 6½ inches Extends 7 inches Extends 7.50.

I-SWING BRACKET



FIG. A-697.

Extends 11 inches

-----Each 1.25

2-SWING BRACKET




FIG. A-698.

Extends 21 inches Each 2.00

3-SWING BRACKET




FIG. A-699.

Extends 30 inches Each 2.75

HOSE NOZZLES

PLAIN, TO TIE ON



° FIG. A-700.

SizeInches	3/4	1
Length Inches	4 ½	4 1/2
PricePer dozen	3.50	4.00

PLAIN, TO SCREW ON



FIG. A-701.

Size	 Inches	3/4	1	11/4	1½	2
Length	 Inches	8	8	12	12	12
Price	 Per dozen	7.00	9.00.	18.00	22.00	34.00


SCREW TIP ~



FIG. A-702.

SizeInches	3/4	1	11/4	1½	2
LengthInches	8	- 8	12	12	12
Price Per dozen	8.00	10.00	20.00	25.00	38.00

SCREW TIP AND COCK



F1G. A-703.

Size	Inches	3/4	1	11/4	1½	2
Length	Inches	8	8	12	12	12
Price	Per dozen	13.00	15.00	40.00	55.00	80.00

"GEM" HOSE NOZZLE




FIG. A-704.

THROWS SPRAY OR SOLID STREAM

SizeInches	3/4	1
Price Per dozen	10.00	15.00

''WORLD'' LAWN SPRINKLER




FIG. A-705.

Price .____ Per dozen 12.00

FLIRTER



FIG. A-706.

BABY MARIAN LAWN SPRINKLER LAWN SPRINKLER



FIG. A-707.

Price Per dozen 8.00 Price Per dozen 7.00

HOSE NIPPLES

MALE



FIG. A-708.

MALE AND FEMALE




FIG. A-709.

SizeInc	hes 1/2	3/4	1	11/4	1 1 1/2	2	$2\frac{1}{2}$	3
					/2		-/2	
Price Per do	zen 3.50	-3.50	5.00	-9.00	L 1 0.00	14.00	28.00	40.00
1 1100 111111 111111 111111 111111 111111	2011 0:00 1	0.00	0.00	0.00	1 10.00	1 1.00	-0. 00	10.00

HOSE BUSHING



FIG. A-710.

HOSE REDUCERS



FIG. A-711.

Size	Inches	$1 \times \frac{3}{4}$	111/x x 3/	1 1/x x 1	1½ x 1½	2 x 11/2
2.00			-/4 /4		-/2/4	/2
Price	Per dozen	6.50	10.00	10.00	12.00	18.00

HOSE SPLICES



FIG. A-712.

HOSE COUPLINGS



FIG. A-713.

HOSE SPLICES

SizeInch	es	1/2	3/4	1
Iron Per doze	en	.60	.60	.75
Brass Per doz	en	1.20	1.20	2.00

GARDEN HOSE COUPLINGS

Size									
Hose Thread									
Iron Pipe Thread	Per dozen	2.65	2.65	4.65	10.50	15.00	26.00	50.00	79.00

STEAM HOSE COUPLINGS

Cine Inches I/ 2/ 1 11/ 11/	9	91/
Size 1nches ½ ¾ 1 1¼ 1½		4 1/2
Price Each 1.25 1.50 2.00 2.5	3.50	0.00
Price Each 1.25 1.50 2.00 2.5	1 5.00	6.00

Half Hose Couplings, 60 per cent of Complete Coupling.

SHERMAN HOSE CLAMPS



FIG. A-714.

Size	Inches	1/2	3/4	1	11/4	1½	2	2½
Single Per	dozen	.60	60	-2.00	-2.50	3.00	4.00	7.00
DoublePer	dozen	2.40	2.40					

HOSE STRAP FASTENERS






FIG. A-715.




FIG. A-716.

SizeInches		3/4				_
Hose StrapsPer dozen	.40	.60	.80	1.00	1.20	1.60
Hose Strap Fasteners Each	.50	.50	.50	.75	.75	.75

HOSE REELS




FIG. A-717.




FIG. A-718.

Capacity, 100 ft. 3/4-inch Hose...Each 1.50

Capacity, 100 ft. 34-inch Hose --- Each 3.50 Capacity, 150 ft. 34-inch Hose --- Each 4.00

COTTON AND RUBBER HOSE



FIG. A-719.

RUBBER HOSE

Size	Inches 7	1/2 3/4	1	11/4	1½	2
2-Ply	Per Foot	20 .25	.33	.42	.50	.66
3-Ply					.60	.80
4-Ply	Per Foot	30 .37	.50	.62	.75	1.00
5-Ply	Per Foot .	38 .46	.63	.78	.94	1.25

HARD RUBBER HOSE


SizeInc	ches 34	1	11/4	11/2
4-Ply	oot 6	.75	.93	1.13

STEAM HOSE

Size	Inches 1	1/2	3/4	1	1¼	1½	2
3-Ply	· ·						
	Per Foot .						
5-Ply	Per Foot .6	63	.83	1.03	1.30	1.56	$ ^{-}2.07^{-}$

COTTON HOSE (RUBBER LINED)

Size	 Inches	1/2	3/4	1
Price	 Per Foot	.20	.25	.35



"AGRICULTURAL" SPIRAL WIRE SUCTION HOSE

Size	 Inches	1	11/4	1 ½	2
Price	 Per Foot	75	.93	$^{-}1.13$	1.50

FIG. A-720.

WINDING HOSE WITH WIRE

Size	Inches	1/2	3/4	1	11/4	1½	- 2
3-Ply							
4-Ply							
5-Ply	Per Foot	.06	.07	.09	.11	.13	.15

STEAM PACKINGS

SHEET PACKING




FIG. A-721.

CLOTH ON ONE OR BOTH SIDES, OR CLOTH INSERTION


Thickness	Inches	6 4	$\frac{1}{32}$	1 6	$\frac{3}{32}$	1/8	1 6	1/4
1-Ply	Per Pound	.70	.65	.60	.55	.55	.55	.55
2-Ply	Per Pound	-		.63	.58	.55	.55	.55
3-Ply	Per Pound			.66	.61	.58	.55	.55
4-Ply	Per Pound					.61	.58	.55

Note—One Ply of Cloth to every $\frac{1}{16}$ inch in thickness.

PURE GUM SHEET PACKING	- Per	Pound	1.40
	•		
"DAINDOW" CHEET DACKING	D	D 1	
"RAINBOW" SHEET PACKING	Per	Pound	.80
i i			
JENKINS SHEET PACKING	Per	Pound	.80
PLUMBAGO SHEET PACKING	. Per	Pound	.80
"HAWKEYE RED" SHEET PACKING	Per	Pound	.60
TIAWKETE RED SHEET TACKING.			

STEAM PACKINGS

SQUARE PISTON PACKING





ROUND PISTON PACKING




FIG. A-723.

SQUARE DUCK PISTON PACKING

SizeInches	<u>¼</u>	3/8	1/2	5/8	3/4	1	11/8	11/4	1½
	In 20-Foot Lengths; all sizes Per Pound								

SQUARE DUCK PISTON PACKING

WITH RUBBER BACK

SizeInches	1/4	3/8	1/2	5/8	3/4	1	1 1/8	11/4	1½
	In 20-Foot Lengths; all sizes Per Pound								1.00

ROUND DUCK PISTON PACKING

WITH RUBBER CORE

SizeInches	1/4	3/8	1/2	5/8	3/4	1	1 1/8	11/4	1½
	In 20-Foot Lengths; all sizesPer Pound								.85

SPIRAL RING PACKING



FIG. A-724.

GARLOCK SPIRAL RING PACKING

½ to 1½ Inches_____Per Pound 1.20

CRANDALL SPIRAL RING PACKING

½ to 1½ Inch _____Per Pound 1,20

SQUARE FLAX PACKING	ITALIAN HEMP PACKING
Per pound	Per pound
	- 12
ASBESTOS ROPE PACKING	ASBESTOS WICK PACKING
Per pound	Per pound4
COTTON CA	NDLE WICK
Per pound	.30
ASBESTOS PI	PE COVERING
FIG. A	A—725.
Asbestos Pipe Covering	
Asbestos Sheeting	\ MADICET DRICE
Asbestos Mill-board	
Asbestos Cement	
•	
STEAM AND GAS	
Steam Fitters Cement	Per pound .5

Gas Fitters CementPer pound .25

ROPE




FIG. A-726.

OAKUM




FIG. A-727.

RAW HIDE LACE LEATHER

CUT LACES

Size Inches	1/4	1 5	3/8	1/2	5/8	3/4
Price Per 100 Feet	1.00	1.25	1.50	2.00	2.75	3.25

LEATHER BELTING




FIG. A-728.

Width	Inches	1	11/4	11/2	1 3/4	2	21/4	21/2	23/4	3	31/4	31/2	3¾
Price	Per Foot	.14	.19	.24	.29	.34	.39	.43	.48	.53	.58	.63	.67
Width	Inches		(-		51/2		, , –	1	I.	9	10	11	$\overline{12}$
Price	Per Foot	.72	.82	.91	1.01	1.11	1.20	1.30	1.48	1.67	1.85	2.04	$\overline{2.22}$

Note—Double Belts twice the price of Single Belts.

RUBBER BELTING

WIDTH, INCHES		2-PLY	3-PLY	4-PLY	5-PLY	6-PLY
1	PricePer Foot	.07	.09	.11		
11/4	Price Per Foot	.09	.11	.13	,	
1 1/2	PricePer Foot	.11	.13	.15	.19	
2	PricePer Foot	.15	.17	.21	26	.31
21/2	PricePer Foot	.18	.22	.26	.32	.39
3	PricePer Foot	.22	.26	.31	.38	.46
31/2	PricePer Foot	.26	.30	.37	.46	.55
4	PricePer Foot	.30	.34.	.42	.52	.63
4 ½	Price Per Foot	.33	.39	.47	.58	.70
5	Price Per Foot	.36	.43	.52	.65	.78
6	Price Per Foot	.43	.52	.62	.77	.93
7	Price Per Foot	.51	.60	.73	.91	1.09
8	Price Per Foot	.59	.70	.84	1.05	1.26
9	PricePer Foot	.67	.80	.95	1.18	1.42
10	Price Per Foot	.75	.90	1.07	1.33	1.60
11	PricePer Foot	.83	1.00	1.18	1.47	1.77
12	Price Per Foot	.91	1.08	1.30	1.62	1.95

ENDLESS STITCHED CANVAS BELTS

Width	Inches	6	7	8
Price	Per Foot	.54	.63	.72

PLUMBERS' BLAST FURNACE




FIG. A-729.

Furnace with Two Shields, suitable for Large or Small Solder Pot	6.00
Furnace with Two Shields and Hood for Solder Copper '	$\overline{7.50}$

REPAIRS FOR PLUMBERS' BLAST FURNACE

Burner	Connecting	Coil	Coit Cup	Ell '
	Pipe		, , , , , , , , , , , , , , , , , , ,	
EACH .IO \$^	EACH :08¢	EACH 25¢ ~	EACH .25¢	EACH .04¢
Filling Screw	:Handle: Ear	Handle	Nuts"	Valve
			Nº 1 Nº 2	
EACH 104-	EACH .04 F	EACH .15¢	EACH .01¢	EACH .30 €
Pet Cock	Plug	Reservoir	Bulb	Shield
				NO.18 NO.2
EACH .25¢	EACH .04 ¢	EACH 1.50	£ACH •20¢	EACH 35.¢
No.35hield	Tee	TopPlate	Upright	Wire for Coil
			×	
EACH .75#	EACH .04+	EAGH .15#	EAGH .06¢	EACH .05¢

FIG. A-730.

BLOW TORCHES

FOR GASOLINE




FIG. A-731.

Price _____Each 6.00

SOLDER POTS



F1G. A-732.

Diameter on Toplnches	1 5	6	18	9	101/2	12
	I					
Price Each	.40	.60	.92	1.16	1.60	1.2.52
1 1.001 10.		1		, ~.~	1.00	

LADLES



FIG. A-733.

Size Inches	21/2	1 2	1 21/	1 1	5	6	7	8	19	1 10
Dize z inches	4/2	0	0/2	, T						
Drice	25	40	E0.	en-	775	90	1 05	9 25	275	1 50
rnceEach	.50	.40	.50	.00	.10	.90	1.89	4.00	0.10	4.00

TORCHES

BRASS



FIG. A-734.

Without Side Filler Each	1.10
With Side FillerEach	$\bar{1.25}$

TAP BORERS

NEW YORK PATTERN




FIG. A-735.

New York PatternEach	.40
Philadelphia Pattern Each	.40

WIPING CLOTHS



FIG. A-736.

MoleskinEach	.25
TickingEach	.15

CANDLE STICKS




FIG. A-737.

Price	Each .3	0
		_

SOIL CUPS COPPER



FIG. A-738.

Medium Size-----Each .40 Price-Each 1.25

GREASE CUPS

BRASS




FIG. A-739.

BENDING SPRING



FIG. A-740.

Size	Inches	1	11/4	1½	2
Price	Each	.50	.60	.80	1.00



Price-----Each .30




FIG. A-742.

PriceEach	.40

SHAVE HOOKS

.

OVAL BLADE




FIG. A-743.

PriceEach	.30
Extra Blades Each	

SHAVE HOOKS

TRIANGULAR BLADE



FIG. A-744.

•	
PriceEach	.30
Extra BladesEach	.15

SOLDERING COPPERS

STRAIGHT PATTERN



FIG. A-745.

Duiaa		Per	D	ĽΛ
rnce	 	Per	Pound	.00

SOLDERING COPPERS

HATCHET PATTERN



FIG. A-746.

Price	 	Per	Pound	.50

CALKING CHISEL

STUB CALKING CHISEL





FIG. A-748.

Price.....Each .50

Price Each .50

RIGHT HAND CALKING CHISEL



LEFT HAND CALKING CHISEL



FIG. A-750.

Price.____ Each .60

YARNING CHISEL

SPRING YARNING CHISEL



FIG. A-751.

FIG. A-752.

Price____Each .50 Price___Each .70

PLAIN TACK MOULDS










FIG. A-754.

SingleEach	2.50
DoubleFach	3.50

FANCY TACK MOULDS






FIG. A-755.

FIG. A-756.

Single	Each	3.00
Double	Each	$\overline{4.00}$

PLUMB BOBS



FIG. A-757.

Weight Ounces	10	12	14	20	24	-32	36
Brass, Steel Pointed Each	.95	1.35		1.80		2.40	
IronEach	.20		.25		.40		.50

RASPS



FIG. A-758.

Sizes	Inches	10	12	14
Price	Each	1.15	1.55	2.10

BUZZELL'S BASIN WRENCH



FIG. A-759.

TO .		
Price		

FORCE CUPS




FIG. A-760.

No. 1 Each	.50
No. 2Each	.75
No. 3 Each	1.00

BOXWOOD SIDE EDGERS



FIG. A-762.

Price _____ Each .75

BOXWOOD DRESSERS




FIG. A-763.

Price----- Each .90 No. 1, 2 or 3----- Each .25

BOXWOOD BOSSING STICKS



FIG. A-765.

PLUMBERS' FRIEND




FIG. A-761. PriceEach 2.00

BOXWOOD TURN PINS




FIG. A-764.

BOXWOOD DRIFT PLUGS



FIG. A-766.

Price _____Each .90 Price ____Each .20

GAS PLIERS



FIG. A-767.

Size	-Inches	7	8	9	10	12	14
Price	- Each	.65	.70	.80	.90	1.10	1.45

BURNER PLIERS




FIG. A-768.

SizeInches	5	6
Nickel-plated Each	.75	.85

BURNER PLIERS




FIG. A-769.

	 	 	
7-inch, Nickel-plated	 	 	Each 1.00

PEASE'S COMBINATION PLIERS



FIG. A-770

Size Inches	6	10
Nickel-platedEach	1.25	1.75

TRIMO PIPE WRENCHES



FIG. A-771.

Size Inches	6	8	10	14	18	$-\frac{1}{24}$	36	48
Grips PipeInches	1/8 to 1/2	½ to ¾	½ to 1	1/4 to 1 1/2	1/4 to 2	1/4 to 2 1/2	½ to 3 ½	1 to 5
Price Each	2.00	2.00	2.25	3.00	4.00	6.00	$\overline{12.00}$	18.00
Jaw Each	.67	.67	.75	1.00	1.33	2.00	4.00	6.00
EXTRAS Nut Each	.20	.20	.27	.35	.42	.50	$ \phantom{00000000000000000000000000000000000$.80
Inserted Jaw-Each	.25	.25	.33	.50	.55	.65	1.00	1.25
FrameEach	.25	.25	.33	.45	.55	.65	.75	-1.00

STILLSON PIPE WRENCHES




FIG. A-772.

SizeInches	6	8.	10	14	18	24	36	4 8
Grips Pipe Inches	1/8 to 1/2	½ to ¾	½ to 1	1/4 to 1 1/2	1/4 to 2	1/4 to 2 1/2	½ to 3½	1 to 5
PriceEach	2.00	2.00	2.25	3.00	4.00	-6.00	12.00	18.00
Jaw Each	.67	67	75^{-}	1.00	1.33	2.00	$ \overline{4.00} $	-6.00
EXTRAS Frame Each	.25	.25	.33	.45	.55	.65	.75	1.00
Nut Each		.20	$\overline{.27}$.35		.50	.65	.80
Handle Each	.15	.15	$-\frac{1}{1.20}$.25	.30			

BEMIS AND CALL COMBINATION WRENCHES




FIG. A-773.

Size	Inches	10	12	15	18
Grips Pipe	Inches	½ to 1	½ to 1½	½ to 2	½ to 3
Price	Each	2.10	2.40	3.40	6.00
Extra Grips	Each	.25	.30	.35	.40

BRASS PIPE WRENCHES




FIG. A-774

SizeInches	10	18
Grips Pipe Inches	½, ¾ and 1	$1\frac{1}{4}$, $1\frac{1}{2}$ and 2
Price, with one ClampEach	2.50	5.00
Extra Clamps Each	.50	1.00

REED'S WRENCHES



FIG. A-775.

Size		Inches	8	11	16	20	30	40
Grips I	Pipe	Inches	½ to ¾	½ to 1	3/8 to 1½	1 to 2	1¼ to 3	2 to 4
Price		Each	2.00	2.25	3.00	4.00	9.00	12.00
	Jaw	-Each	.67	.75	1.00	1.35	3.00	4.00
EXTRAS	Facing	- Each	.40	.45	.60	.80	$-1.\overline{50}$	2.00
	Spring	- Each	.10	.10	.15	.20		.50

COE'S WRENCHES



FIG. A-776.

Size	Inches	6	8	10	12	15	18	21
Price	Each	.75	.85	1.00	1.20	2.00	2.50	3.00
10								

ALLIGATOR WRENCHES



FIG. A-777.

Number	1	2	3	4	5
Holds Pipe Inches	½ to 3/8	3/8 to 3/4	½ to 1½	1¼ to 2	2 to 3
PriceEach	.35	1.00	2.00	3.00	4.50

"ELGIN" ADJUSTABLE WRENCHES



FIG. A-778.

Price, Nickel-platedEach	1.00
Extra Jaws Each	.25

COMMON PIPE TONGS



FIG. A - 779.

Sign for Ding	Inches I/	1 1/	36	1/	3/	1	11/	111/	9	$2\frac{1}{2}$	2
Size for Pipe	menes 78	1 74	/ 9/8	72	74	1	1 1/4	1/2		472	o
		I—' :_—					- 22	1			4.00
Price	Each .60	.65	1 70 1	75	90	1 10	1 30	1 50 .	1 90	2.50	4 ()()
1 FICC	Lacii; .oo	1.00			.00	1.10	1.00	1.00	1.00	2.00	1.00

BROWN'S ADJUSTABLE PIPE TONGS



FIG. A-780.

Number	1	1½	2	3	4
Grips PipeInches	√8 to 3⁄4	3/8 to 1	½ to 1¼	1 to 2	1½ to 3
Price Each	1.30	1.65	$\overline{2.00}$	3.00	6.00

CHAMPION CHAIN TONGS



Number		0	1	2.	3	4
LengthIr	nches	12½	19½	28	38	50
Grips PipeII	nches	½ to 1	1/4 to 2	¼ to 3	3/4· to 6	1½ to 10
Price	Each	2.50	3.50	5.50	7.50	11.00
Extra Chains	Each	.75	1.00	1.50	2.50	4.00
Extra JawsPer	Pair	1.00	-1.75	2.75	4.00	5.50

TRIMO GIANT CHAIN TONGS



FIG. A-782.

Number		2	3	4	5	6
Length	Inches	27	37	50	60	72
Grips Pipe	Inches	3/4 to 3	1 to 4	2 to 6	2½ to 10	3 to 12
Price	Each	$\overline{6.00}$	8.00	10.00	15.00	18.00
Extra Jaws	Per Pair	1.75	-2.25	-2.75	3.50	4.00

FRICTION TONGS



Number	1	2	3	4	5
For PipeInches	3/4	1	11/4	1½	$\overline{2}$
Price Each	4.00	4.50	${5.00}$	5.50	6.00

STANWOOD PIPE CUTTERS



FIG. A-784.

SIZE	cuts	COMPLETE CUTTERS	CUTTER BLOCKS WITH WHEELS	WHEELS	PINS
No. 1	½ to 1 inch	1.50	.45	.12	.05
" 2	1 to 2 "	2.25	.60	.18	.05
" 3	2 to 3 "	7.00	1.25	.25	.10

SAUNDERS' PIPE CUTTERS



FIG. A-785.

SIZE	cuts	COMPLETE CUTTERS	BLOCKS AND WHEELS	WHEELS	PINS
No. 1	½ to 1 inch	3.00	1.25	.24	.10
" 2	1 "2"	4.50	1.75	.32	.10
<u>"</u> 3	2 "3 "	11.00	2.75	.60	.15
" 4	2½ "4 "	18.00	3.50	.60	.15

BARNES' PIPE CUTTERS



FIG. A-786.

SIZE	ситѕ	CUTTERS COMPLETE	WHEELS	PINS PER DOZEN	ноокѕ	SLIDES	NUTS	HANDLES
No. 1	½ to 1 inch	4.50	.25	1.00	1.75	.75	.25	1.00
" 2	1/2 " 2 "	6.00	.30	1.00	2.60	1.00	.25	1.25
" 3	1½ " 3 "	10.00	.40	1.00	4.55	2.00	k in	2.25
" 4	2½ " 4 "	20.00	.50	2.00	9.50	4.50	l 6	4.50
" 5	4 " 6 "	30.00	.75	2.00	13.75	7.00		7.00
" 6	6 " 8 "	40.00	.75	2.00	20.00	8.50	and pie e siz	$9.\overline{25}$
" 6½	8 " 10 "	45.00	.75	2.00	23.00	9.50	e er	10.25
" 7	9 " 12 "	50.00	.75	2.00	25.00	$\overline{11.25}$	R o th	11.50

PUMP ROD STOCK AND DIES



FIG. A-787.

Double Stock with 3/8 and 1/6-inch Dies	Each 3.00	Ō
Extra DiesEach 1.	00 Extra Guides Each .33	$\bar{5}$

PIPE STOCK AND DIES




FIG. A-788.

Number		- 0	1	1½	1 3/4	2
Size Die	esInche	s ½ to ½	1/4 to 1	3/4 to 11/4	$1 \text{ to } 1\frac{1}{2}$	1¼ to 2
Dimens	ion of DiesInche	$s 2 \overline{x} 2 \overline{x} \frac{1}{2}$	2½x2½x¾	3 x 3 x 3/4	$3 \times 3 \times 34$	4 x 4 x 7/8
Complet	te Eac	$ \overline{9.50} $	15.00	13.50	13.50	20.00
Stock or	nlyEac	a 3.50	5.00	6.00	6.00	-9.50
	Dies, Right or Left Eac	h 1.50	2.00	2.50	2.50	3.50
	Bushings Eac	\overline{n} $\overline{.25}$.35	.45	.45	.60
EXTRAS {	Die Frames Eac	n —	.30		.40	.50
	Thumb Screws Eac	n .20	.20	.20	.20	.20
	Handles Eac	n .50	.50	.60	.60	.75

ARMSTRONG ADJUSTABLE PIPE STOCK AND DIES




FIG A-789.

Number	1	2	1 2½	-	6	7
Threads Pipe Inches	1/8 to 1/2	1/4 to 1	½ to1¼	$1\frac{1}{4}$ to 2	$2\frac{1}{2}$ to 3	
Complete Eacl	9.00	12.00	12.00	20.00	40.00	60.00
Stock only Each	3.25	4.00	4.50	7.00	25.00	30.00
(Dies, Right or LeftEach	1.25	1.50	3.25	4.00	15.00	16.00
Bushings Each	.20	.25	.40	.50	1.00	1.50

1/8-inch Dies (Right or Left) can be furnished for No. 2.

34-inch Dies (Right or Left) can be furnished for No. 3.

"DUPLEX" ADJUSTABLE PIPE STOCKS




FIG. A-790.

Number	1	2	, 3	3½	4	5
Threads PipeInches			1 to 2	½ to 2	1½ to 3	2½ to 4
Without Cut-off Each	13.00	17.00	22.00	25.00	40.00	55.00
With Cut-offEach	16.00	20.00	25.00	28.00	45.00	60.00
Extra Dies, Right or Left Per Set of 4	1.50	1.75	2.00	2.00	3.50	4.00

"OSTER" ADJUSTABLE PIPE DIE STOCKS




FIG. A-791.

Number	0	1	1½	2	3	4	4 ½	5	6
Threads PipeInches	½ to ½	1/8 to 3/4	1/4 to 1	½ to 1½	1 to 2	½ to 2	3/8 to 2	1½ to 3	$\overline{2}\frac{1}{2}$ to $\overline{4}$
Without Cut-offEach	12.00	13.00	14.00	17.00	22.00	$2\overline{5.00}$	28.00	40.00	55.00
With Cut-off Each	15.00	16.00	17.00	20.00	$\overline{25.00}$	28.00	31.00	45.00	60.00
Extra Dies, R. or L. per set of 4	1.25	1.50	1.50	1.75	-2.00	2.00	2.50	3.00	3.50
Extra Cut-off BladesEach	.30	.30	.30	30	.30	.30	.40	.40	.40

RATCHET STOCKS AND DIES



FIG.	A7	92
------	----	----

No. 1 Stock holds 3x3 D	ie.		No. 2 Stock holds 4x4	Die.
No. 1 Stock with Bushin	ngs only, for ¼ to 1½-in	ch Pipe,,	Each	$\overline{10.00}$
No. 2 Stock with Bushir	igs only, for ½ to 2-inch	Pipe	Each	$\overline{15.00}$
3x3 Dies	Each 2.50	4x4 Dies	Each	3.50

PIPE TAPS AND REAMERS






FIG. A-793.

FIG. A-794.

Size	Inches	1/8	1/4	3/8	1/2	3/4.	1	11/4	1 ½	2	2½	3
Taps	- Each	1.12	1.25	1.50	1.87	2.50	3.12	3.75	4.62	6.25	10.50	15.00
Reamers	Each	1.12	1.25	1.50	1.87	$\overline{2.50}$	3.12	$\overline{3.75}$	$\overline{4.62}$	6.25	$ \overline{10.50} $	$1\overline{5.00}$

COMBINATION PIPE AND BENCH VISE





FIG. A-795.

No. 1. Holds ½ to 2-inch Pipe	Each 16.00
No. 2. Holds 1/8 to 3-inch Pipe	Each 20.00
No. 3. Holds ½ to 4-inch Pipe	Each 28.00

MALLEABLE IRON PIPE VISES

"CRANE"








FIG. A-796.

FIG. A - 797.

"CRANE" MALLEABLE IRON PIPE VISE, WITH REMOVABLE STEEL JAWS

No. 1.	Holds 1/8 to 2-inch Pipe.	PriceEach 10.00	Extra Jaws Per Set of 3 .80
No. 2.	Holds 1/8 to 3-inch Pipe.	Price Each 14.00	Extra Jaws Per Set of 3 1.20

"REED" MALLEABLE IRON PIPE VISE, WITH SECTIONAL STEEL JAWS

No. 1.	Holds 1/8 to 2-inch Pipe.	PriceEach 10.00		
No. 2.	Holds ¼ to 3-inch Pipe.	Price Each 14.00	Extra Jaws Per Section	.06
No. 3.	Holds ½ to 4-inch Pipe.	Price Each 20.00		

NOTE—The Jaws of the "Reed" Vise are composed of several sections of best Tool Steel, and each section is reversible four times before necessary to resharpen. Sections are easily removed and can be sharpened on a Grind-stone or Emery-wheel.

MALLEABLE PIPE VISE

MALLEABLE PIPE VISE

STEEL JAWS




FIG. A—798.

Holds ½ to 2-inch Pipe.
E-----Each 4.00




FIG. A-799.


' Holds 1/8 to 2-inch Pipe.
Price-----Each 6.00



ENGINEERS FAVORITE FLUE SCRAPERS

FIG. A-800.


Size Inches	1 3/4	2	21/4	21/2	2¾	3	31/4	3½	4	4 1/2	5	6
Price Each	$\overline{2.00}$	$\overline{2.00}$	2.25	$\overline{2.50}$	2.75	$\overline{3.00}$	3.25	3.50	4.00	4.50	$\overline{6.25}$	7.50



SPIRAL WIRE FLUE BRUSHES

FIG. A-801.

SizeInches	1¼ 1½	13/4	2 2 1/2	$(12\frac{1}{2})$	23/4	3	31/4	3½	3¾	4
PriceEach	1.45 1.55	$\overline{1.70}$	$\overline{1.90}$ $\overline{2.10}$	$\overline{)}$ $\overline{2.30}$	2.50	2.80	3.00	3.30	$\overline{3.50}$	3.75



EXPANSION
WIRE
FLUE
BRUSHES

FIG. A-802.

Size	Inches, 1½	2 134	2	21/4	21/2	23/4	3	31/4	3½	33/4	4
Price	Each 2.0	$\overline{0}$ 2.00	2.00	$\overline{2.25}$	2.50	$\overline{2.75}$	3.00	$\overline{3.25}$	3.50	3.75	4.00



STEAM FLUE BLOWERS

FIG. A-803.

Number		2	3	4	5	6
Outside Diameter Tubes Inches	2 to 21/4	2½ to 2¾	3 to 31/4	3½ to 3¾	4 to 4½	5 to 6
With Clamps and Nipples Each	5.00	$-6.\overline{25}$	7.50	8.75	10.00	12.50




ROLLER FLUE EXPANDERS

FIG. A-804.

Size Flue	Inches						21/4	21/2	2¾
Price	Each	10.00	10.00	10.00	10.00	10.00	12.00	14.00	16.00
Size Flue									6
Price	Each	18.00	20.00	23.00	30.00	35.00	40.00	50.00	60.00


HYDRANTS AND STREET WASHERS

HAWEYE HYDRANT



HAWKEYE

STREET WASHER



HYDRANTS

To set in ground				-	48		72	84	0.0
¾-inch inlet									
1-inch inlet	-Each	12.70	13.50	14.30	14.75	15.30	16.00	17.25	18.50

STREET WASHERS

To set in groundIn	nches	18	24	36	4 8	60	72	84	96
34-inch inlet								9.55	1
1-inch inlet	Each	9.50	10.25	11.10	11.70	12.00	12.75	13.50	15.25

SERVICE OR STOP BOXES

21/2-INCH DIAMETER

FIG. A-807.

NUMBER	EXTENSION	PRICE EACH
88	1 Foot Stationary Length	.70
89A	1 foot to 1 foot 8 inches	.75
90B	1 foot 6 inches to 2 feet 2 inches	.82
91C	1 foot 9 inches to 2 feet 9 inches	.88
92C	2 feet to 3 feet 2 inches	.92
92D	2 feet to 3 feet 6 inches	.95
93D.	3 feet to 4 feet	1.00
93E	3 feet to 4 feet 6 inches	1.04
94D	3 feet 6 inches to 4 feet 9 inches	1.08
94E	3 feet 6 inches to 5 feet	1.14
95E	4 feet to 5 feet 6 inches	1.20
100E	4 feet 6 inches to 6 feet	1.25
100F	4 feet 6 inches to 6 feet 6 inches	1.40

3-INCH DIAMETER

NUMBER	, EXTENSION	PRICE EACH
0	10 Inch Stationary Length	.85
1	1 foot 1 inch to 1 foot 9½ inches	.90
1 ½	1 foot 6 inches to 2 feet 4 inches	.95
$\overline{}$	2 feet to 3 feet 3 inches	1.05
3	2 feet 8 inches to 4 feet	1.15
4	2 feet 10 inches to 4 feet 10 inches	1.20
. 5	3 feet 6 inches to 5 feet 6 inches	1.40
7	4 feet to 6 feet	1.60
8	6 feet to 8 feet	2.00

EXTENSION SECTIONS



FIG. A-808.


	21/2-	INCH DIAMETE	3-INCH DIAMETER			
Increasing length of BoxInches	9 1	6½ 28	33	20	24	30
PriceEach	.40	.45 .50	.60	.45	.50	.60

REPAIRS

Top Section, half the price of Complete Service Box. Bottom Section, half the price of Complete Service Box.

Covers	Each	.15
Brass Bolts	Each	.15
TZ 0.00	To als	10


EUREKA WATER LIFT



F1G. A-809.

NUMBER	DIAMETER OF POWER CYLINDER	DIAMETER OF PUMP CYLINDER	LENGTH Over all	HEIGHT OVER ALL	PRICE
	INCHES	INCHES	INCHES	INCHES	- EAOII
1	21/2	1 3/4	25	13	60.00
2	21/2	21/2	25	13	60.00
3	33/8	33/8	29	18	100.00
4	33/8	23/8	29	18	100.00
5	31/8	31/8	28	17	70.00

Descriptive circulars sent on application.



CHAMPION WATER LIFT

NUMBER	DIAMETER OF POWER CYLINDER	DIAMETER OF PUMP CYLINDER	HEIGHT OVER ALL	PRICE
	INCHES	INCHES	INCHES	
1	2½	2½	27 ½	60.00
2	21/2	2	271/2	60.00
3	3	2 ½	27½	70.00
4	3	2	271/2	70.00
5	3	1½	27 ½	70.00
6	3	3	271/2	70.00
$\phantom{aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa$	2½	3	27 ½	60.00
9	313	313	34 ½	100.00
10	313	3	34½	100.00

FIG. A-810.

Descriptive circulars sent on application.

CISTERN PUMPS

PITCHER SPOUT




FIG. A-811.

CLOSE SPOUT




FIG. A-812.

Number	1	2	3	4
Diameter of CylinderInches	21/2	3	3½	$\overline{}$
Size Suction Pipe Inches	1	11/4	11/4	1½
Pitcher Spout, Polished Iron Cylinder Each	4.25	4.75	5.25	-6.25
Pitcher Spout, Brass Lined Cylinder Each	6.50	7.25	8.00	9.00
Close Spout, Polished Iron CylinderEach	4.25	4.75	5.25	6.25
Close Spout, Brass Lined Cylinder Each	$\overline{}6.\overline{50}$	7.25	8.00	9.00

WITH
PATENT
VALVE

PITCHER SPOUT

BRASS BODY



FIG. A-813.

3-inch Cylinder.

1, 1¼ or 1½-inch Suction.

Price _____ Each 4.00

HOUSE FORCE

BRASS BODY



FIG. A-814.

3-inch Cylinder 1, 1¼ or 1½-inch Suction. With Air Chamber----Each 7.00 Without Air Chamber----Each 6.00

HOUSE FORCE PUMPS



FIG. A-815.




FIG. A-816.

2½-inch Cylinder.

2½-inch Cylinder. Each 10.00 Price Each 11.00

"LOW DOWN" HOUSE FORCE PUMP




FIG. A-817.

3-inch Brass Lined Cylinder. -----Each 16.00

STANDARD STEAM, GAS AND WATER PIPE TABLE OF SIZES AND DIMENSIONS

			. IA	BLE OF	SIZE	S AND D	MENSI	ONS							
Size, Inches	Actual			Outsi		Length in F	of Pipe eet	L,engt	h of Pipe	Weig	ht	Nu	mber		
Nominal	Outside	1		Circumfe	Circumference				ining e Foot	1	Feet				hreads
Inside Diameter	Diameter	.In	ches	Inches		_			Containing 1 Cubic Foot		ds	Per	Inch		
1/8	.405	0.	68	1.27	$\overline{2}$	9.44		2	513.	.24	1		27		
1/4	.54	.0	88 ·	1.69	6	7.	075	15	383.3	.42			18		
3/8	.675	0.	91	2.12	1	5.	657		751.2	.55	9		18		
1/2	.84	.1	09	2.63	9	4.	547		172.4	.83	37	1	14		
3/4	-1.05	.1	13	3.29	9	3.	637	2	270.	1.11	.5		14		
1	1.315	.1	34	4.13	1	2.	904		166.9	1.66	8	l	11½		
11/4	1.66	1	$\overline{4}$	5.21	5	2.	301		96.25	2.24	4		11½		
11/2	1.9	.1	45	5.96	9	2.	01		70.66	2.67	^{'8}		11½		
$\overline{}$	2.375	.1	54	7.46	1	1.	608		42.91	3 60	9		11½		
21/2	-2.875	2	04	9.03	2^{-}	<u> </u>	328		30.1	5.78	39		8		
3	-3.5	.2	17	10.99	6	1.	091		19.5	7.58	36		8		
3½	4.	.2	26	12.56	6		955		14.57	9.00)1		8		
4	4.5	.2	37	14.13	7		849		11.31	10.66	55		8		
4 1/2	5.		46	15.70			764		9.02	12.34			8		
5	5.563		$\overline{59}$	17.47			687		7.2	14.50			8		
6	6.625	2		20.81			577		4.98	18.76			, 8		
7	7.625	1	01	23.95			501		3.72	23.27			8		
8	8.625	1	22	27.096			443		2.88	28.17			8		
9	9.625	1.	44	30.238		.397		2.29		33.701			8		
10	10.75	.3	66	33.772 .355				1.82	40.06	55		8			
			CUT	TING E	EXTR	A PIPE	THR	EADS							
SizeInches 1/8			1/8	1/4	3/8	1/2	3/4	1	11/4	1½	1 6	2	21/2		
Price	Е	ach	05_	.05	.05	.05	.05	.06	.07	.08		10	.15		
Size	Inc	hes	3	3½	4	41/2	5	6	7	8)	10		
Price		ach	.20	.25	.35	$-\frac{72}{.45}$.55	.70	.85	1.00	1.2	- 1	1.50		
			GRAP	HIC C	PHE	R FOR	ORDE	RING	PIPE						
Nur	nber of Fee	et .		Size Black					Size Galvanized						
10	00 Asia			1/8 Allegheny											
20	00 Belgii	ım		1/4 Baltimore					¼ Amazon						
	00 Chili			3/8 Camden					3/8 Bay						
	00 Denm			½ Detroit					½ Colorado						
	00 Egypt				, ·	Erie			3/2	, Dar		2			
	00 Franc			1 Fairmont					1	Elb					
	00 Germa			1¼ Galena					11/2						
	00 Holla					Harrisbu	rg		1 ½						
	00 Irelan 00 Japan					thica			2	Huc		1			
100			amestov			21/2									
200		3 Kensington					3	Jun							
3000 Liberia 4000 Maine				3½ Lancaster					31/2			na			
	4		Macon		_	4 Lake 4½ Miami									
	5000 Nevada					Quincy		_	4 1/2						
	6000 Ohio 7000 Peru					Newark Oneida			5 Nile						
	00 Peru 00, Russia					Oneiga Paris			6 Osage 7 Po						
	00, Russia 00 Spain			8		Reading			8	Rhi	ne				
1000						Salem			$\frac{3}{9}$	Seir					
				10		roy			$-\frac{3}{10}$	Twe					
15000 Uruguay				10	, <u>.</u>	1 1 U y		<u> </u>	10		Ju				

NOTE—For latest revision of prices on Pipe, see Pipe Card.

X AND XX STRONG PIPE CARRIED IN STOCK

WELL CASING

LIST OF SIZES AND DIMENSIONS

Inside	Outside	Weight	Threads	Inside	Outside	Weight	Threads
Diameter Inches	Diameter Inches	Per Foot	Per Inch	Diameter Inches	Diameter Inches	Per Foot	Per Inch
2 1/2	2 3/4	3.13	14	5	5 1/4	8.20	14
23/4	3	3.45	14	5_{16}^{3}	5 ½	8.62	14
3	31/4	4.10	$\overline{}$ $\overline{14}$	5 5/8	6	10.46	14
31/4	3½	4.45	14	61/4	65/8	11.58	14
31/2	3¾	4.78	$\phantom{aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa$	65/8	7	12.34	14
33/4	4	5.56	14	71/4	7 5/8	13.55	14
4	41/4	6.00	14	7 5/8	8	15.41	11½
4 1/4	4 1/2	$-6.3\overline{6}$	14	81/4	85/8	16.07	111/2
4 1/2	43/4	6.73	14	85/8	9	17.60	11½
4 3/4	5	7.80	14	95/8	10	21.90	11½

Note—Size of Well Casing is governed by the inside diameter. Screw and Socket and Inserted Joint Casing, both Black and Galvanized carried in stock. In ordering, be careful to specify kind wanted. Prices subject to latest revision. See Pipe Card.

TELEGRAPHIC CIPHER FOR ORDERING WELL CASING

Screw and Socket Joint Well CasingInserted Joint Well Casing										
Size	Size	Size	Size							
2½ Malice	3½ Marmot	4½ Melon	5% Mine							
2¾ Malt	3¾ Mask	4¾ Mesh	6¼ Minor							
3 Mane	4 Match	5 Midway	6% Miser							
3¼ Mantle	4¼ Mean	3;3 Mild	7¼ Mite							

STANDARD PIPE COUPLINGS



FIG. A-818.

STANDARD WROUGHT IRON PIPE COUPLINGS

SizeInches	1/8	1/4	3/8	1/2	3/4	1	11/4	1 ½	2	21/2
Black Each	.05	.05	.06	.07	.10	.13	.17	.21	.28	.40
GalvanizedEach	.06	.06	.08	.10	.13	.18	.25	.32	7.40	.55
SizeInches	- 3	3½	4	4 1/2	5	6	7	8,	9	10
BlackEach	60	.80	1.00	1.50	1.65	2.40	3.25	4.25	5.50	7.50
GalvanizedEach	.80	1.05	1.40	2.00	2.25	3.25				

WELL CASING COUPLINGS

SizeInches	2½	23/4	3	31/4	3½	3¾	4	41/4	4 1/2	4 3/4
Black Each	.25	.30	.35	.40	.46	.52	.60	.68	.74	.80
Galvanized Each	.35	.42	.50	.57	.65	.73	.85	1.00	1.05	1.15
SizeInches	5	$5\frac{2}{16}$.	5 5/8	61/4	65/8		75/8	81/4	85/8	95/8
BlackEach	.90	1.00	1.20	1.35	1.50	1	1.75	2.24	2.85	3.50
Galvanized Each	1.30	1.40	1.70	1.90	2.15		2.50	3.25		

חבר ד ופחו



LIBRARY OF CONGRESS

0 021 213 036 9